

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Walter Tolles (Name of applicant)
of 4212 Thistle St., Seattle (Postoffice), County of King,
State of Washington, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed creek and spring (Name of stream),
a tributary of N. Fork Umpqua River
2. The amount of water which the applicant intends to apply to beneficial use is 0.15
cubic feet per second. 0.1 from creek for power and 0.05 from spring for domestic
(If water is to be used from more than one source, give quantity from each)
3. The use to which the water is to be applied is power and domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

No. 1
4. The point of diversion/s located 1000 ft. N. and 1000 ft. W. from the SE
corner of Sec. 2. **No. 2** is located 700 ft. N. and 1000 ft. W. from same corner.
(Section or subdivision)
(If preferable, give distance and bearing to Sec. Cor.)
(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 2, Tp. 26 S.,
(Give smallest legal subdivision) (No. N. or S.)
R. 3 W., W. M., in the county of Douglas
(No. E. or W.)
5. The pipe line for power to be 700 feet
domestic 400 feet
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 2, Tp. 26 S.,
(Smallest legal subdivision) (No. N. or S.)
R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)
6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 2.5 feet, length on top 3 ft. feet, length at bottom
3 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, Power 400 ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 150 ft. Is grade uniform? Estimated capacity, 0.1 sec. ft. See remarks for description of domestic line.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres to be Irrigated. The table contains several rows of dotted lines for data entry.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed 2 theoretical horsepower.

(b) Quantity of water to be used for power 0.1 sec. ft.

(c) Total fall to be utilized 150 feet. (Head)

(d) The nature of the works by means of which the power is to be developed impulse

wheel connected to generator

(e) Such works to be located in SE 1/4 SE 1/4 of Sec. 2, (Legal subdivision)

Tp. 26 S., R. 3 W., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? Yes. (Yes or No)

(g) If so, name stream and locate point of return Umpqua River

SE 1/4 SE 1/4, Sec. 2, Tp. 26 S., R. 3 W., W. M. (No. N. or S.) (No E. or W.)

(h) The use to which power is to be applied is domestic lighting and power.

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 600.00.....
- 13. Construction work will begin on or before One year from date of approval.....
- 14. Construction work will be completed on or before Two years.....
- 15. The water will be completely applied to the proposed use on or before three years.....

Walter Tolles
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Lewis A. Stanley, Salem
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: The supply for power is to be diverted into the pipe line to be
constructed under Per. No. 8192 and supplement the supply.

Pipe line for domestic use -- 700 ft. long -- 1" diam. at intake
and reduced to 1/2 inch at house. approx. 80 ft. fall.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13544

Permit No. 9728

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Ore-

gon, on the 1st day of July

1930, at 4:30 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1930.

Recorded in book No. 32 of

Permits on page 9728

R. H. E. A. L. U. P. E. R.
STATE ENGINEER

Drainage Basin No. 16, Page 394 a.

Fees Paid \$10.50.

PERMIT

STATE OF OREGON,)
) ss.
County of Marion,)

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second, or its equivalent in case of rotation with other water users, from 0.1 sec.ft. from creek for Power and 0.05 sec.ft. from spring for domestic.

The use to which this water is to be applied is Power and Domestic (2.0 H.P.)

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 1st, 1930.

Actual construction work shall begin on or before July 30, 1931. and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932.

Complete application of the water to the proposed use shall be made on or before _____

October 1, 1933.

WITNESS my hand this 30th day of July, 1930.

RHEA LUPER

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.