

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Paul E. Sandoz (Name of applicant) of Trail (Postoffice), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is three small springs not tributary to any stream, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 50 gallons cubic feet per second per minute from each spring.

3. The use to which the water is to be applied is Domestic including irrigation of garden and watering stock, said springs being on land owned by applicant.

4. The point of diversion is located 1772 ft. S and 600 ft. W from the NE corner of Section 8, T. 33 S., R. 1 E.; Spring No. II -- 1320' S. and 1056' W from the NE corner of Section 8, T. 33 S., R. 1 E.; Spring No. III -- 1122' S and 198' E. 30° N from NW corner of NE 1/4 of Section 8, T. 33 S., R. 1 E. All the above numbers of feet are "more or less".

being within the NE 1/4, NW 1/4 and SE 1/4 of Sec. 8, Tp. 33 S., R. 1 E., W. M., in the county of Jackson

5. The conduit to be pipe line and water troughs in length, terminating in the NE 1/4, NW 1/4 and SE 1/4 of Sec. 8, Tp. 33 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Wunningham's Springs

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
33 S	1 E	8	SE $\frac{1}{4}$ NE $\frac{1}{4}$	
33 S	1 E	8	NW $\frac{1}{4}$ NE $\frac{1}{4}$	
33 S	1 E	8	NE $\frac{1}{4}$ NE $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil free soil

(b) Kind of crops raised garden

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.) (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 192_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 300
- 13. Construction work will begin on or before July 20, 1930.
- 14. Construction work will be completed on or before April 1, 1931.
- 15. The water will be completely applied to the proposed use on or before Oct. 20, 1930.

Paul E. Sandoz
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) A. G. Walker, _____
(Name) (Address of witness)
- (2) E. E. Wilson, Medford, Oregon
(Name) (Address of witness)

Remarks: Said springs being small but permanent and situated some distances
from draws or streams of any kind. Never have flood water, therefore the State should
never allow flood water rights from said springs.

A particular feature of said land is that no permanent supply of water
could be obtained by digging wells thereon.

The amount of water from said springs is so small that it does not run
to any draw or stream.

STATE OF OREGON,)
) ss.
County of Marion,)

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER

Application No. 13556

Permit No. 9732

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 8th day of July

1930, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1930.

Recorded in book No. 32 of

Permits on page 9732

RHEA LUPER

STATE ENGINEER

Drainage Basin No. 15, Page 379 0

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second, or its equivalent in case of rotation with other water users, from Three Small Springs.

The use to which this water is to be applied is Domestic, including irrigation of garden and stock water.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 8, 1930.

Actual construction work shall begin on or before July 30, 1931. and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932.

Complete application of the water to the proposed use shall be made on or before October 1, 1933.

WITNESS my hand this 30th day of July, 1930.

RHEA LUPER STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.