

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Leo H. Johnson
(Name of applicant)
of 170 N. Front St., Salem
(Postoffice), County of Marion,
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Creek, tributary of Battle Creek
(Name of stream)
tributary of Mill Creek, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.1
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Fish pond and Power
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
(N. or S.) (E. or W.)
corner of _____
(Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 36, Tp. 8 S,
(Give smallest legal subdivision) (No. N. or S.)

R. 3 W, W. M., in the county of Marion
(No. E. or W.)

5. The Pipe line to be 300 ft.
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 36, Tp. 8 S,
(Smallest legal subdivision) (No. N. or S.)

R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 5 feet, length on top 10 feet, length at bottom 10 feet; material to be used and character of construction Spillway over top
Concrete.
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 100.00
- 13. Construction work will begin on or before One year from date of approval
- 14. Construction work will be completed on or before Two years
- 15. The water will be completely applied to the proposed use on or before Three years

Leo H. Johnson
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Keith Brown, Salem, Oregon 170 N. Front St.,
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks:

It is proposed to run the water through the ponds into the pipe line and
thence to his power plant.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13581

Permit No. 9752

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 21st day of July

1923, at 4:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 30, 1930

Recorded in book No. 32 of Permits on page 9752

RHEA LUPER STATE ENGINEER

2 p. 45 q.

\$11.25

STATE OF OREGON,) County of Marion,) ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.1 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed Creek tributary of Battle Creek.

The use to which this water is to be applied is Fish Pond and Power (1/2 H.P.)

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 21, 1930

Actual construction work shall begin on or before August 30, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1932 Extended to Oct. 1, 1933 Extended to Oct. 1, 1934 Extended to Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before

October 1, 1933 Extended to Oct. 1, 1935

WITNESS my hand this 30th day of August, 1923

RHEA LUPER STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.