

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, A. H. Nehl (Name of applicant) of Brightwood (Postoffice), County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring Creek (Name of stream), a tributary of Salmon River

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic for summer homes. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N. 81°04' W. 1255.2 ft. from W 1/4 Corner of Section 25, Twp. 2 S., R. 6 E., W.M. (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of NE 1/4 of Sec. 26, Tp. 2 S, R. 6 E, W. M., in the county of Clackamas (No. N. or S.)

5. The Pipe line to be 1250 ft. (Main ditch, canal or pipe line) in length, terminating in the SW 1/4 of NW 1/4 of Sec. 25, Tp. 2 S, R. 6 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 4 feet, length on top 12 feet, length at bottom 6 feet; material to be used and character of construction Timber crib (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate timber (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres to be Irrigated. The table is mostly empty with dashed lines for input.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 1,000
- 13. Construction work will begin on or before One year from date of approval
- 14. Construction work will be completed on or before Two years
- 15. The water will be completely applied to the proposed use on or before Five years

A. H. Nehl
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) L. A. Stanley Salem
- (Name) (Address of witness)
- (2)
- (Name) (Address of witness)

Remarks: In the beginning a 2" pipe will be laid to be replaced within
five years with pipe line large enough to take entire flow.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for
Completion and map

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 29, 1930, 192.....

WITNESS my hand this 29th day of July, 1930, 192.....

R H E A L U P E R
HB STATE ENGINEER

Application No. 13597

Permit No. 9804

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of July 1923, at 11:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 12, 1930

Recorded in book No. 53 of Permits on page 9804

RHEALUPER

STATE ENGINEER

3 p. 63 \$10.00

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.2 cubic feet per second, or its equivalent in case of rotation with other water users, from Unnamed Spring Creek, tributary of Salmon River.

The use to which this water is to be applied is Domestic for summer homes.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 29, 1930

Actual construction work shall begin on or before September 12, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 12th day of September, 1923

RHEALUPER

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5303, Oregon Laws.