

AMENDED, See Misc. Rec. Vol. ()

Page 248

CERTIFICATE NO.

2917 to Chapman

*Permit No.

987

CERTIFICATE NO.

2198 for lands of Fred Walter

APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

I, Deep Canyon Irrigation Co.
 (Name of Applicant)
 of Lower Bridge, County of Crook
 (Postoffice)
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation. Not incorporated
 Company organized Feb. 10, 1911

1. The source of the proposed appropriation is _____
 (Name of stream)
Squaw Creek

2. The amount of water which the applicant intends to apply to beneficial use is _____
73 cubic feet per second.

3. The use to which the water is to be applied is _____
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Irrigation and domestic supplies

4. The point of diversion is located 17 ch 15 l. N. V. 67° from SE cor. of Sec.
 (Give distance and bearing to section corner)
29 Tp. 15 R 10 E W. M.

being within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 29, Tp. 15 S
 (Give smallest legal subdivision) (No. N. or S.)
R. 10 E, W. M., in the county of Crook
 (No. E. or W.)

5. The main ditch to be 19 mi. 27 Ch. 25 l. miles in
 (Main ditch, canal or pipe line)
 length, terminating in the SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 16, Tp. 14 S, R. 12 E,
 (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)
 W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is _____
The Deep Canyon Irrigation System

DESCRIPTION OF WORKS

Diversion Works—

7. (a) Height of dam 7 $\frac{1}{2}$ feet, length on top 37 $\frac{1}{3}$ feet, length at bottom
20 feet; material to be used and character of construction _____
 (Loose rock, concrete,
Timbers, rock & dirt. Wasteway for extreme high water over dam and ordinary
 masonry, rock and brush, timber crib, etc., wasteway over or around dam)
water below.

(b) Description of headgate sawed timbers 2 openings, 5 ft. wide, depth 3 $\frac{1}{2}$ ft.
 (Timber, concrete, etc., number and size of openings)

*A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

Canal System—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) 12 feet; width on bottom 8 feet; depth of water 2 1/3 feet; grade 1.26 feet fall per one thousand feet.

(b) At 1 miles from headgate: Width on top (at water line) 10 feet; width on bottom 8 feet; depth of water 2 1/4 feet; grade 1.8 feet fall per one thousand feet.

The B. M. on map will show the great fall of the ditch during the first 8 mi. after leaving B. M. 1.

Lateral A will be 6 ft. on bot. 8 at top and 1 1/2 ft deep

Lateral B " " 3 1/2 " 5 " " 1'3" "

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

Irrigation—

9. The land to be irrigated has a total area of 1839 acres, located in each smallest legal subdivision, as follows See the attached sheet.

(Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

Power, Mining, Manufacturing, or Transportation Purposes—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed.

(d) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(e) Is water to be returned to any stream? (Yes or No.)

(f) If so, name stream and locate point of return.

, Sec. , Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(g) The use to which the power is to be applied is.

(h) The nature of the mines to be served.

Tp 14 S 12 E.

Sec. 8:

NW $\frac{1}{4}$	SW $\frac{1}{4}$	5 ac
NE $\frac{1}{4}$	SW $\frac{1}{4}$	15 ac
NW $\frac{1}{4}$	SE $\frac{1}{4}$	30 ac

Sec. 9

SW $\frac{1}{4}$	NW $\frac{1}{4}$	4 ac
SE $\frac{1}{4}$	NW $\frac{1}{4}$	30 ac
SW $\frac{1}{4}$	NE $\frac{1}{4}$	40 ac

Sec. 18

NE $\frac{1}{4}$	SE $\frac{1}{4}$	10 ac
------------------	------------------	-------

Sec. 17

SE $\frac{1}{4}$	NE $\frac{1}{4}$	30 ac
NE $\frac{1}{4}$	SE $\frac{1}{4}$	30 ac
NW $\frac{1}{4}$	SE $\frac{1}{4}$	40 ac
SE $\frac{1}{4}$	SE $\frac{1}{4}$	40 ac
SW $\frac{1}{4}$	SE $\frac{1}{4}$	30 ac
NE $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac
NW $\frac{1}{4}$	SW $\frac{1}{4}$	25 ac
SE $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac

Sec. 21

NW $\frac{1}{4}$	NW $\frac{1}{4}$	40 ac
SW $\frac{1}{4}$	NW $\frac{1}{4}$	40 ac
SE $\frac{1}{4}$	NW $\frac{1}{4}$	35 ac
NW $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac
NE $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac

Sec. 30

NW $\frac{1}{4}$	NE $\frac{1}{4}$	15 ac
NE $\frac{1}{4}$	NW $\frac{1}{4}$	40 ac
SW $\frac{1}{4}$	NW $\frac{1}{4}$	20 ac
SE $\frac{1}{4}$	NW $\frac{1}{4}$	10 ac

Tp 14 S 11 E

Sec. 25

NW $\frac{1}{4}$	NE $\frac{1}{4}$	40 ac
NE $\frac{1}{4}$	NW $\frac{1}{4}$	10 ac

Sec. 24

SW $\frac{1}{4}$	SE $\frac{1}{4}$	10 ac
SE $\frac{1}{4}$	SE $\frac{1}{4}$	40 ac

Sec 26

NE $\frac{1}{4}$	SE $\frac{1}{4}$	10 ac
SE $\frac{1}{4}$	SE $\frac{1}{4}$	40 ac

Sec. 35

N $\frac{1}{2}$	NE $\frac{1}{4}$	80 ac
SW $\frac{1}{4}$	NE $\frac{1}{4}$	20 ac
SE $\frac{1}{4}$	NE $\frac{1}{4}$	30 ac
NE $\frac{1}{4}$	SE $\frac{1}{4}$	20 ac

Tp 14 S 12 E.

Sec. 20

NE $\frac{1}{4}$	NE $\frac{1}{4}$	40 ac.
NW $\frac{1}{4}$	NE $\frac{1}{4}$	40 ac.
SW $\frac{1}{4}$	NE $\frac{1}{4}$	15 ac.
SE $\frac{1}{4}$	NE $\frac{1}{4}$	40 ac.
NE $\frac{1}{4}$	NW $\frac{1}{4}$	20 ac.
NW $\frac{1}{4}$	NW $\frac{1}{4}$	30 ac.
SW $\frac{1}{4}$	NW $\frac{1}{4}$	30 ac.
SE $\frac{1}{4}$	NW $\frac{1}{4}$	40 ac.
NE $\frac{1}{4}$	SW $\frac{1}{4}$	15 ac.
NW $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac.
SW $\frac{1}{4}$	SW $\frac{1}{4}$	30 ac.
SE $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac.
NE $\frac{1}{4}$	SE $\frac{1}{4}$	40 ac.
NW $\frac{1}{4}$	SE $\frac{1}{4}$	40 ac.
SW $\frac{1}{4}$	SE $\frac{1}{4}$	35 ac.
SE $\frac{1}{4}$	SE $\frac{1}{4}$	15 ac.

Sec. 19:

SE $\frac{1}{4}$	NE $\frac{1}{4}$	15 ac.
SW $\frac{1}{4}$	NE $\frac{1}{4}$	40 ac.
SE $\frac{1}{4}$	NW $\frac{1}{4}$	20 ac.
NE $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac.
NW $\frac{1}{4}$	SW $\frac{1}{4}$	20 ac.
SW $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac.
SE $\frac{1}{4}$	SW $\frac{1}{4}$	40 ac.
NE $\frac{1}{4}$	SE $\frac{1}{4}$	20 ac.
NW $\frac{1}{4}$	SE $\frac{1}{4}$	40 ac.
SW $\frac{1}{4}$	SE $\frac{1}{4}$	25 ac.
SE $\frac{1}{4}$	SE $\frac{1}{4}$	<u>40 ac.</u>

Total ...1839 ac.

Municipal Supply—

11. To supply the city of _____, _____ County, having a present population of _____, and an estimated population of _____ in 19_____.

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 9000
13. Construction work will begin on or before Jan 30, 1912
14. Construction work will be completed on or before Jan 1, 1915
15. The water will be completely applied to the proposed use on or before Jan 1, 1915

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the Board of Control, accompany this application.

Deep Canyon Irrigation Co. (Name of applicant)
L A Hunt, Pres.
Jerry Groszkruger, Sec.

Signed in the presence of us as witnesses:

(1) A Kotzman (Name), Hillman, Ore. (Address of witness)
(2) Joseph Parsons (Name), Hillman, Ore. (Address of witness)

Remarks _____

STATE OF OREGON, } ss.
County of Marion. }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

For fees.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before December 23rd, 19 11.

WITNESS my hand this 23rd day of Nov, 19 11.

John H Lewis
PC State Engineer.

5

Application No. 1293

Permit No. 987

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 2 District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7 day of March, 1911, at 10:00 o'clock A. M.

Returned to applicant for correction Nov 23 1911

Corrected application received Jan 30 1912 Priority date Approved Feb 8 1912

Recorded in Book No. 4 of Permits on Page 987

John H Lewis State Engineer. 2 maps \$76.39

STATE OF OREGON, County of Marion. ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The appropriation for irrigation purposes shall be limited to one-eightieth of one cu. ft. per sec. for each acre irrigated, balance for domestic supply. The use hereunder shall conform to any reasonable rotation system ordered by the proper State officer.

The priority date of this permit is January 30, 1912.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed Twenty-four (24.00) cubic feet per second. or its equivalent in case of rotation.

Actual construction work shall begin on or before February 8, 1913

and shall thereafter be prosecuted with reasonable diligence and be completed on or before February 8, 1915

Complete application of the water to the proposed use shall be made on or before February 8, 1917

WITNESS my hand this 8th day of February, 1912

John H Lewis State Engineer.

EXTENDED TO 6/1/18

7 31