*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

State of Oregon (Posteties) , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation	I.	Nelscott La	nd Co.		
State of Orgon			(Name	of applicant)	
following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is			(Postoffice)		
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	State of	Oregon	, do hereb	y make application for	a permit to appropriate the
1. The source of the proposed appropriation is unnamed stream and tributaries thereof (Name of stream) ., a tributary of Wallace Greek. 2. The amount of water which the applicant intends to apply to beneficial use is	following	described publi	c waters of the State of Oreg	on, subject to existing	rights:
1. The source of the proposed appropriation is unnamed stream and tributaries thereof (Name of stream) ., a tributary of Wallace Greek. 2. The amount of water which the applicant intends to apply to beneficial use is	If	the applicant is	a corporation, give date and	place of incorporation	
(If there are more than one points of diversion, although and bearing to Sec. Cor.) (If there are more than one points and version, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, sive distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) (If the each must be described. Use separate sheet if	,	••			
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is dimestic supply for beach resort and (irrigation, power, mining, manufacturing, domestic supplies, etc.) Samp ground. No. 1 4. The point of diversion/is located .570. ft. N. and .75 ft. E from the (Section or subdivision) No. 2, 520. ft. N. and .700 ft. N. from same corner. (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec. 22 , Tp7. S. ((Sive smallest legal subdivision) No. E or W.) 5. The pipe lines to be 2550 feet ((No. M. or S.)) ((Main dich, canal or pipe line) to be	1.			(N	ame of stream)
cubic feet per second. (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is domestic supply for beach resort and (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 2. The point of diversion is located .570. ft. N. and .75 ft. E from the .5W (E. or W.) 4. The point of diversion is located .570. ft. N. and .75 ft. E from the .5W (E. or W.) No. 2, .520 ft. N. and .700 ft. W. from same corner. (If perferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec			, a tributar	y of Wallace Cree	ζ
(If water is to be used from more than one source, give quantity from each resort and somestic supply for beach resort and (Irrigation, power, mining, manufacturing, domestic supplies, etc.) S. The use to which the water is to be applied is domestic supplies, etc.) Ro. 1 4. The point of diversion/is located .570 ft. N. and .75 ft. E. from the .5W corner of .5E\(^1\). Sec. 22 (Section or subdivision) No. 2, 520 ft. N. and .700 ft. W. from same corner. (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec22, Tp7, S, (No. N. or S.) R11 W, W. M., in the county of .Lincoln (No. E. or W.) 5. The pipe lines (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the (Main ditch, canal or pipe line) (No. E. or W.) 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom (Loose rock, concrete, masonry (Chose rock, concrete, masonry (Timber, concrete, etc., number and size of openings)	2.	The amount of	water which the applicant in	ntends to apply to bene	eficial use is0.1
3. The use to which the water is to be applied is domestic supply for beach resort and (Irrigation, power, mining, manufacturing, domestic supplies, etc.) Ro. 1 4. The point of diversion/is located .570. ft. N. and .75 ft. E from the .5W (N. or S.) corner of .5W± SB± .5ec. 22 (Section or subdivision) No. 2, 520 ft. N. and .700 ft. W. from same corner. (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec. 22 , Tp. 7, S. (No. N. or S.) (Give smallest legal subdivision) F. 11 W. , W. M., in the county of Lincoln (No. E. or W.) (No. E. or W.) in length, terminating in the NW± SE; Of SW± of Sec. 22 , Tp. 7, S. (No. N. or S.) (Ro. E. or W.) , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 52 feet, length at botton 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" PiPe & Valve. (Timber, concrete, etc., number and size of openings)	cubic fee	t per second.			
Gamp ground. 4. The point of diversion/is located .570. ft. N. and .75 ft E from the .5W (E. or W.) Orner of .5E\$ SE\$. Sec. 22 (Section or subdivision) No. 2, 520 ft. N. and .700 ft. W. from same corner. (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate abset if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec. 22 , Tp7 S. (No. N. or S.) (Give smallest legal subdivision) R11 W, W. M., in the country of .Lincoln (No. E or W.) (No. E or W.) (No. E or W.) (No. Miles or feet) (No. Miles or feet) (No. Miles or feet) (No. N. or S.) (Sec. 22 , Tp7 S, (No. N. or S.) (No. N. or S.) (No. N. or S.) (No. D. or W.) (No. D. or W.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top Of sec. 22 feet, length at bottom DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam (Loose rook, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" Pipe & valve. (Timber, concrete, etc., number and size of openings)	3.	The use to who		lis domestic supply	y for beach resort and
No. 1 4. The point of diversion is located .570 ft. N. and .75 ft. E from the .5W (E. or W.) (Section or subdivision) No. 2, 520 ft. N. and .700 ft. W. from same corner. (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1. SE SE; No. 2, SW SE of Sec22 , Tp7 S. (Give smallest legal subdivision) R. 11 W. W. M., in the county of Lincoln (No. E. or W.) 5. The pipe lines to MINESE of SW of Sec22 , Tp7 S. (No. No. or S.) (Smallest legal subdivision) R. 11.W. , W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry wasteway over dam. (Cloose rock, concrete, masonry wasteway over dam. (Cloose rock, concrete, masonry Crimber, concrete, etc., number and size of openings)	camp gr	ound.		(1116acton, power, mining,	manatactar mg, compete supplies, over)
Corner of SR4 SR4, Sec. 22 (Section or subdivision) No. 2, 520 ft. N. and 700 ft. W. from same corner. (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec. 22 , Tp. 7, S (Rive smallest legal subdivision) R. 11 W, W. M., in the county of Lincoln (No. E. or W.) 5. The ple lines to be 2550 feet (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the No. 2 SW SE of Sec. 22 , Tp. 7 S (Smallest legal subdivision) R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 52 feet, length at bottom 30 feet; material to be used and charact er of construction Timber crib and dirt. (Loose rock, concrete, masonry wasteway over or around dam) (b) Description of headgate 5" pipe & valve. (Timber, concrete, etc., number and size of openings)			No. 1 iversion is located .570	ft. N. and 75	ft. E from the SW
No. 2, 520 ft. N. and 700 ft. W. from same corner. (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec. 22 , Tp. 7, S, (Row smallest legal subdivision) 5. The pipe lines to be 2550 feet (Main ditch, canal or pipe line) (No. mice or feet) in length, terminating in the NW SE of SW; (Smallest legal subdivision) of Sec. 22 , Tp. 7 S. (No. N. or S.) R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and charact er of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3 pipe & valve. (Timber, concrete, etc., number and size of openings)		SEZ SEZ, S	Sec. 22		
(If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary) being within the No. 1, SE SE; No. 2, SW SE of Sec. 22 ,, Tp. 7, S, (Give smallest legal subdivision) R. 11 W, W. M., in the county of Lincoln (No. E. or W.) 5. The pipe lines (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the NW SE of SW (Smallest legal subdivision) of Sec. 22 , Tp. 7. S, (No. D. or W.) R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" pipe & valva. (Timber, concrete, etc., number and size of openings)	No.			same corner.	
being within the No. 1, SE SE; No. 2, SW SE of Sec. 22 ,, Tp. 7, S, (Give smallest legal subdivision) (No. E. or W.) 5. The pipe lines to be 2550 feet (No. miles or feet) in length, terminating in the No. 2 SW SE of SW SE of SW SE (No. No. or S.) R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and charact er of construction Timber crib and dirt. (Loose rock, concrete, masonry Crimber, concrete, etc., number and size of openings)					
R. 11 W, W. M., in the county of Lincoln 5. The pipe lines to be 2550 feet (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. 22 , Tp. 7 S. (No. N. or S.) R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and charact er of construction Timber crib and dirt. (Loose rock, concrete, masonry Wasteway over dam. cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" pipe & valva. (Timber, concrete, etc., number and size of openings)		(If there are m	ore than one points of diversion, each n	nust be described. Use separate	e sheet if necessary)
(No. E. or W.) 5. The pipe lines to be 2550 feet (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the NW\$SE\$ of SW\$ of SW\$. (Smallest legal subdivision) of Sec. 22 , Tp. 7 S. (No. N. or S.) R. 11 W. , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and charact er of construction Timber crib and dirt. (Loose rock, concrete, masonry Wasteway over dam. cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" pipe & valva. (Timber, concrete, etc., number and size of openings)	being wi	thin the No. 1,	SE SE; No. 2, SW SE (Give smallest legal subdivision)	of Sec	22 , Tp. 7 S. , (No. N. or S.)
in length, terminating in the NWSE of SW1 (Smallest legal subdivision) of Sec. 22 (No. Miles of reet) R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry wasteway over dam. cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" pipe & valva. (Timber, concrete, etc., number and size of openings)	(No	. E. or W.)			
in length, terminating in the Name of Swat (Smallest legal subdivision) of Sec. 22 , Tp. 7.5. (No. N. or S.) R. 11 W. , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Nelscott Beach Water System. DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" pipe & valva. (Timber, concrete, etc., number and size of openings)	5.	The	pipe lines	to be	2550 feet
R, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	in length	, terminating in	the NWISEI of SWI	of Sec	22 , Tp. 7 S. (No. N. or S.)
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3n pipe & valve. (Timber, concrete, etc., number and size of openings)	R11	W, W. M.,			
DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 7" pipe & valve. (Timber, concrete, etc., number and size of openings)			e ditch, canal or other works	is Nelscott Beach	n Water System.
DIVERSION WORKS— 7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 7" pipe & valve. (Timber, concrete, etc., number and size of openings)				-	
7. (a) Height of dam 6 feet, le ngth on top 52 feet, length at bottom 30 feet; material to be used and character of construction Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 3" pipe & valve. (Timber, concrete, etc., number and size of openings)			DESCRIPTION	N OF WORKS	
Timber crib and dirt. (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate3^n pipe & valve. (Timber, concrete, etc., number and size of openings)					
Wasteway over dam. cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate3^n pipe & valve. (Timber, concrete, etc., number and size of openings)	7.	(a) Height of	dam6 feet, le	ngth on top52	feet, length at bottom
Wasteway over dam. cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate3" pipe & valve. (Timber, concrete, etc., number and size of openings)	30	feet; mate	rial to be used and charact	er of construction Tir	mber crib and dirt.
(b) Description of headgate3" pipe & valve. (Timber, concrete, etc., number and size of openings)	Wastewa	y over dam.	•		
(b) Description of headgate3" pipe & valve. (Timber, concrete, etc., number and size of openings)	cock and bru	ush, timber crib, etc.,	vasteway over or around dam)		
* A different form of application is provided where storage works are contemplated. These forms can be secured without charge together with instructions, by addressing the State Engineer. Salem Oregon.	(1				
TORONIO WALL MAN MAN WOLLDON DE GUILLOSINE UNE DEGLO MILENIONI, DAIGIN, OTCEUN.	A d	lifferent form of app	lication is provided where storage w	orks are contemplated. These	forms can be secured without charge,

CANTAL	System	AD DI	DE T	TATE
LANAL	SYSTEM	OKPL	PH: L	I N H

	feet denth of	favator		feet; grade		fact fall non on
thousand feet.	jeet, depin o	, water		jeet, grade		jeet jan per on
(b) At		miles	from headg	ate: width on top (a	t water line)	
•••••	feet; wid	lth on bott	om	feet; dep	th of water	feet
grade	fe	et fall per	one thousan	d feet.	4	
(c) Le	ngth of pipe,	2550	ft.; s	size at intake,3	in.; size	at
t. from intak	e '	in.; size	e at place of	use 2"	in.; difference in el	levation between
intake and pla	ce of use,		ft. Is	grade uniform?	no Est	$imated\ capacit_{\ell}$
	sec. ft.	•				
FILL	IN THE FO	LLOWING	G INFORM	ATION WHERE TI	HE WATER IS USI	ED FOR
[RRIGATION—	land to be im	wiaatad ha	o a total and	. of	~~~	loomted in ema
				a of		•
maiiest iegai	Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated	
					to be inigated	
		-				
•		(If)	<u> </u>	ired, attach separate sheet)		
(a) Ch	aracter of so	il				
(b) Ki	nd of crops r	aised				
Power or Min	ING PURPOSES	S—				
10. (a)	Total amoun	nt of powe	r to be deve	eloped	theoret	ical horsepower
<i>(b)</i>	Quantity of	water to b	e used for p	oower	800	c. ft.
(c)	Total fall to	be utilized	l(Head	feet.		
				ns of which the powe	r is to be developed	
		••••				
				(Legal subdivision)	of Sec.	
Tp(No. N	or S.)	(No. E. or W	, W. M			
				ream?(Yes or No)		
(g)				it of return		
		, S	ec	, Tp	, R	, W. M.
				pplied is		

MUNICIPAL SUPPLY—	
11. To supply the city of	
(Name of)	present population of
11. To supply the city of	
(Answer questi	ons 12, 13, 14, and 15 in all cases)
12. Estimated cost of proposed works,	\$ All complete
13. Construction work will begin on o	r before
14. Construction work will be complet	ed on or before
15. The water will be completely applied	ed to the proposed use on or before
	Nelscott Land Co. (Name of applicant)
	(Address of witness)
· · · · · · · · · · · · · · · · · · ·	,
Remarks: The original filing was Beach and as additions were added o seepage from old dam & about 40 ft. pipe line added and tank as shown o The old filing and pipe lines serve	as for gravity water to supply Townsite of Nelscotn the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank
Remarks: The original filing was Beach and as additions were added o seepage from old dam & about 40 ft. pipe line added and tank as shown o The old filing and pipe lines serve	as for gravity water to supply Townsite of Nelscot n the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank
Remarks: The original filing we Beach and as additions were added to seepage from old dam & about 40 ft. pipe line added and tank as shown of the old filing and pipe lines serve	as for gravity water to supply Townsite of Nelsconn the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank
Remarks: The original filing w Beach and as additions were added o seepage from old dam & about 40 ft. pipe line added and tank as shown o The old filing and pipe lines serve	as for gravity water to supply Townsite of Nelsconn the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank
Remarks: The original filing we Beach and as additions were added o seepage from old dam & about 40 ft. pipe line added and tank as shown o The old filing and pipe lines serve 812 ft. West and 770 ft. North of 1	as for gravity water to supply Townsite of Nelscotn the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank
Remarks: The original filing we Beach and as additions were added on seepage from old dam & about 40 ft. pipe line added and tank as shown on The old filing and pipe lines serve 812 ft. West and 770 ft. North of 4 state of OREGON, County of Marion,	as for gravity water to supply Townsite of Nelscotn the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank
Remarks: The original filing w Beach and as additions were added o seepage from old dam & about 40 ft. pipe line added and tank as shown o The old filing and pipe lines serve 812 ft. West and 770 ft. North of 4 STATE OF OREGON, County of Marion, This is to certify that I have examine maps and data, and return the same for	as for gravity water to supply Townsite of Nelscot n the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. It is original Townsite and camp ground. New tank post between Sec. 22-27, Tp. 7 S., R. 11 W.
Remarks: The original filing w Beach and as additions were added o seepage from old dam & about 40 ft. pipe line added and tank as shown o The old filing and pipe lines serve 812 ft. West and 770 ft. North of 4 STATE OF OREGON, County of Marion, This is to certify that I have examine maps and data, and return the same for	as for gravity water to supply Townsite of Nelscot n the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. It is original Townsite and camp ground. New tank post between Sec. 22-27, Tp. 7 S., R. 11 W.
Remarks: The original filing w Beach and as additions were added o seepage from old dam & about 40 ft. pipe line added and tank as shown o The old filing and pipe lines serve 812 ft. West and 770 ft. North of 4 STATE OF OREGON, County of Marion, This is to certify that I have examine maps and data, and return the same for	as for gravity water to supply Townsite of Nelscot n the high points the lower dam was built to catel lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. It is original Townsite and camp ground. New tank post between Sec. 22-27, Tp. 7 S., R. 11 W.
Remarks: The original filing we Beach and as additions were added on seepage from old dam & about 40 ft. pipe line added and tank as shown on the old filing and pipe lines serve 812 ft. West and 770 ft. North of \$\frac{1}{2}\$ STATE OF OREGON, County of Marion, This is to certify that I have examined maps and data, and return the same for completion and completion and In order to retain its priority, this	as for gravity water to supply Townsite of Nelscot n the high points the lower dam was built to catel lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank post between Sec. 22-27, Tp. 7 S., R. 11 W. d the foregoing application, together with the accompanying map map application must be returned to the State Engineer, with
Remarks: The original filing we Beach and as additions were added on seepage from old dam & about 40 ft. pipe line added and tank as shown on the old filing and pipe lines serve 812 ft. West and 770 ft. North of \$\frac{1}{4}\$ STATE OF OREGON, County of Marion, This is to certify that I have examined maps and data, and return the same for completion and completion and In order to retain its priority, this corrections on or before compositely. 19	as for gravity water to supply Townsite of Nelscot n the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank post between Sec. 22-27, Tp. 7 S., R. 11 W. d the foregoing application, together with the accompanying map application must be returned to the State Engineer, with 30 , 192
Remarks: The original filing we Beach and as additions were added on seepage from old dam & about 40 ft. pipe line added and tank as shown on the old filing and pipe lines serve 812 ft. West and 770 ft. North of \$\frac{1}{4}\$ STATE OF OREGON, County of Marion, This is to certify that I have examined maps and data, and return the same for completion and completion and In order to retain its priority, this corrections on or before corrections on or before corrections \$\frac{1}{2}\$.	as for gravity water to supply Townsite of Nelscot n the high points the lower dam was built to catch lower elevation & some 600 ft. down stream a new n print and pump to force water to tank. d the original Townsite and camp ground. New tank post between Sec. 22-27, Tp. 7 S., R. 11 W. d the foregoing application, together with the accompanying map map application must be returned to the State Engineer, with

Application No. 13750

Permit No. 9887

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	2 0000000 21 01	No	
	This instrument was first a office of the State Engineer of	received in the state of the st	
	gon, on the 25th day of	Sept.	
	19230 , at 8:00 o'clock	A.	
	Returned to applicant:		
	Sept. 25, 1930.		
	Corrected application received	<i>!:</i>	
	Oct. 14, 1930.		
	Approved:		
	Nov. 10, 1930.		
	Recorded in book No	33 of	
	Permits on page 9887		
	CHAS. E. STRICKLIN		
	Drainage Basin No. 18, Pa Fees Paid \$10.00 ^	TE ENGINEER ge 410 g.	
STATE OF OREGON,	PERMIT		
County of Marion,	ss.		
• • •	hat I have examined the foregoing	application and do hereby grant the san	ıe,
		11	,
subject to the following i	initations and conditions.		
		water which can be applied to beneficial r	ıse
The right herein g	ranted is limited to the amount of	water which can be applied to beneficial u	
The right herein g	ranted is limited to the amount of .1 cubic feet per second, or	its equivalent in case of rotation with oth	
The right herein g and shall not exceed0 water users, from	ranted is limited to the amount of cubic feet per second, or nnamed Stream and Tributarie	its equivalent in case of rotation with oth	er
The right herein g and shall not exceed0 water users, from	ranted is limited to the amount of cubic feet per second, or nnamed Stream and Tributarie	its equivalent in case of rotation with oth	er
and shall not exceed0 water users, from	ranted is limited to the amount of .1	its equivalent in case of rotation with oth	er
The right herein g and shall not exceed0 water users, from	ranted is limited to the amount of .1	its equivalent in case of rotation with oth s Thereof. stic Supply for beach resort and	er emp
The right herein g and shall not exceed	ranted is limited to the amount of .1	its equivalent in case of rotation with oth s Thereof. stic Supply for beach resort and	er eamı
The right herein g and shall not exceed	ranted is limited to the amount of .1	its equivalent in case of rotation with oth s Thereof. stic Supply for beach resort and	er eamı
The right herein g and shall not exceed	cubic feet per second, or mnamed Stream and Tributaries this water is to be applied is Dome is appropriation shall be limited to be proper state officer.	its equivalent in case of rotation with others. stic Supply for beach resort and of one cubic foot to subject to such reasonable rotation systems.	er emp
The right herein g and shall not exceed	cubic feet per second, or nnamed Stream and Tributaries this water is to be applied is Dome is appropriation shall be limited to or each acre irrigated and shall be proper state officer. September 25,	its equivalent in case of rotation with others. stic Supply for beach resort and of one cubic foot to such reasonable rotation systems.	er êr em
The right herein g and shall not exceed	cubic feet per second, or nnamed Stream and Tributaries this water is to be applied is Dome in appropriation shall be limited to be proper state officer. The proper state officer is September 25, in work shall begin on or before in the state of the proper state.	its equivalent in case of rotation with other strice. stice Supply for beach resort and of one cubic foot processes to such reasonable rotation systems. November 10, 1931, and sheep strice and sheep subject to such reasonable rotation.	er er er em
The right herein g and shall not exceed	cubic feet per second, or nnamed Stream and Tributaries this water is to be applied is Dome in appropriation shall be limited to be proper state officer. The proper state officer is September 25, in work shall begin on or before in the state of the proper state.	its equivalent in case of rotation with other stric Supply for beach resort and of one cubic foot to subject to such reasonable rotation systematics. November 10, 1931, and shappleted on or before	er er er em
The right herein g and shall not exceed	cubic feet per second, or nnamed Stream and Tributaries this water is to be applied is Dome in appropriation shall be limited to be proper state officer. The proper state officer is September 25, in work shall begin on or before in the state of the proper state.	its equivalent in case of rotation with other strice. stice Supply for beach resort and of one cubic foot processes to such reasonable rotation systems. November 10, 1931, and sheep strice and sheep subject to such reasonable rotation.	er er er em
The right herein g and shall not exceed	cubic feet per second, or mnamed Stream and Tributaries this water is to be applied is Dome is appropriation shall be limited to be proper state officer. Of this permit is September 25, in work shall begin on or before with reasonable diligence and be considered.	its equivalent in case of rotation with other stric Supply for beach resort and of one cubic foot to subject to such reasonable rotation systematics. November 10, 1931, and shappleted on or before	er
The right herein g and shall not exceed	cubic feet per second, or mnamed Stream and Tributaries this water is to be applied is Dome is appropriation shall be limited to be proper state officer. Of this permit is September 25, in work shall begin on or before with reasonable diligence and be considered.	its equivalent in case of rotation with other stric Supply for beach resort and of one cubic foot to subject to such reasonable rotation systematics. November 10, 1931, and shappleted on or before October 1, 1932.	er
The right herein g and shall not exceed	cubic feet per second, or mnamed Stream and Tributaries this water is to be applied is Dome in appropriation shall be limited to be proper state officer. If this permit is September 25, in work shall begin on or before with reasonable diligence and be come on of the water to the proposed us	its equivalent in case of rotation with other stric Supply for beach resort and of one cubic foot to subject to such reasonable rotation systematics. November 10, 1931, and show show the subject of the subject to such reasonable rotation systematics. November 10, 1931, and show the subject of the subject to such reasonable rotation systematics. Solvent 1, 1932. Solvent 1, 1933.	er
The right herein g and shall not exceed	cubic feet per second, or mnamed Stream and Tributaries this water is to be applied is Dome this appropriation shall be limited to be proper state officer. In work shall begin on or before the water to the proposed us the color of the	its equivalent in case of rotation with other in the strict supply for beach resort and of one cubic foot to subject to such reasonable rotation systematics. November 10, 1931, and should be shall be made on or before the strict of the shall be made on or before the shall be made on the shall be shall be shall be made on the shall be s	er