

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, F. J. Sherwood (Name of applicant) of Jefferson, Route 1 (Postoffice), County of Marion, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a branch of the North Santiam River, Marion Creek and two Unnamed Creeks, a tributary of North Santiam River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.46 cubic feet per second. 0.2 from main branch, 0.1 from Marion Creek and 0.16 from small streams.

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Pumping plant located along the streams at various points within lands of applicant.

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of Sec. 5, Tp. 10 S., R. 2 W., W. M., in the county of Marion

5. The portable pipe lines or hose to be 1000 ft. in length, terminating in the SE 1/4 of Sec. 5, Tp. 10 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, **variable** ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. **See remarks**

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of **36** acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
10 S.	2 W.	5	SW NE	2
			SE NE	0.5
			NE SE	4
			NW SE	18
			SW SE	7.5
			SE SE	4

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before One year from date of approval.
- 14. Construction work will be completed on or before two years
- 15. The water will be completely applied to the proposed use on or before three years

F. J. Sherwood
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) L. A. Stanley, Salem.
(Name) (Address of witness)
- (2) _____, _____
(Name) (Address of witness)

Remarks: A portable pumping plant will be used and water pumped at most
advantageous points. Distribution will be by hose and pipe line.

STATE OF OREGON, }
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13779

Permit No. 9904

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 7th day of Oct.

1930, at 4:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

November 10, 1930.

Recorded in book No. 33 of

Permits on page 9904

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2, Page 39 d.

Fees Paid \$10.40

STATE OF OREGON,)
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.46 cubic feet per second, or its equivalent in case of rotation with other water users, from Main Branch (0.2 sec.ft.), from Marion Creek (0.1 sec.ft.), and from Unnamed Creeks (0.16 sec.ft.)

The use to which this water is to be applied is Irrigation.

If for irrigation, this appropriation shall be limited to 1/90th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 7, 1930.

Actual construction work shall begin on or before November 10, 1931, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932.

Complete application of the water to the proposed use shall be made on or before October 1, 1933.

WITNESS my hand this 10th day of November, 1930.

CHAS. E. STRICKLIN

STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.