

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, L. C. Rulifson (Name of applicant) of 225 E. 35 St. Portland (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is No name (Name of stream), a tributary of Sandy River

2. The amount of water which the applicant intends to apply to beneficial use is one cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Power (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. N and 200 ft. E from the SW corner of Sec. 21 (Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of the SW 1/4 of Sec. 21, Tp. 1 S (Give smallest legal subdivision) (No. N. or S.)

R. 5 E, W. M., in the county of Multnomah (No. E. or W.)

5. The Wooden Flume (Main ditch, canal or pipe line) to be 700 feet (No. miles or feet) in length, terminating in the SE 1/4 of the SE 1/4 of Sec. 20, Tp. 1 S (Smallest legal subdivision) (No. N. or S.)

R. 5 E, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 5'-0" feet, length on top 50 feet, length at bottom 30 feet; material to be used and character of construction (Loose rock, concrete, masonry,

Timber Crib (rock and brush, timber crib, etc., wasteway over or around dam)

Wasteway over dam

(b) Description of headgate Timber (Timber, concrete, etc., number and size of openings)

one opening 12" x 12"

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 feet; width on bottom 2 feet; depth of water 1 feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed 7 1/2 theoretical horsepower.
 (b) Quantity of water to be used for power one sec. ft.
 (c) Total fall to be utilized 65' - 0" feet.
 (Head)

(d) The nature of the works by means of which the power is to be developed
 Turbine Generator

(e) Such works to be located in SE 1/4 of SE 1/4 of Sec. 20
 (Legal subdivision)
 Tp. 1 S R. 5 E W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? Yes
 (Yes or No)
 (g) If so, name stream and locate point of return No name

SE 1/4 of SE 1/4 Sec. 20 Tp. 1 S R. 5 E W. M.
 (No. N. or S.) (No E. or W.)

(h) The use to which power is to be applied is
 Domestic

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 600.00
- 13. Construction work will begin on or before July 1, 1931
- 14. Construction work will be completed on or before Dec. 31, 1931
- 15. The water will be completely applied to the proposed use on or before
Jan. 1, 1932

L. C. Rulifson
(Name of applicant)
225 E. 35
Portland, Oregon

Signed in the presence of us as witnesses:

- (1) Mrs. Candace B. Johnson, 225 E 35 St. Portland,
(Name) (Address of witness)
- (2) Helen Johnson, Portland, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
 } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Completion, maps and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 8, 1923.

WITNESS my hand this 8th day of October, 1923.

CHAS. E. STRICKLIN
STATE ENGINEER
L

Application No. 13780

Permit No. 9941

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of Oct., 1930, at 8:00 A. o'clock A. M.

Returned to applicant:

Oct. 8, 1930

Corrected application received:

Nov. 7, 1930

Approved:

Dec. 31, 1930

Recorded in book No. 33 of Permits on page 9941

CHAS. E. STRICKLIN STATE ENGINEER

3 p. 61 a \$7.00

STATE OF OREGON,) County of Marion,) ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second, or its equivalent in case of rotation with other water users, from An Unnamed Tributary of Sandy River

The use to which this water is to be applied is Development of 7.5 theoretical horsepower

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 8, 1930

Actual construction work shall begin on or before December 31, 1931 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1932

Complete application of the water to the proposed use shall be made on or before October 1, 1933

WITNESS my hand this 31st day of December, 1930

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.