

PERMIT No. U-136

APPLICATION FOR A PERMIT

CERTIFICATE NO. 14090

To appropriate the Underground Waters of the State of Oregon

I, City of Athena, (Name of applicant) of Athena (Postoffice), county of Umatilla state of Oregon, do hereby make application for a permit to appropriate

the following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation January 27, 1905. Incorporated by the Legislative Assembly of the State of Oregon.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Wild Horse Creek (Name of stream)

tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is 1 1/2 cubic feet per second.

3. The use to which the water is to be applied is General municipal use. City is handling the water in its proprietary capacity.

4. The place where the water is to be pumped or developed is located Well No. 1 is located: 2491.9' E. & 1079.5' S. of W. 1/4 Corner of Section 19, Tp. 4, N.R. 35, EWM. (Give distance and bearing from section corner) Well No. 2 is located 2451.7' E. & 1318.2' S. of W. 1/4 corner of Sec. 19, Tp. 4, NR. 35 EWM, Umatilla County, Oregon being within the NW 1/4 SE 1/4 of Sec. 19, Twp. 4 N., R. 35 E., W. M., in the county of

5. The pipe line to be three miles (Canal or pipe line) in length, terminating in the City of Athena (Smallest legal subdivision) of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is City of Athena Wells No. I and II

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells completed (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 700 & 1200 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, 8 in.; size at ft. from intake in.; size at place of use 6 to $\frac{1}{2}$ in.; difference in elevation between intake and place of use, none ft. Is grade uniform? Estimated capacity, Well No. I, 130 gal. per minute; Well No. II, 500 gal. per minute. sec. ft.

10. If pumps are to be used, give size and type Peerless Centrifugal, No. I, 15 H.P.; No. II, 50 H.P.

Give capacity and type of motor or engine to be used Electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development Well No. I, 40 feet; Well No. II, 200 feet; from the Creek. Difference between stream bed and ground surface is 10 feet.

12. Location of area to be irrigated, or place of use City of Athena and homes near the city limits.

Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated
Four (4)	N 35 E	19	SW $\frac{1}{4}$	Lawns, City Park and municipal water supply.
			NW $\frac{1}{4}$	
			W $\frac{1}{2}$ NE $\frac{1}{4}$	
			W $\frac{1}{2}$ SE $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

MUNICIPAL SUPPLY—

13. (a) To supply the city of Athena, Oregon

Umatilla County, having a present population of about 600 (Name of) and an estimated population of in 193.....

14. Estimated cost of proposed works, \$ 35,000.00 about

15. Construction work will begin on or before Construction completed

16. Construction work will be completed on or before Well No. I, 1935; Well No. II, 1936

17. The water will be completely applied to the proposed use on or before Completed

CITY OF ATHENA
(Signature of applicant)

Henry Dell (Mayor)

(SEAL)

B. B. Richards, Recorder

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: From 1905 to 1935 the City obtained its water by gravity and also by a shallow well located in the northwest corner of the town.

The reservoir for the City was located about three miles southeast of the town at an elevation of a little over 100 feet. After drilling the first well the gravity system and the old well were abandoned. The water was pumped from the new well into the reservoir. It comes back the same line into the city. Well No. II was completed in 1936 and connected with the mains. The water is pumped from these wells into the city reservoir which has a capacity of about 260,000 gal.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193

WITNESS my hand this day of, 193

STATE ENGINEER

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.5 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Two Wells

The use to which this water is to be applied is Municipal Use

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 9, 1941

Actual construction work shall begin on or before January 30, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 30th day of January, 1942.

CHAS. E. STRICKLIN
STATE ENGINEER

Application No. U-144
Permit No. U-136

PERMIT

TO APPROPRIATE THE UNDER-
GROUND WATERS OF THE
STATE OF OREGON

Division No. _____ District No. _____

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of September, 1941, at 1:00 o'clock P.M.

Returned to applicant for correction:

Corrected application received:

Approved: January 30, 1942
Recorded in Book No. 1 of
Permit, on page U-136

CHAS. E. STRICKLIN
STATE ENGINEER