

PERMIT No. U-153

APPLICATION FOR A PERMIT

To appropriate the Underground Waters of the State of Oregon

I, Alton Basey (Name of applicant)
of Prineville (Postoffice), county of Crook,
state of Oregon, do hereby make application for a permit to appropriate
the following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development
is situated Crooked River (Name of stream)

tributary of Deschutes

2. The amount of water which the applicant intends to apply to beneficial use is 1/30
cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The place where the water is to be pumped or developed is located
the well is located 2595 feet South and 1392 feet East
(Give distance and bearing from section corner)
of North quarter cor of Sec. 36 in 14 S R 15 E W M
in Crook County, Oregon

being within the SENE of Sec. 36, Twp. 14 S, R. 15 E,
W. M., in the county of Crook

5. The pipe line & canal (Canal or pipe line) to be 970 feet ~~miles~~
in length, terminating in the Southwest of NE¹ of Sec. 36, Twp. 14,
(Smallest legal subdivision)
R. 15, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is No name

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of
the supply when not in use must be described.

a four inch gate valve has been installed at the well

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a
diameter of 4 " inches and an estimated depth of 215 feet.

CANAL SYSTEM OR PIPE LINE—

See attached statement
below under remarks

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give capacity and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

the well is located about 70 feet North of Crooked River

the ground surface is about 15 feet above stream bed

12. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated
14 S	15 E	36	see below SE $\frac{1}{4}$ NE $\frac{1}{4}$	2 $\frac{1}{2}$
Basey's land is particularly described as follows; Beginning at a point on the Southerly right-of-way line of the Warm Spring Highway as it is now located and constructed said point being 1793 feet South and 895 feet East of the North quarter corner of said Section 36 thence South 47 degrees 22 minutes West a distance of 175 feet to a point on the Northerly Bank of Crooked River, thence South 63 degrees 21 minutes East along said Northerly river bank a distance of 360 feet; thence South 18 degrees 36 minutes East along said Northerly river bank a distance of 565 feet to the Southwest corner of the Southeast quarter of Northeast quarter of said Section 36; thence South a distance of 197 feet to a point; thence North 47 degrees 22 minutes East a distance of 582 feet to a point on the Southerly right of way line of said Warm Springs Highway; thence North 42 degrees 38 minutes West along the said right of way line a distance of 1038 feet, more or less to the point of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil aluvial

(b) Kind of crops raised garden truck and hay

MUNICIPAL SUPPLY—

13. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 193.....

14. Estimated cost of proposed works, \$ 700
15. Construction work will begin on or before well has been completed
16. Construction work will be completed on or before
17. The water will be completely applied to the proposed use on or before immediately

(Sgd) Alton Basey
 (Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Sgd) Donald M. Graham, Prineville, Oregon
 (Name) (Address of witness)

(2) (Sgd) Norman W. Harrison, " "
 (Name) (Address of witness)

Remarks: From the well a four inch pipe will be installed this pipe will be about seventy feet in length; at the end of the pipe a ditch will be constructed to be about 730 feet in length; the ditch will be one foot wide and one foot in depth no change in dimension throughout its length; the discharge point at the well is four feet higher than the surface of the ground at the well; the depth of the water in the ditch will be 8 ". the fall in the ditch will be 1 inch to the 100 feet.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 9, 1944.

WITNESS my hand this 10th day of May, 1944

CHAS. E. STRICKLIN
 State Engineer STATE ENGINEER

(Sgd) Ed K. Humphrey

By Ed K. Humphrey, Assistant

see 17-111

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1/30 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from A Well

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated throughout the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 8, 1944

Actual construction work shall begin on or before July 10, 1945 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1946

Complete application of the water to the proposed use shall be made on or before October 1, 1947

WITNESS my hand this 10th day of July, 1944.

(Sgd) CHAS. E. STRICKLIN
STATE ENGINEER

Application No. U-160
Permit No. U-153

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of May, 1944 at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved: July 10, 1944

Recorded in Book No. 1 of Permit, on page U-153

CHAS. E. STRICKLIN
STATE ENGINEER

Fees paid \$9.50