

PERMIT No. U-154

CELEBRATE DAY 15550

APPLICATION FOR A PERMIT

To appropriate the Underground Waters of the State of Oregon

I, We William MacKay, Mary MacKay, his wife, and Alice Grea

(Name of applicant)

of Prineville, county of Crook

(Postoffice)

state of Oregon, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

No.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated approximately 200 feet South of Ochoco Creek

(Name of stream)

tributary of Crooked River

2. The amount of water which the applicant intends to apply to beneficial use is 3/100 Experience has shown that approximately 12000 gal per day is used for all purposes.

3. The use to which the water is to be applied is

see attached statement

4. The place where the water is to be pumped or developed is located Well is 235' South and 115' West of NE corner of Sec. 6 in Tn 15 S. of Range 16 E. N. M. in Crook County, Oregon

(Give distance and bearing from section corner)

being within the NENE of Sec. 6, Twp. 15, R. 16 E, W. M., in the county of Crook

5. The attached statement to be miles in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is No. Name

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Controlled by Valve 1 1/2" gate valve. The water is pumped throught the system by 1/2 horse power electric motor. Deming pump 500 gal. per hour capacity. The pump is in operation approximately 18 hours per day.

8. The development will consist of One having a diameter of 6 inches and an estimated depth of 240 feet.

(Give number of wells, tunnels, etc.)

When first brought in and until this year the water rose 27 feet above the surface of the ground but it now barely flows at the surface.



14. Estimated cost of proposed works, \$ 750 .....
15. Construction work will begin on or before ..... was completed in 1938 in March .....
16. Construction work will be completed on or before ..... has been completed .....
17. The water will be completely applied to the proposed use on or before .....
- ..... see above water applied in March 1938 .....

Wm. MacKay .....  
 (Signature of applicant)

Alice Gree .....  
 .....

Mary MacKay .....  
 .....

Signed in the presence of us as witnesses:

(1) Curt E. Osborn ..... Prineville, Oregon .....  
 (Name) (Address of witness)

(2) Donald W. Graham ..... " " .....  
 (Name) (Address of witness)

Statement:  
 Remarks: The applicants are the owners of Lots 1 & 2 Block 10 M. Hodges' .....

plat of Prineville as filed in the office of the County Clerk of Crook County, Oregon; the water from well serves the improvements on said premises and is used also for the irrigation of approximately 5500 sq. feet of lawn included in said description. The premises are improved with one and two story structures as pictured on attached map. Facing Main Street the building on the ground floor is occupied by a tavern, restaurant, doctor's office 7 U. S. employment office. The second floor of the two story structure is made into rooms and apartments Facing 5th Street and the interior are apartments. Approximately 38 people are served with water for domestic and commercial uses. That is an average of 38 people receive water for said purposes from said source In addition to these thirty-eight people who live on the premises the tavern and restaurant and doctor's office serve the public. In the operation of said tavern, restaurant and doctor's office the extensive use of water is required.

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

.....  
 .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 193.....

WITNESS my hand this ..... day of ....., 193.....

STATE ENGINEER



cher  
made

STATE OF OREGON,  
County of Marion,

PERMIT

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3/100 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from A Well

The use to which this water is to be applied is Irrigation, use in apartments, tavern, restaurant and doctor's office.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated throughout the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 31, 1944

Actual construction work shall begin on or before September 15, 1945 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1946 Extended to Oct. 1, 1947 Extended to Oct. 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1947 Extended to Oct. 1, 1955

WITNESS my hand this 15th day of September, 1944.

CHAS. E. STRICKLIN

STATE ENGINEER

Application No. U-161

Permit No. U-154

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of July, 1944, at 8:30 o'clock AM.

Returned to applicant for correction:

Corrected application received:

Approved:

September 15, 1944

Recorded in Book No. 3 of

Permit, on page U-154

CHAS. E. STRICKLIN  
STATE ENGINEER

5-26

Fees Paid \$14.50