

APPLICATION FOR A PERMIT

Superseded by Cert. No. 73260

To Appropriate the Underground Waters of the State of Oregon

I, Chenowith Irrigation Cooperative, Inc. of The Dalles, Oregon, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Incorporated on December 10, 1945, principal office at The Dalles, County of Wasco, Oregon.

1. Give name of nearest stream to which the well, tunnel or other source of water development approximately 4100 feet from the Columbia River, approximately 4400 feet from Mill Creek, and approximately 6300 feet from Chenowith Creek (that is, the site of the first Name of stream) tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 15 cubic feet per second.

3. The use to which the water is to be applied is Irrigation, domestic, and stock use.

4. The place where the water is to be pumped or developed is located (first well) 375 feet South and 350 feet West of the one quarter corner between Section 32 and Section 33 (Give distance and bearing from section corner)

being within the NE 1/4 of the SE 1/4 of Sec. 32, Twp. 2 North, R. 13 East, W. M., in the county of Wasco, Oregon

5. The proposed pipe line to be miles in length, terminating in the of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Chenowith Irrigation Cooperative, Inc.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of a series of wells having a diameter of 16 inches and an estimated depth of approx. 200 feet.

The number of wells depends on how the project develops; present plans call for only one well to serve the first unit, if additional units are added to the project, then it may be necessary to drill additional wells.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 26,400 ft.; size at intake, 8 in.; size at 2000 ft. from intake 6 in.; size at place of use 4" to 3/4" in.; difference in elevation between intake and place of use, estimate 250 ft. Is grade uniform? No Estimated capacity, 1000 gallons per minute sec. ft.

10. If pumps are to be used, give size and type 750 gallons per minute, Turbine

Give capacity and type of motor or engine to be used 100 hp. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated
2N	13E	29	NW 1/4 SW 1/4	5
2N	13E	29	SW 1/4 SW 1/4	3
2N	13E	29	NE 1/4 SW 1/4	35
2N	13E	29	SE 1/4 SW 1/4	32
2N	13E	29	NW 1/4 SE 1/4	38
2N	13E	29	SW 1/4 SE 1/4	35
2N	13E	29	NE 1/4 SE 1/4	20
2N	13E	29	SE 1/4 SE 1/4	30
2N	13E	28	SW 1/4 SW 1/4	3
2N	13E	32	NE 1/4 NW 1/4	28
2N	13E	32	SE 1/4 NW 1/4	5
2N	13E	32	NW 1/4 NE 1/4	35
2N	13E	32	SW 1/4 NE 1/4	34
2N	13E	32	NE 1/4 NE 1/4	30
2N	13E	32	SE 1/4 NE 1/4	35
2N	13E	32	NW 1/4 SE 1/4	35
2N	13E	32	SW 1/4 SE 1/4	15
2N	13E	32	NE 1/4 SE 1/4	36
2N	13E	32	SE 1/4 SE 1/4	35
2N	13E	33	NW 1/4 NW 1/4	10
2N	13E	33	SW 1/4 NW 1/4	10
2N	13E	33	NW 1/4 SW 1/4	15
2N	13E	33	SW 1/4 SW 1/4	25
2N	13E	33	SE 1/4 NW 1/4	7.5
2N	13E	33	NE 1/4 SW 1/4	7.5
2N	13E	33	SE 1/4 SW 1/4	2
1N	13E	5	NE 1/4 NE 1/4	6
1N	13E	4	NW 1/4 NW 1/4	30
1N	13E	7	NE 1/4 NW 1/4	12
1N	13E	7	SE 1/4 NW 1/4	2

(If more space required, attach separate sheet)

609

(a) Character of soil

(b) Kind of crops raised

MUNICIPAL SUPPLY—

13. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of in 193

- 14. Estimated cost of proposed works, \$ 45,000.00.....
- 15. Construction work will begin on or before July 1, 1946.....
- 16. Construction work will be completed on or before May 1, 1951.....
- 17. The water will be completely applied to the proposed use on or before May 1, 1951.....

CHENOWITH IRRIGATION COOPERATIVE, Inc.

By (Sgd) D. G. Rempel
(Signature of applicant)
President

By (Sgd) Thomas A. Kreger
Secretary

Signed in the presence of us as witnesses:

(1) (Sgd) Donald E. Heisler, 402 U.S. Nat'l Bank Bldg., The Dalles, Oregon
(Name) (Address of witness)

(2) (Sgd) Harris Stout, R. 4. The Dalles
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

STATE OF OREGON, }

PERMIT

County of Marion, }

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 10.15 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a series of wells

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated throughout the irrigation season.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 6, 1946

Actual construction work shall begin on or before August 15, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948 Extended to Oct. 1, 1950 Extended to Oct. 1, 1952 Extended to Oct. 1, 1954 Extended to Oct. 1, 1957

Complete application of the water to the proposed use shall be made on or before

October 1, 1949 Extended to Oct. 1, 1950 Extended to Oct. 1, 1952 Extended to Oct. 1, 1954 Extended to Oct. 1, 1957

WITNESS my hand this 15th day of August, 1946.

CHAS. E. STRICKLIN

STATE ENGINEER

Application No. U-203

Permit No. U-184

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of June, 1946, at 1 o'clock P.M.

Returned to applicant for correction:

Corrected application received:

Approved:

August 15, 1946

Recorded in Book No. 1 of

Permit, on page U-184

CHAS. E. STRICKLIN STATE ENGINEER

4-6a

Total fees paid \$50.45