

PERMIT No. U-2

APPLICATION FOR A PERMIT

To appropriate the Underground Waters of the State of Oregon

I, MILTON NURSERY COMPANY, Inc.
(Name of applicant)
of Milton, county of Umatilla,
(Postoffice)
state of Oregon, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation 1908 Milton, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated appr. 1 1/2 mi. from Walla Walla River-Tum A Lum Branch
(Name of stream)
tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 1 1/2" per acre cubic feet per second, for the irrigation of 140 acres.

3. The place where the water is to be pumped or developed is located
within approximately 200 feet of center of Section 31, Twnshp 6 N.,
(Give distance and bearing from section corner)
R. 36 E.W.M.

being within the NW 1/4, NW 1/4 of SE 1/4 of Sec. 31, Twp. 6 N., R. 36 E.,
W. M., in the county of Umatilla

4. The pipe line now in use to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. 31, Twp. 6 N.,
(Smallest legal subdivision)
R. 36 E., W. M., the proposed location being shown throughout on the accompanying map.

5. The name of the well or other works is _____

DESCRIPTION OF WORKS

6. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

In the event we should be fortunate to get an artesian flow, water would be controlled by suitable valves.

7. The development will consist of one drilled well having a
(Give number of wells, tunnels, etc.)
diameter of _____ inches and an estimated depth of _____ feet.

The well will start with 10 inch hole and is to be not less than 6 inches at a depth of 600 feet. Cannot estimate depth at which water will be obtained as this is an experiment and we may get a dry hole.

8. A description of the pipe lines, canals or other distributing works is as follows: Diameter of pipe 8 inch cement, length _____, kind concrete
(Wood, cast iron, wrought, concrete)
Difference in elevation between ground surface at well and discharge end of pipe, ground level
feet. If canal used in addition to pipe, give description. Width on top (at water line) _____
feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet
fall per 1,000 feet.

9. If pumps are to be used, give size and type this cannot be determined until water
flow is obtained -- might be such that a centrifugal could be used, or a deep well
turbine pump would be required.

Give capacity and type of motor or engine to be used This depends on foregoing conditions
in question #9. Gas engine power would be used at first

10. If the location of the well, tunnel, or other development work is less than one-fourth mile
from a natural stream or stream channel, give the distance to the nearest point on each of such channels
and the difference in elevation between the stream bed and the ground surface at the source of
development located about one mile and a half from the Walla Walla River-Tum a Lum
Branch, out in wheat fields.

11. The land to be irrigated has a total area of 140 acres, located in each smallest legal
subdivision, as follows: the S $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 31 Twn. 6 N., R. 36 E.W.M.
SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 31 Twn. 6 N., R. 36 E.W.M.
N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 31 Twn. 6 N., R. 36 E.W.M.
SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 31 Twn. 6 N., R. 36 E.W.M. all or that portion
lying north of right of way of Oregon-Washington Railway.

12. Estimated cost of proposed works, \$ 4800 or more

13. Development work will begin on or before during December, 1927.

14. Development work will be completed on or before just as quickly as it can be done.

15. The water will be completely applied to the proposed use on or before season 1928.

Duplicate maps of the proposed system, prepared in accordance with the rules of the State
Engineer, accompany this application.

Milton Nursery Company
(Name of applicant)
S. A. Miller
General Manager

Signed in the presence of us as witnesses:

(1) F. A. Tracy, Milton, Oregon
(Name) (Address of witness)
(2) C. D. Hobbs, Milton, Oregon
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

Description of lands to be irrigated, fees and maps

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before Jan. 5, 1928.

WITNESS my hand this 5th day of December, 1927.

RHEA LUPER
STATE ENGINEER.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: This appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer

The right herein granted is limited to the appropriation of water from one well, being within the NW 1/4 SE 1/4, Section 31, Township 6 North, Range 36 East, W.M., for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 1.75 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is December 3, 1927.

Actual construction work shall begin on or before December 15, 1928, and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1929.

Complete application of the water to the proposed use shall be made on or before October 1, 1930.

Witness my hand this 15th day of December, 1927.

R H E A L U P E R
STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.

Application No. U-2

Permit No. U-2

PERMIT

TO APPROPRIATE THE UNDER-
GROUND WATERS OF THE
STATE OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 3rd day of December
1927, at 1:00 o'clock P.M.

Returned to applicant for correction:
December 5th, 1927.

Corrected application received:
December 13th, 1927.

Approved:
December 15th, 1927.

Recorded in Book No. 1 of
Permit, on page U-2

R H E A L U P E R
STATE ENGINEER.

1 map ACFP \$