

Permit No. U-240

APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

I, Glenn Dehlinger (Name of applicant)
of Route #2, Box 681B, Klamath Falls (Postoffice), county of Klamath,
state of Oregon, do hereby make application for a permit to appropriate the
following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Lost River (Name of stream)

tributary of Tulelake

2. The amount of water which the applicant intends to apply to beneficial use is 0.11 cubic
feet per second.

3. The use to which the water is to be applied is irrigation

4. The place where the water is to be pumped or developed is located 1185.5 feet north and
142.2 feet east of the SW corner of the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 28, T. 39 S., R. 10 E.
(Give distance and bearing from section corner)
W. M.

being within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 28, Twp. 39 S., R. 10 E.,
W. M., in the county of Klamath

5. The none (Canal or pipe line) to be _____ miles
in length, terminating in the _____ of Sec. _____, Twp. _____,
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is the Glenn Dehlinger well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

Gate Valve

8. The development will consist of 1-6" Artesian Well (Give number of wells, tunnels, etc.) having a
diameter of 6" inches and an estimated depth of 350 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type none

Give capacity and type of motor or engine to be used none

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to be the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development none

12. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated
T. 39 S.	R. 10 E.	28	NE $\frac{1}{4}$ -SE $\frac{1}{4}$	3.2
			SE $\frac{1}{4}$ -SE $\frac{1}{4}$	2.4
				5.6

(If more space required, attach separate sheet)

(a) Character of soil Klamath loam

(b) Kind of crops raised Grasses, row crops, etc.

MUNICIPAL SUPPLY—

13. (a) To supply the city of county, having a present population of and an estimated population of in 19.....

- 14. Estimated cost of proposed works, \$750.00
- 15. Construction work will begin on or before well drilled
- 16. Construction work will be completed on or before well drilled
- 17. The water will be completely applied to the proposed use on or before Jan. 1st, 1949

(Sgd) Glenn Dehlinger
 (Signature of applicant)

Remarks: This is an artesian well flowing 50 gal. per minute and does not affect any other well or spring in the neighborhood. Distribution by ditches and flooding.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 4, 1948

WITNESS my hand this 4th day of May, 1948

CHAS. E. STRICKLIN
 STATE ENGINEER

By
 Ed K. Humphrey, Assistant
 mjo

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.07..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be so cased as to prevent loss of underground water.

The priority date of this permit is October 10, 1947

Actual construction work shall begin on or before July 30, 1949 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1951

WITNESS my hand this 30th day of July, 1948

CHAS. E. STRICKLIN

STATE ENGINEER

Application No. U-250

Permit No. U-240

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10 day of Oct., 1947, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 30, 1948

Recorded in book No. 1 of

Permits on page U-240

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 14 Page 16

Fees Paid \$15.00