CERTIFICATE NO. 20317

Permit No. U-268

APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

I,	I, Clair L. Gentry (Name of applicant)	
	Weiser , county of Washing (Postoffice)	
	$_{ m of}$ $_{ m Idaho}$ Idaho ,, do hereby make application for a permit to	
following	sing described underground waters of the state of Oregon, SUBJECT TO EXISTING	RIGHTS:
If t	If the applicant is a corporation, give date and place of incorporation ${\tt No}$	
1.	1. Give name of nearest stream to which the well, tunnel or other source of wate	r development is
situated	ed Snake River (Name of stream)	***************************************
	tributary of	
2.	2. The amount of water which the applicant intends to apply to beneficial use is	2cubic
feet per s	er second.	
3.	3. The use to which the water is to be applied is sprinkler irrigation of	farm land
•	4. The place where the water is to be pumped or developed is located 330 W of Si corner of NE ¹ / ₄ NW ¹ / ₄ Sec. 30. (Give distance and bearing from section corner)	•
	(Give distance and pearing from section corner)	
being wit	within the $E_2^{\frac{1}{2}}$ of $M_4^{\frac{1}{4}}$ of Sec. 30 , Twp. 15 S	, <i>R.</i> 47 Е.,
W. M., in	, in the county ofMalheur	·
5.	5. The to be	miles
	gth, terminating in theof Sec, (Smallest legal subdivision)	
6.	6. The name of the well or other works is	
	DESCRIPTION OF WORKS	
7. supply w	7. If the flow to be utilized is artesian, the works to be used for the control and cony when not in use must be described.	,
	8. The development will consist ofl dug well	
diameter	ter of 96 inches and an estimated depth of 25 feet.	

CANAL	SYSTEM	OR.	PIPE	LINE-

9. (a) Give	dimensions at	each point of	f canal where materially o	changed in size, stating miles from
headgate. At head	gate: width on	top (at water	· line)	feet; width on bottom
	feet; depth of	water	feet; grade	feet fall per one
thousand feet.	•			
(b) At		miles from he	adgate: width on top (at a	water line)
	feet; width on	bottom	feet; depth	of water feet;
grade	feet fal	l per one thou	isand feet.	;
(c) Length	of pipe,	ft	;; size at intake,	in.; in size at ft.
from intake	in.;	size at place	of usei	n.; difference in elevation between
intake and place of	f use,	ft	t. Is grade uniform?	Estimated capacity,
	. sec. ft.			
	s are to be used entrifugal			cal

Give capacit	y and type of n	notor o r engin	e to be used 35 KWH,	Ac. 440 volts.
Distance of we	ell 1s more	than 1/4 m	le from Snake River	
12. Location	n of area to be	irrigated, or 1	olace of use	
Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated
15 S	47 E	30	NE ¹ / ₄ of NW ¹ / ₄	40.00 A.
15 S	47 E	30	$SE_{\overline{4}}^{\frac{1}{2}}$ of $NW_{\overline{4}}^{\frac{1}{2}}$	39.34 A.
15 S	47 E	30	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	19.50 A.
15 S	47 E	30	W ¹ / ₂ SW ¹ / ₄ NE ¹ / ₄	19.67 A. 118.51
	.,,			
				······································
	\			
		(If more space	e required, attach separate sheet)	
(a) Charact	er of soil	Fine sandy	loam	
(b) Kind of	crops raised	Hay, grai	a.and.row.crops	
MUNICIPAL SUF	PPLY—		•	
13 (a) To s	=			
10. (4) 10 3	supply the city	of		
(Name o	supply the city	•		

14. Estimated cost of proposed works, \$.5000	<u>00</u>
15. Construction work will begin on or before	Oct. 30, 1948
16. Construction work will be completed on or b	before October 1, 1949
17. The water will be completely applied to the	e proposed use on or before Oct. 1, 1952
•	(Sgd) Clair L. Gentry (Signature of applicant)
	A service of application of the service of the serv
·	·
Remarks: Water is to be used for agrithmough a sprinkler system composed of 196	icultural purposes and applied to the land
totaling 3900' (4")	
	·
STATE OF OREGON,	
County of Marion, $Ss.$	·
This is to certify that I have examined the fore	egoing application, together with the accompanying
maps and data, and return the same forcompl	etion
· .	
In order to retain its priority, this application m	ust be returned to the State Engineer, with correction
on or before December 6 , 194.8	
WITNESS my hand this5th day of	November , 1948
3	CHAS. E. STRICKLIN
	STATE ENGINEER
•	By (Sgd) Ed K Humphrey

Ed K. Humphrey, Assistant vc

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and
shall not exceed
source of appropriation, or its equivalent in case of rotation with other water users, froma. well
The use to which this water is to be applied isirrigation_(supplemental)
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second
or its equivalent for each acre irrigated and shall be further limited to a diversion
of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation
season of each year; provided further that the amount of water allowed herein, together
with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be so cased as to prevent loss of underground water. The priority date of this permit is October 18, 1948.
Actual construction work shall begin on or beforeApril 25, 1950
thereafter be prosecuted with reasonable diligence and be completed on or before
Complete application of the water to the proposed use shall be made on or before
October 1, 1952
WITNESS my hand this 25th day of April , 194.9.
CHAS. E. STRICKLIN STATE ENGINEER

Application No. U-291

Permit No. U-268

This instrument was first received in the

TO APPROPRIATE THE UNDERGROUND WATERS OF THE

PERMIT

STATE OF OREGON

office of the State Engineer at Salem, Oregon, on the18.... day ofActoher..... 194 8., at 8:00. o'clock

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No.1

Permits on page U-268

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. ...9.

Fees Paid 26.45