

PERMIT No. U-295

APPLICATION FOR A PERMIT

To appropriate the Underground Waters of the State of Oregon

I, W. A. Koenig (Name of applicant) of Klamath Falls (Postoffice), county of Klamath state of Oregon, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Buck Creek (Name of stream) tributary of Lost River and Tule Lake

2. The amount of water which the applicant intends to apply to beneficial use is 3.6 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The place where the water is to be pumped or developed is located N. 66° and 29 1/2' E. 3261.5 feet from the SW corner of Sec. 13, T. 38 S., R. 11 1/2 E., W. M. (Give distance and bearing from section corner)

being within the SW 1/4 - SE 1/4 of Sec. 13, Twp. 38 S., R. 11 1/2 E., W. M., in the county of Klamath

5. The main ditch (Canal or pipe line) to be 0.9 miles in length, terminating in the SW 1/4 - NW 1/4 (Smallest legal subdivision) of Sec. 13, Twp. 38 S., R. 11 1/2 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Koenig Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 16 inches and an estimated depth of 467 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6.5 feet; width on bottom 2.5 feet; depth of water 1.0 feet; grade 0.4 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type ..deep well turbine pump, 10 inch discharge

Give capacity and type of motor or engine to be used 30 H.P. Electric Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated	
T. 38 S.	R. 11 $\frac{1}{2}$ E.	Sec. 13	Original		
			SW $\frac{1}{4}$ -NE $\frac{1}{4}$	0.2	
			SW $\frac{1}{4}$ -NW $\frac{1}{4}$	26.5	
			SE $\frac{1}{4}$ -NW $\frac{1}{4}$	14.7	
			NE $\frac{1}{4}$ -SW $\frac{1}{4}$	38.5	
			NW $\frac{1}{4}$ -SW $\frac{1}{4}$	29.4	
			SW $\frac{1}{4}$ -SW $\frac{1}{4}$	6.1	
			SE $\frac{1}{4}$ -SW $\frac{1}{4}$	37.8	
			NW $\frac{1}{4}$ -SE $\frac{1}{4}$	8.6	
			SW $\frac{1}{4}$ -SE $\frac{1}{4}$	39.3	
			SE $\frac{1}{4}$ -SE $\frac{1}{4}$	38.5	
				<u>239.6</u>	
				Supplementary	
				Sec. 23	
				SW $\frac{1}{4}$ -NE $\frac{1}{4}$	15.9
				SE $\frac{1}{4}$ -NE $\frac{1}{4}$	28.6
				NE $\frac{1}{4}$ -SE $\frac{1}{4}$	36.7
				NW $\frac{1}{4}$ -SE $\frac{1}{4}$	5.2
					<u>86.4</u>
		Total - 326.0			

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised grasses, grains and row crops

MUNICIPAL SUPPLY—

13. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 193.....

- 14. Estimated cost of proposed works, \$ 5000.00
- 15. Construction work will begin on or before well and pump in.
- 16. Construction work will be completed on or before Oct. 1st., 1948
- 17. The water will be completely applied to the proposed use on or before Oct. 1st. 1948

(Sgd) W. A. Koenig
 (Signature of applicant)

Signed in the presence of us as witnesses:

- (1) (Sgd) Fern McTaggart, 411 No. 3rd St.
 (Name) (Address of witness)
- (2) (Sgd) Robert C. Walton, 438 Wash. St.
 (Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 2, 1948
 May 20, 1948

WITNESS my hand this 2nd day of July 1948
 20th day of April, 1948

CHAS. E. STRICKLIN
 STATE ENGINEER

By
 Ed K. Humphrey, Assistant

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.6 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be still further limited to a diversion of not to exceed 3.6 c.f.s., and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be so cased as to prevent loss of underground water.

The priority date of this permit is October 3, 1949

Actual construction work shall begin on or before March 15, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 15th day of March, 1950.

CHAS. E. STRICKLIN STATE ENGINEER

Application No. U-258
Permit No. U-295

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of January, 1950, at 8:00 o'clock A. M.

Returned to applicant for correction:

Corrected application received:

Approved: March 15, 1950

Recorded in Book No. 1 of Permit, on page U - 295

CHAS. E. STRICKLIN STATE ENGINEER