CERTIFICATE NO: 20804

Permit No. U-321

## APPLICATION FOR A PERMIT

## To Appropriate the Underground Waters of the State of Oregon

I, THREE MILE IRRIGATION COOPERATIVE, Inc. (Name of applicant)	
ofThe Dalles(Postoffice)	
state ofOregon, do hereby make	
following described underground waters of the state of Oregon,	SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of inc	corporation Incorporated August 10,
1945, (an Oregon Corporation) and location of prince of The Dalles, in the County of Wasco, State of Orea.  1. Give name of nearest stream to which the well, tunn	egon•
situated on Three Mile Creek one-half mile from it.	s entrance into the
Columbia River tril	•
2. The amount of water which the applicant intends to a	oply to beneficial use is
feet per second.	•
3. The use to which the water is to be applied is Irriga	tion, domestic and stock use
4. The place where the water is to be pumped or develope	•
2943.18 feet North and 1783.11 feet East from the Society (Give distance and bearing from section Sections 1-2-11 and 12, in Township 1 North, Range	n corner)
point is South 1091.49 feet and West 1186.36 feet from the Wm. Laughlin Donation Land Claim #38".  being within the	, Twp, R13 E,
W. M., in the county of	feet
5. The pipe line (Canal or pipe line)	to be about 10,000 miles
in length, terminating in the $NE_{4}^{1}$ $NE_{4}^{1}$ of Sec. 12 & $NE_{4}^{1}$ (Smallest legal subdivision)	NE: Twp
R. 13.E. W. M., the proposed location being shown through	hout on the accompanying map.
6. The name of the well or other works is THREE MILE	IRRIGATION COOPERATIVE, Inc.
DESCRIPTION OF WO	ORKS
•	
7. If the flow to be utilized is artesian, the works to be u supply when not in use must be described.	sed for the control and conservation of the
No artesian flow	
8. The development will consist ofone_well_	per of wells, tunnels, etc.)  having a
diameter of16 inches and an estimated depth of33	20 feet.

CANAL	SYSTEM	OR.	PIPE	Τ	JNE
CITITI	DIDIM	$O_{II}$	1111	_	3T T 4 TO

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	danta Athan	daata, midth on 4	on (at suctor 1	ina)	ged in size, stating mi		
### Assembly of the control of the well, turnel, or other development work is less than one-fourth mile from a wrall stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the well, turnel, or other development work is less than one-fourth mile from a wrall stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and place of use.  ### 11. If the location of the well, turnel, or other development work is less than one-fourth mile from a wral stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development well is located approximately 20 feet East of Three Wile Creek, and the well is located approximately 10 feet higher than the stream bed  ### 12. Location of area to be irrigated, or place of use  ### 22. Location of area to be irrigated, or place of use  ### 1. North 13 East 1 SW SW 10.00 19.5  1. North 13 East 1 SW SW 10.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20.00 20.00 19.5  1. North 13 East 1 SW SW 20.00 20							
(b) At miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water feet;  de feet; width on bottom feet; depth of water feet;  de feet; width on bottom feet;  de feet; width on bottom feet;  (c) Length of pipe, 10,800 ft.; size at intake, 10 in; in size at 800 ft.  m intake 8 in; size at place of use 6 in; difference in elevation between naximm of 500 it. Is grade uniform? no Estimated capacity, 600 gallons per minute maximum capacity of Pump  75. sec. ft.  10. If pumps are to be used, give size and type Deep-well Turbine (Cook); and  Booster pumps along lines as needed.  Give capacity and type of motor or engine to be used 100 Harse Power (Electric)  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development well is located, approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use  13. Location of area to be irrigated, or place of use  14. North 13 East 1 NW\$5M\$\frac{1}{2}\$ 20,00 19,0 1North 13 East 1 NW\$5M\$\frac{1}{2}\$ 20		jeet; aeptn of w	ater	jeet; graae	jeet jau	per on	е
feet; width on bottom feet; depth of water feet; de feet; width on bottom feet.  (c) Length of pipe, 10,800 ft.; size at intake, 10 in.; in size at 800 ft.  mintake 8 in.; size at place of use 6 in.; difference in elevation between axis and place of use.  Sac and place of use.  Sac pt. 10. If pumps are to be used, give size and type Deep-well Turbine (Cook); and Booster pumps along lines as needed.  Give capacity and type of motor or engine to be used 100 Harse. Fowar (Electric)  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use.  13. Bast 1 NW25M2 30,00 19.5  14. North 13 East 1 NW25M2 30,00 19.5  15. North 13 East 1 NW25M2 30,00 19.5  16. North 13 East 1 NW25M2 30,00 19.5  17. North 13 East 1 NW25M2 30,00 19.5  18. North 13 East 1 NW25M2	·		:1 (		· lin o		
de			·				
(c) Length of pipe, 10,000 ft.; size at intake, 10 in.; in size at \$00 ft.  mintake 8 in.; size at place of use 6 in.; difference in elevation between the and place of use, ft. Is grade uniform? no Estimated capacity, 600 gallons per minute maximum capacity of Pump 75 sec. ft.  10. If pumps are to be used, give size and type Deep-well Turbine (Gook); and  Booster pumps along lines as needed.  Give capacity and type of motor or engine to be used 100. Harse Power (Electric).  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development Well is located approximately 20 feet Bast of Three Mile Creek, and  the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use  13. Bast 1 North 13 East 1 North 13 E		feet; width on b	bottom	feet; depth of u	vater	feet	;
mintake 8 min; size at place of use 6 min; difference in elevation between the and place of use, ft. Is grade uniform? no Estimated capacity, 600 gallons per minute maximum capacity of Pump 75 sec. ft.  10. If pumps are to be used, give size and type Deep-well Turbine (Gook); and Booster pumps along lines as needed.  Give capacity and type of motor or engine to be used 100. Horse Power (Electric)  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use  13. North 13 East 1 Might 20,00 19,5 1 North 13 East 1 Might 20,00 19,1 1 North 13 East 1 Might 20,00 19,0 1 North 13 East 12 Might 20,00 29,5 1 North 13 East 12	de	feet fall (	per one thouse	and feet.			
maximum of 500 take and place of use, ft. Is grade uniform? no. Estimated capacity, 600 gallons per minute maximum capacity of Pump T5 sec. ft.  10. If pumps are to be used, give size and type Desp-well Turbine (Cook); and Booster pumps along lines as needed.  Give capacity and type of motor or engine to be used 100 Horse Rower (Electric).  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use  Township Ranse Section Free visual North 13 East 1 Surface 1 Surface 1 Do. 00 19.0 19.0 1 North 13 East 1 Surface 2 Do. 02.0 1 North 13 East 1 Surface 3 Do. 00 19.0 1 North 1	(c) Length	of pipe, 10,80	00 ft.;	size at intake, 10	in.; in size at 800	ft	t.
maximum of 500 take and place of use, ft. Is grade uniform? no. Estimated capacity, 600 gallons per minute maximum capacity of Pump T5 sec. ft.  10. If pumps are to be used, give size and type Desp-well Turbine (Cook); and Booster pumps along lines as needed.  Give capacity and type of motor or engine to be used 100 Horse Rower (Electric).  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use  Township Ranse Section Free visual North 13 East 1 Surface 1 Surface 1 Do. 00 19.0 19.0 1 North 13 East 1 Surface 2 Do. 02.0 1 North 13 East 1 Surface 3 Do. 00 19.0 1 North 1	m intake 8	in.; s	size at place o	f use6 in.; di	fference in elevation	between	n
Rocater pumps along lines as needed.   Give capacity and type of motor or engine to be used 100 Horse Power (Electric)	ake and place o 600 gal	maximum of use,lons per minut	500				
Give capacity and type of motor or engine to be used 100. Horse Power. (Electric)  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use  13. Location of area to be irrigated, or place of use  14. North 13 East 1 Marks 1	10. If pum	ps are to be used,	give size and t	ype Deep-well Turbine	(Cook); and	********	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development Well is located approximately 20 feet East of Three Mile Creek, and  the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use  13. Location of area to be irrigated, or place of use  14. North 13 East 1 Milon 10 10 10 10 10 10 10 10 10 10 10 10 10	Booster pu	mps along lin	es as neede	d.			
ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development Well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use    Township   Range   Section   Forty-area Tract   Number Acres   Factor   Fac	Give capaci	ty and type of mo	otor or engine	to be used .100 Horse Powe	er (Electric)		
ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development Well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use    Township   Range   Section   Forty-area Tract   Number Acres   Factor   Fac	·		<del>-</del> «				
ural stream or stream channel, give the distance to be the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development Well is located approximately 20 feet East of Three Mile Creek, and the well is approximately 10 feet higher than the stream bed  12. Location of area to be irrigated, or place of use    Township   Range   Section   Forty-acre Tract   Number Acres   Forty-acres   Forty-acres   Forty-acres   Forty-acres   Forty-acres   Forty-acres   Forty-acres   Forty-acres   Forty-acres   Forty-a	44 70 17 . 7		77 / 7	41	47		••
### difference in elevation between the stream bed and the ground surface at the source of development	11. If the lo	ocation of the we	il, tunnel, or o	tner development work is les	ss than one-fourth mil	le from (	а
Well is located approximately 20 feet East of Three Mile Creek, and   the well is approximately 10 feet higher than the stream bed	ural stream or	stream channel	, give the dist	ance to be the nearest point	on each of such chan	nels and	d
Well is located approximately 20 feet East of Three Mile Creek, and   the well is approximately 10 feet higher than the stream bed	difference in	elevation between	n the stream b	ed and the ground surface	at the source of deve	loomen	t
12. Location of area to be irrigated, or place of use	••			-		•	•
12. Location of area to be irrigated, or place of use   Section   Forty-acre Tract   Number Acres   Land	Well is loc	ated approxim	ately 20 fe	et East of Three Mile	Freek, and		
Township   Range   Section   Forty-acre Tract   Number Acres to be irrigated   A	the well is	approximatel	y 10 feet h	igher than the stream	bed	••••	
Township   Range   Section   Forty-acre Tract   Number Acres to be irrigated   A							
Township   Range   Section   Forty-acre Tract   Number Acres to be irrigated   A	12 Locatio				•	L	
North		n ot area to be in	rrigated, or pla	ice of use		ri Ç	 :
North	Township				Number Acres to Be Irrigated	Primary	• = 1
1 North		Range		Forty-acre Tract	to Be Irrigated		• (
1 North	1 North	Range	Section	Forty-acre Tract  NW 4 SW 4	to Be Irrigated	19.5	<u></u> ' _ ' _ ]
1 North	l North	Range  13 East 13 East	Section	Forty-acre Tract $ NW_{\frac{1}{4}}^{1}SW_{\frac{1}{4}}^{1} $ $ SW_{\frac{1}{4}}^{1}SW_{\frac{1}{4}}^{1} $	30.00	19.5 19.0	<u></u> '
1 North	1 North 1 North 1 North	Range  13 East 13 East 13 East	Section 1	Forty-acre Tract  NW 1/2 SW 1/4  SW 1/4 SW 1/4  NE 1/4 SW 1/4	30.00 140.00 22.00	19.5 19.0 22.0	
1 North	1 North 1 North 1 North 1 North	13 East 13 East 13 East 13 East 13 East	Section 1	Forty-acre Tract  NW 1/4 SW 1/4  SW 1/4 SW 1/4  NE 1/4 SW 1/4  SE 1/4 SW 1/4	30.00 140.00 22.00 26.00	19.5 19.0 22.0 14.0	
1 North	1 North 1 North 1 North 1 North 1 North	13 East 13 East 13 East 13 East 13 East 13 East	Section 1 1 1 1 1 1 1	Forty-acre Tract  NW \( \frac{1}{4} \)SW \( \frac{1}{4} \)  SW \( \frac{1}{4} \)SW \( \frac{1}{4} \)  SE \( \frac{1}{4} \)SW \( \frac{1}{4} \)  SE \( \frac{1}{4} \)SW \( \frac{1}{4} \)  NW \( \frac{1}{4} \)SE \( \frac{1}{4} \)	30.00 10.00 22.00 26.00 30.00	19.5 19.0 22.0 14.0 30.0	
1 North	1 North 1 North 1 North 1 North 1 North 1 North	13 East 13 East 13 East 13 East 13 East 13 East	Section 1 1 1 1 1 1 1	Forty-acre Tract  NW 4 SW 4  SW 4 SW 4  NE 4 SW 4  SE 4 SW 4  NW 4 SE 4  SW 4 SE 4  SW 4 SE 4	30.00 10.00 22.00 26.00 10.00	19.5 19.0 22.0 14.0 30.0	
1 North 13 East 12 NEANT 140.00 9.5 1 North 13 East 12 NEANT 150.00 21.5 1 North 13 East 12 NEANT 150.00 21.5 1 North 13 East 12 NEANT 150.00 21.5 1 North 13 East 12 NEANT 150.00 28.0 1 North 13 East 12 NEAT 150.00 30.0 1 North 13 East 11 NEAT 150.00 30.0 1 North 13 East 11 NEAT 150.00 30.0 1 North 13 East 2 NEAT 150.00 8.0  Total acres 519.00  (If more space required, attach separate sheet)  (a) Character of soil Deep Sandy Loam  (b) Kind of crops raised Cherries, Apricots, Peaches, Hay and some vegetables (NICIPAL SUPPLY—	1 North	Range  13 East	Section  1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NWASWA SWASWA NEASWA SEASWA SEASWA NWASEA SWASEA	30.00 140.00 22.00 26.00 30.00 140.00	19.5 19.0 22.0 14.0 30.0 11.1	
1 North	1 North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NW\$\frac{1}{4}\$SW\$\frac{1}{4}\$ SW\$\frac{1}{4}\$SW\$\frac{1}{4}\$ NE\$\frac{1}{4}\$SW\$\frac{1}{4}\$ NW\$\frac{1}{4}\$SE\$\frac{1}{4}\$ SW\$\frac{1}{4}\$SE\$\frac{1}{4}\$ NE\$\frac{1}{4}\$SE\$\frac{1}{4}\$ SE\$\frac{1}{4}\$SE\$\frac{1}{4}\$ SE\$\frac{1}{4}\$SE\$\frac{1}{4}\$	30.00 140.00 22.00 26.00 140.00 140.00 20.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0	
1 North	1 North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NW\$\frac{1}{4}\$SW\$\frac{1}{4}\$ SW\$\frac{1}{4}\$SW\$\frac{1}{4}\$ NE\$\frac{1}{4}\$SW\$\frac{1}{4}\$ NW\$\frac{1}{4}\$SE\$\frac{1}{4}\$ SW\$\frac{1}{4}\$SE\$\frac{1}{4}\$ NE\$\frac{1}{4}\$SE\$\frac{1}{4}\$ SE\$\frac{1}{4}\$SE\$\frac{1}{4}\$ SE\$\frac{1}{4}\$SE\$\frac{1}{4}\$	30.00 140.00 22.00 26.00 140.00 140.00 20.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2	
North	1 North	13 East	Section	Forty-acre Tract  NW	30.00 140.00 22.00 26.00 10.00 20.00 10.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2	' ' 2
1 North	1 North	13 East	Section	Forty-acre Tract  NW 1/2 SW 1/4  SW 1/4 SW 1/4  NE 1/2 SW 1/4  SE 1/2 SW 1/4  SW 1/3 SE 1/4  SW 1/3 SE 1/4  NE 1/3 SE 1/4  SE 1/4 SE 1/4  SE 1/4 SE 1/4  SE 1/4 SE 1/4  NE 1/4 SE 1/4  NE 1/4 SE 1/4  NE 1/4 SE 1/4  NE 1/4 SE 1/4	30.00 10.00 22.00 26.00 10.00 20.00 10.00 25.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0	
North	l North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NW 1/2 SW 1/4 SW 1/4 SW 1/4 NE 1/2 SW 1/4 SE 1/4 NW 1/2 SE 1/4 SE 1/4 NE 1/2 SE 1/4 SE 1/	30.00 10.00 22.00 26.00 30.00 10.00 20.00 10.00 25.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0	
1 North 13 East 12 SEAN 30.00 30.0 1 North 13 East 12 SWAWA 30.00 30.0 1 North 13 East 11 NEAN 30.00 30.0 1 North 13 East 11 NEAN 30.00 30.0 1 North 13 East 2 SEASE 30.00 30.0 1 North 13 East 2 NEASE 30.00 8.0	1 North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NWASWA SWASWA SWASWA NEASWA NEASWA SEASWA SWASEA SWASEA SWASEA SWASEA SWASEA SEASEA NEASEA SEASEA SEASEA NEASEA NEASEA NEASEA NEASEA NEASEA NEANWA NEANWA	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5	
1 North	1 North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NW SW 4 SW 4 SW 4 NE 4 SW 4 NE 4 SW 4 NE 4 SE 4 NE 4 SE 4 NE 4 SE 4 NE 4 SE 4	10.00 10.00 20.00 20.00 20.00 10.00 25.00 10.00 25.00 28.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0	
North	1 North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NW SW 4 SW 4 SW 4 NE 4 SW 4 NE 4 SW 4 NE 4 SE 4 SW 4 SE 4 NE 4 SE 4	30.00 140.00 22.00 26.00 140.00 20.00 10.00 25.00 10.00 28.00 30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0	
1 North 13 East 2 SETSET 30.00 30.0 1 North 13 East 2 NETSET 8.00 8.0 Total acres 519.00  (a) Character of soil Deep Sandy Loam  (b) Kind of crops raised Cherries, Apricots, Peaches, Hay and some vegetables UNICIPAL SUPPLY—	1 North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NWLSWLA SWLASWLA SWLASWLA NELLSWLA SELLSWLA NWLSELL SWLASELA SWLASELA SWLASELA SELLSELA SELLSELA SELLSELA SELLSELA SELLSELA NELLSELA SELLSELA SELLS	10.00 10.00 22.00 26.00 30.00 10.00 20.00 10.00 25.00 10.00 25.00 10.00 30.00 30.00 30.00 30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0	
1 North 13 East 2 NE4SE4 8.00 8.0  Total acres  (If more space required, attach separate sheet)  (a) Character of soil  Deep Sandy Loam  (b) Kind of crops raised  Cherries, Apricots, Peaches, Hay and some vegetables  UNICIPAL SUPPLY—	l North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NWLSWLA SWLASWLA SWLASWLA NELLSWLA SELLSWLA NWLSELLA SWLASELA SWLASELA SWLASELA SELLSELA SELLSELA SELLSELA SELLSELA NELLSELA NELLSELA NELLSELA NELLSELA NELLSELA NELLSELA NWLASWLASWLASWLASWLASWLAS SWLASWLASWLASWLASWLASWLASWLASWLAS SWLASWLASWLASWLASWLASWLASWLASWLASWLASWLA	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00  30.00  30.00  30.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0	
1 North  13 East  2 NE\$\frac{1}{4}\SE\frac{1}{4}\$ 8.00 8.0  Total acres  519.00  (If more space required, attach separate sheet)  (a) Character of soil Deep Sandy Loam  (b) Kind of crops raised Cherries, Apricots, Peaches, Hay and some vegetables  UNICIPAL SUPPLY—	l North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NWLSWL SWL SWL SWL SWL SELSWL SELSWL NWLSEL SWL SELSWL SWL SELSWL SWL SELSWL SWL SWL SWL SWL SWL SWL SWL SWL SWL	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00  30.00  30.00  30.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0	
(a) Character of soil	1 North	13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NWLSWL SWL SWL SWL SWL SELSWL SELSWL NWLSEL SWL SELSWL SWL SELSWL SWL SELSWL SWL SWL SWL SWL SWL SWL SWL SWL SWL	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00  30.00  30.00  30.00  30.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0	
(a) Character of soil	l North	Range  13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NW SW 4 SW 4 SW 4 SW 4 NE 4 SW 4 NE 4 SE 4 S	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0	
(a) Character of soil	l North	Range  13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NW	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0	
UNICIPAL SUPPLY—	l North	Range  13 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Forty-acre Tract  NWLSWLA SWLASWLA SWLASWLA NELLSWLA NELLSWLA NELLSWLA SELLSWLA NELLSELL SWLASELA SELLSELL SELLSELL SELLSELL NELLSELL NWLANULA NWLANULA SWLANULA SWLA	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0	
UNICIPAL SUPPLY—	1 North	13 East	Section	Forty-acre Tract  NW4SW4 SW4SW4 SW4SW4 NE4SW4 NE4SW4 NW4SE4 SW4SE4 SW4SE4 SE4SE4 SE4SE4 SE4W4 NE4NE4 NE4NW4 NE4NW4 SW4NE4	30.00  10.00  22.00  26.00  10.00  20.00  10.00  25.00  10.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00  30.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0	
	l North	13 East	Section	Forty-acre Tract  NWLSWLA SWLASWLA SWLASWLA NELSWLA NELSWLA NELSELA SELSELA SELSELA SELSELA SELAWLA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA SELAWLA NWLAWLA SWLAWLA SW	30.00  10.00  22.00  26.00  30.00  10.00  20.00  20.00  10.00  25.00  26.00  30.00  30.00  30.00  30.00  30.00  519.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0 30.0 8.0	
\-, vorge, g y g	l North	Range  13 East	Section	Forty-acre Tract  NWLSWLA SWLASWLA SWLASWLA NELSWLA NELSWLA NELSELA SELSELA SELSELA SELSELA SELAWLA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA SELAWLA NWLAWLA SWLAWLA SW	30.00  10.00  22.00  26.00  30.00  10.00  20.00  20.00  10.00  25.00  26.00  30.00  30.00  30.00  30.00  30.00  519.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0 30.0 8.0	
i e e e e e e e e e e e e e e e e e e e	l North	Range  13 East 14 East 15 East 16 East 17 East 18 East 19 East	Section  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 12 1	Forty-acre Tract  NWLSWLA SWLASWLA SWLASWLA NELSWLA NELSWLA NELSELA SELSELA SELSELA SELSELA SELAWLA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA NELSELA SELAWLA NWLAWLA SWLAWLA SW	30.00  10.00  22.00  26.00  30.00  10.00  20.00  20.00  10.00  25.00  26.00  30.00  30.00  30.00  30.00  30.00  519.00	19.5 19.0 22.0 14.0 30.0 11.1 20.0 17.2 10.0 6.0 9.5 21.5 28.0 30.0 30.0 30.0 30.0 8.0	

14. Estimated cost	of proposed works, \$	.10,000,00		•
15. Construction w	ork will begin on or l	oefore Januar	y 1, 1950	
16. Construction w	ork will be completed	on or before	January 1,	1955
17. The water will	be completely applie	d to the proposed	use on or before J	anuary 1, 1955
		······································	······································	
		THREE MI	IE IRRIGATION C (Signature of app	OOPERATIVE, Inc.
		By (Sgd	l) Edward Geiger President	·, •
		By (Sgd	l) Hattie F. Joh Secretary-Tr	•
Signed in the prese	nce of us as witnesses	<b>:</b>	•	
1) (Sgd) Donald E. I	Heisler <sub>(ame)</sub>	Th.	ne Dalles, Orego	
2) (Sgd) Adeline Di	nger <sub>(ame)</sub>	The	e Dalles, Oregor (Address of wit	
Remarks:		······································		
		<u> </u>		
		. •		
	•••••••	•••••		
	······		••••••••••••	
		••••		
STATE OF OREGON,	}			
County of Marion,	ss.			
County of Marion,	J			
This is to certify th	nat I have examined	the foregoing app	olication, together 1	with the accompanyi
naps and data, and return	a the same for rev	rision if neces	ssarv	
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
		•••••••••••		
	·	· · · · · · · · · · · · · · · · · · ·		
		······································		
In order to retain it	s priority, this applica	tion must be retur	rned to the State En	gineer, with correctio
on or beforeJanu	ary 9, 1	<b>4</b> 50		
WITNESS my hand	d this 8th day	of December		, 19/149
			E. STRICKLIN	
		***		STATE ENGINEER
		D		

By
Ed K. Humphrey, Assistant vc

STATE OF OF	REGON,
County of M	ss.
County of m	$u_{I}$ $v_{I}$

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,

	T TO EXISTING		·	Ü						_
	ie right herein gra				•			-		
	exceed 6.4									
source of	f appropriation, or	its equir	valent in case	of rota	tion with	other wa	iter users, fi	oma. we	=11	
Th	ne use to which th	is water	is to be apple	ed is	irri	gation	and supp.	Lemental	irriga	tion
of not	t to exceed 519	9 acres							**********	
If	for irrigation, this	appropr	riation shall b	e limite	ed to	1/80tl	of or	ie cubic fo	ot per sec	cond
or it	s equivalent f	or each	acre irri	gated	and sha	all be i	further 1	imited to	o a div	ersion
of no	t to exceed 3	acre fe	et per acr	e for	each a	cre irri	igated du	ring the	irriga	tion
seaso	n of each year	• prov	ided furth	er tha	it the a	mount c	of water	allowed h	erein,	together
exceed and shall The we	the amount sected the limitation of the subject to such the section of the sectio	on allo h reason o cased	wed herein able rotation l as to pre	system vent	nas may Loss of	be ordere und <b>er</b> gi	ed by the pr	oper state ( er•	officer.	
$A \alpha$	ctual construction	work she	all begin on o	r before	e	June 30	, 1951		and s	hall
thereafte	er be prosecuted u	oith reaso	onable diliger	ice and	be comp	leted on c	or before	••••		
O	ctober 1, 1952		••••							
Co	omplete applicatio	n of the v	water to the p	ropose	d use sha	ll be mad	e on or befo	re		
0	ctober 1, 1953			-			·			
W	ITNESS my hand	this3	10th day o	f	June		·,	19/ 50		
					C771 C	77 (777)				
					CHAS.	E. STR.	ICKLIN	STA	TE ENGINE	ŒR
	1									
					×.					
Application No. U-321	PERMIT TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON	Division No District No.	This instrument was first received in the office of the State Engineer at Salem, Oregon,	19/149 , at 8:00 o'clock A. m.	Returned to applicant for correction:	Corrected application received:	Approved: June 30, 1950	Recorded in Book No. 1  Permit, on page U-321	CHAS. E. STRICKLIN STATE ENGINEER	Fees paid $$46.45$