

Permit No. U-322

APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

I, Leonard Pitcher (Name of applicant)  
of Fort. Rock (Postoffice), county of Lake,  
state of Oregon, do hereby make application for a permit to appropriate the  
following described underground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated Silver Creek -- 17 miles (Name of stream)

tributary of Silver Lake

2. The amount of water which the applicant intends to apply to beneficial use is 3 cubic  
feet per second.

3. The use to which the water is to be applied is Irrigation

4. The place where the water is to be pumped or developed is located

N. 25° 12' W. -- Distance 1666.25 ft.  
(Give distance and bearing from section corner)

from the S E Section Corner -- 3 - 27 - 15

being within the NE<sup>4</sup> SE<sup>4</sup> of Sec. 3, Twp. 27 S, R. 15 E,  
W. M., in the county of Lake

5. The Main Ditches (Canal or pipe line) to be 1 1/2 miles  
in length, terminating in the NE<sup>4</sup> NE<sup>4</sup> & NW<sup>4</sup> NE<sup>4</sup> (Smallest legal subdivision) of Sec. 3, Twp. 27 S,  
R. 15 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Leonard Pitcher

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a  
diameter of 1 2" inches and an estimated depth of 68 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6' feet; width on bottom 4' feet; depth of water 2' feet; grade 1.0' feet fall per one thousand feet.

(b) At 0.5 miles from headgate: width on top (at water line) 4.0 feet; width on bottom 2' feet; depth of water 1.5 feet; grade 1.0' feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Peerless - Turbine type - 12" Bowls  
1200' G.P.M — Tested at 1400 GPM

Give capacity and type of motor or engine to be used 50 H P - Gasoline

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to be the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated
27 S	15 E	3	NW <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	30
27 S	15 E	3	NE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	40
27 S	15 E	3	SE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	39
27 S	15 E	3	NE <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub>	39
				<u>148</u>

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Hay & Grain

MUNICIPAL SUPPLY—

13. (a) To supply the city of ..... county, having a present population of ..... and an estimated population of ..... in 19.....

- 14. Estimated cost of proposed works, \$3400.<sup>00</sup>.....
- 15. Construction work will begin on or before March 24th 1947.....
- 16. Construction work will be completed on or before July 2nd 1947.....
- 17. The water will be completely applied to the proposed use on or before June 1950.....

(Sgd) Leonard Pitcher  
 (Signature of applicant)

Remarks: Water in main ditch is to be maintained on grade of  
 1.0' per 1000' by installation of Weirs at sufficient intervals.

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

STATE ENGINEER

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.85 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be so cased as to prevent loss of underground water.

The priority date of this permit is January 20, 1950

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 30th day of June, 1950.

CHAS. E. STRICKLIN

STATE ENGINEER

Application No. U-347

Permit No. U-322

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of January, 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1950

Recorded in book No. 1 of

Permits on page U-322

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 13 Page 1

Fees Paid \$27.90