

PERMIT No. U-329

APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

I, Willis Kaufman (Name of applicant) of Route #1, The Dalles (Postoffice), county of Wasco, state of Oregon, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation not a corporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Threemile Creek (Name of stream) tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.67 + 0.03 cubic feet per second.

3. The use to which the water is to be applied is Irrigation of orchard

4. The place where the water is to be pumped or developed is located 1819 feet west and 670 feet north of the one quarter corner common to Sections 13 and 14 in T. 1 N., R. 13 E. W. M. (Give distance and bearing from section corner)

being within the SW 1/4 NE 1/4 of Sec. 14, Twp. 1 N., R. 13 E., W. M., in the county of Wasco.

5. The pipe line (Canal or pipe line) to be 0.5 miles in length, terminating in the NE 1/4 SE 1/4 (Smallest legal subdivision) of Sec. 14, Twp. 1 N., R. 13 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Kaufman well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. artesian water not expected

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 200 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2600 ft.; size at intake, 6 in.; size at 400 ft. from intake two 4 in.; size at place of use 4 in.; difference in elevation between intake and place of use, 247 ft. Is grade uniform? no Estimated capacity, 0.67 sec. ft.

10. If pumps are to be used, give size and type this is to be determined later regarding size, but a turbine type will be used.

Give capacity and type of motor or engine to be used electric, Size to be determined when flow from well is found.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

..... approximately 25 feet above and 1000 feet south of Threemile Creek which goes dry in the month of May each year.

12. Location of area to be irrigated, or place of use 56 acres

Township	Range	Section	Forty-acre Tract	Number Acres to Be Irrigated
1 N	13 E	14	SW $\frac{1}{4}$ NE $\frac{1}{4}$	11
1 N	13E	14	SE $\frac{1}{4}$ NE $\frac{1}{4}$	27
1 N	13 E	14	NW $\frac{1}{4}$ SE $\frac{1}{4}$	1
1 N	13E	14	NE $\frac{1}{4}$ SE $\frac{1}{4}$	17
				56

Property on which water is to be used is more explicitly described by applicant as follows:
 Beginning at quarter corner on the East boundary of Section Fourteen (14), Township one (1) North of Range Thirteen (13) East W.M.; thence South 15' East 13.74 chains; thence North 68 degrees 30' West 11.45 chains; thence North 66 degrees West 5.58 chains; thence North 53 degrees 35' West 1.63 chains; thence North 72 degrees 40' West 2.99 chains; thence North 57 degrees 18' West 1.91 chains; thence North 32 degrees 42' West 5.22 chains; thence East 24.25 chains to place of beginning, lying North of road situated in Northeast quarter of the Southeast quarter (NE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section Fourteen (14), containing Twenty-one (21) acres, subject to County Road along the South side of said premises.
 Beginning at the one-quarter corner between Sections 13 and 14, Township 1 North, (CONT. UNDER REMARKS)

(If more space required, attach separate sheet)

(a) Character of soil heavy loam

(b) Kind of crops raised fruit, cherries, apricots and peaches.

MUNICIPAL SUPPLY—

13. (a) To supply the city of
 County, having a present population of
 (Name of)
 and an estimated population of in 193.....

- 14. Estimated cost of proposed works, \$ 4000
- 15. Construction work will begin on or before April 1, 1946
- 16. Construction work will be completed on or before June 1, 1946
- 17. The water will be completely applied to the proposed use on or before August, 1, 1946

(Sgd) Willis Kaufman
 (Signature of applicant)

Route # 1

The Dalles, Oregon

Signed in the presence of us as witnesses:

- (1) (Sgd) R. A. Solvester, The Dalles, Oregon.
 (Name) (Address of witness)
- (2) (Sgd) Roger Wilhelm, The Dalles, Oregon.
 (Name) (Address of witness)

Remarks: it is intended to apply 1 acre foot per acre each season to the 56 acres under irrigation. Start on drilling of well will depend upon when the well drilling outfit can be secured to do the work.

(CONTINUED FROM ITEM 12) Range 13 East of Willamette Meridian, located in Wasco County, Oregon; thence North along Section line between Sections 13 and 14, a distance of 715.0 feet; thence N. (65° 53' W.) a distance of 700.0 feet; thence N. (77° 30' W.) a distance of 330.6 feet; thence No. (83° 30' W.) a distance of 327.0 feet; thence S. (68° 07' W.) a distance of 200.0 feet; thence S. (52° 32' W.) a distance of 494.5 feet, to an iron pipe, driven in the ground and surrounded by a mound of stones; thence S. (20° 21' E.) a distance of 794.6 feet, to the East and West line through the middle of Sec. 14, T. 1 N., R. 13 E.W.M.; thence East along the South boundary of the Northeast quarter of Section 14, T. 1 N., R. 13 E.W.M., a distance of 1617.5 feet more or less, to the point of beginning, containing 39.34 acres, more or less.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before , 193.

WITNESS my hand this day of , 193.

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.70 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be so cased as to prevent loss of underground water.

The priority date of this permit is August 31, 1945 for 0.67 cfs & March 13, 1950 for 0.03 cfs

Actual construction work shall begin on or before June 30, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 30th day of June, 1950

CHAS. E. STRICKLIN

STATE ENGINEER

Application No. U-190
Permit No. U-329

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of August, 1945 at 8:30 o'clock am.

Returned to applicant for correction:

Corrected application received:

Approved: June 30, 1950
Recorded in Book No. 1 of Permit, on page U-329

CHAS. E. STRICKLIN
STATE ENGINEER

STATE PRINTING DEPT.

4 - 6 A
Fees paid \$13.90