

CERTIFICATE NO. 26898

Permit No. U-346

APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

I, M. J. Vilsmeier
(Name of applicant)
of Brogan, county of Malheur,
(Postoffice)
state of Oregon, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Blacks Creek tributary of Willow Creek
(Name of stream)

tributary of Malheur River

2. The amount of water which the applicant intends to apply to beneficial use is 1.25 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The place where the water is to be pumped or developed is located 1760 ft West and 641 ft. South from the
(Give distance and bearing from section corner)

North East corner of section 26

being within the NW¹ NE¹ of Sec. 26, Twp. 15 S, R. 42 E, W. M., in the county of Malheur

5. The Ditch to be 3 (app) miles
(Canal or pipe line)
in length, terminating in the NW¹ NW¹ of Sec. 25, Twp. 15 S,
(Smallest legal subdivision)
R. 42 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 200 feet.

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be so cased as to prevent the loss of underground water.

The priority date of this permit is June 7, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952 ~~Extended to Oct. 1, 1953~~ ~~Extended to Oct. 1, 1955~~ ~~Extended to Oct. 1, 1956~~
~~Extended to Oct. 1, 1954~~ Extended to Oct. 1, 1958

Complete application of the water to the proposed use shall be made on or before

October 1, 1953 ~~Extended to Oct. 1, 1954~~ ~~Extended to Oct. 1, 1956~~
~~Extended to Oct. 1, 1954~~ Extended to Oct. 1, 1958

WITNESS my hand this 31st day of January, 1951

CHAS. E. STRICKLIN

STATE ENGINEER

Application No. U-367

Permit No. U-346

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of June, 1950, at 10:45 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 1 of

Permits on page U-346

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 10 Page 28

Fees Paid \$25.50