Permit No.	U <b>–</b> 376
------------	----------------

## APPLICATION FOR A PERMIT

## To Appropriate the Underground Waters of the State of Oregon

I,	Pete Kessler	(Name of one)	ignn*)		
of	RFD Freewater,	(Name of app	, county	of Umatilla	·,
	Oregon				
following	g described underground wate	rs of the state of C	Pregon, SUBJECT	TO EXISTING	RIGHTS:
If t	the applicant is a corporation,	give date and plac	e of incorporation		······································
situated	Give name of nearest stream Milton-Freewater Hudso	on Bay Irrigati	th Lon Ditch (200 me of stream)	is ditch is feet South)	<u>-</u>
	The amount of water which t				
feet per s		не аррисані інген	ius to appry to ben	ejiciai ase is	cuoic
	The use to which the water is	to be applied is			
	The place where the water is	ner Section 24,		34 EWM	
	thin the $N_2^1$ NE $_4^1$ SE $_4^1$			, Twp. 6N	, R3lıE,
W. M., in	n the county ofUmatilla	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		
5.	The(See Item .9. (c)	anal or pipe line)	to	ье	miles
in length	n, terminating in the	(Smallest legal subdiv	of S	Sec,	Twp,
R	, W. M., the proposed loca	ation being shown	throughout on th	e accompanying	map.
6.	The name of the well or other	· works is			•••••••••••••••••••••••••••••••••••••••
		DESCRIPTION	OF WORKS		
7. supply w	If the flow to be utilized is ar then not in use must be descri	tesian, the works bed.	to be used for the	control and con	nservation of the
	The development will consist				having a

ıdgate. At headç	ate: width on	top (at water lin	ne)	feet; width on bottom
	feet; depth of	water	feet; grade	feet fall per one
usand feet.				
(b) At		miles from heads	gate: width on top (at water	line)
	feet; width or	ı bottom	feet; depth of w	ater feet;
ıde	feet fal	l per one thousand 50 mainline	nd feet.	
				n.; in size at ft.
m intake	in.	; size at place of	use in.; dif	ference in elevation between
ake and place of	use,	ft. I	s grade uniform?	Estimated capacity,
	•			
10. If pumps	are to be use	d, give size and ty	pe Turbine 4" pump	)
			_	
Give capacity	y and type of 1	notor or engine to	o be used $7\frac{1}{2}$ H•P• elec	tric motor
e difference in el Only strea 200 feet S	evation between within on outh, the b	een the stream be ne-fourth mile ped of which i	ed and the ground surface a is Milton-Freewater H s approximately the sa	at the source of development
Only streat 200 feet S level at t	evation between within or outh, the b	een the stream be ne-fourth mile ped of which in a of the well.	ed and the ground surface a is Milton-Freewater H s approximately the sa	ut the source of development udson Bay ditch, me as the ground
Only streat 200 feet S level at t	evation between within or outh, the b	een the stream be ne-fourth mile ped of which in a of the well.	ed and the ground surface a is Milton-Freewater H	at the source of development audson Bay ditch, me as the ground
Only streat 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development  udson Bay ditch,  me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development udson Bay ditch, me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nudson Bay ditch, me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nudson Bay ditch, me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development  udson Bay ditch,  me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development  udson Bay ditch,  me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development  udson Bay ditch,  me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development  udson Bay ditch,  me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development udson Bay ditch, me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development  udson Bay ditch,  me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	nt the source of development udson Bay ditch, me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the behavior of area to be	een the stream be ne-fourth mile ped of which in of the well.  irrigated, or place   Section	ed and the ground surface a is Milton-Freewater H s approximately the sa	udson Bay ditch, me as the ground  Number Acres to Be Irrigated
e difference in el Only strea 200 feet S level at t  12. Location Township 6N WHIAMET	evation between within or outh, the he location of area to be Range	een the stream be ne-fourth mile need of which is not the well.  Section 24  (If more space recommends)	is Milton-Freewater H s approximately the sa  ce of use  Forty-acre Tract  NE 1/4 of SE 1/4	udson Bay ditch, me as the ground  Number Acres to Be Irrigated
Only stream 200 feet S level at to 12. Location	evation between within or outh, the he location of area to be Range  TE MESCHALL  Tr of soil	een the stream be de-fourth mile ded of which in of the well.  irrigated, or plants section 24	is Milton-Freewater H s approximately the sa  ce of use  Forty-acre Tract  NE 1/4 of SE 1/4	me as the ground

and an estimated population of ...... in 19...... in 19......

14. Estimo	ated cost of proposed works, \$	4500.00	
15. Constr	ruction work will begin on or be	efore Was commenced in 191	<del>+</del> 7
16. Constr	ruction work will be completed	on or before July 1947	
17. The w	vater will be completely applied	to the proposed use on or befores	July 1947
		(Sgd) Pete Kessler (Signature of appl	icant)
		(Signature of Appl	neant)
			•
Remarks:			•••••
			***************************************
			***************************************
	· · · · · · · · · · · · · · · · · · ·		
			••••••
<del></del>		`	
		<u> </u>	
			***************************************
STATE OF OR	EGON.		
	ss.		
County of Ma	ırion, )		
This is to	certify that I have examined the	he foregoing application, together u	with the accompanying
maps and data, a	and return the same for	completion	
apo aa a,	,	•	•
· -			*.7
In order to	o retain its priority, this applicat	tion must be returned to the State En	gineer, with corrections
on or before	March 2, , 19	0 <b>4</b> 51	
			_
WITNESS	S my hand this 31st day o	of January	
		CHAS. E. STRICKLIN	STATE ENGINEER
			TILL MICHIGAN

STATE OF OREGON,	)
County of Marion,	ss.

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right l	nerein grante	<b>d</b> is limite <b>d</b> to the amo	unt of water w	hich can be appli	ed to beneficial use and
shall not exceed .	0.25	cubic feet per seco	ond measured a	t the point of div	ersion from the well or
source of appropr	riation, or its	•		,	froma.well
The use to	which this u	vater is to be applied i	s irriga	ation (supple	mental)
If for irrig	ation, this app				ne cubic foot per second
or its equiva	Lent for ea	ach acre irrigated	l and shall b	e further lim	nited to a diversion
of not to exce	eed 3 acre	feet per acre for	each acre	irrigated duri	ng the irrigation
season of each	n year, pro	wided further tha	t. the amount	of water all	owed herein, together
exceed the lin and shall be subj The well	nitation al ject to such re l shall be	lowed herein, easonable rotation systems so cased as to pr	tem as may be event the lo	ordered by the pross of undergr	e lands shall not oper state officer.
$Actual\ con$	struction wo	rk shall begin on or bej	foreJ	me 15, 1952	and shall
thereafter be pro	secuted with	reasonable diligence a	and be complete	ed on or before	······
October	1, 1953		•••		
	application of	·\	osed use shall b	e made on or befo	ore
WITNESS		s15th day of			, 19 <b>4</b> 51
			CHAS. E	STRICKLIN	STATE ENGINEER
				•	

Application No. U-106  Permit No. U-376	PERMIT TO APPROPRIATE THE UNDERGROUND WATERS OF THE	This instrument was first received in the office of the State Engineer at Salem, Orego on the 22nd day of January	Returned to applicant:	Corrected application received:	Approved: June 15, 1951	Recorded in book No. 1 Permits on page U-376	CHAS. E. STRICKLIN STATE ENGINEER	Drainage Basin No. 7 Page 8	Fees Paid \$15.00
---	---	---	------------------------	---------------------------------	----------------------------	--	--------------------------------------	-----------------------------	-------------------