- 12 Line 11- 400

It Interpriate the Underground Waters of the State of Oregon

At the place where the water is to be applied is 1. The use to which the water is to be applied is 1. The place where the water is to be applied is 1. The place where the water is to be applied is 1. The use to which the water is to be applied is 1. The use to which the water is to be applied is 1. The use to which the water is to be pumped or developed is located. 1. The place where the water is to be pumped or developed is located. 1. The place where the water is to be applied is 1. The use to which the water is to be pumped or developed is located. 2. The water water is to be pumped or developed is located. 3. The use to which the water is to be pumped or developed is located. 4. The place where the water is to be pumped or developed is located. 8. What is the water was to water was to be made to make the water corner. 1. Section 4. Township 1.8 South, Range 4.8 B. W. M. 1. Middle Well 13927t. N. and 10 ft. E from West 1 corner Section 1, T. 16 S., R. Is Section 4, Township 1.8 South, Range 4.8 B. W. M. 1. Section 4. Township 1.8 South, Range 4.8 B. W. M. 1. Section 4. Township 1.8 South, Range 4.8 B. W. M. 2. The country of Malheur. 3. The south and 1200 feet. 4. The place water and 1200 feet. 4. The proposed location being shown throughout on the accompanying map. 3. The south was a section of the well or other works is 1. The flow to be utilized is artesian, the works to be used for the control and conservation of the ply when not in use must be described. 4. The development will consist of three 2. The development will consist of three 3. The development will consist of three 4. The development will consist of three 3. The development will consist of three 4. The south and an estimated depth of 5.82 feet.		Vale, Oregon	(Hense of applicant)	
If the applicant is a corporation, give date and place of incorporation Vale, Oregon October 18, 1949 1. Give name of nearest stream to which the well, tunnel or other source of water development is tusted Willow Oregon October 18, 1949 1. Give name of nearest stream to which the well, tunnel or other source of water development is tusted Willow Oregon October 18, 1949 1. Give name of nearest stream to which the well, tunnel or other source of water development is tusted Willow Oregon October 18, 1949 2. The amount of water which the applicant intends to apply to beneficial use is 2½ cubic effects second. 3. The use to which the water is to be applied is Irrigation 4. The place where the water is to be applied is Irrigation 4. The place where the water is to be applied is located North Well 1950 feet Bast and 286 feet south of the North West Section Corner in Section & Township 16 South, Range 43 E. W. M. Middle Well 1950 feet Bast and 10 feet Bast of the Wast One Quarter Corner in Section 19, T. 16 S., R is section 4, Township 16 South, Range 43 E. W. M. Section 4, Township 16 South, Range 43 E. W. M. Middle Well 1950 feet South and 10 feet Bast of the Wast One Quarter Corner in Section 4, Township 16 South, Range 43 E. W. M. Middle Well 1950 feet South and 10 feet Bast of the Wast One Quarter Corner in Section 4, Twp. 16 S. R. 45 E. M., in the county of Malhaur 5. The SOO fact and 1200 feet to be mile of Sec. Twp. 16 S. R. 45 E. M., in the county of Malhaur 5. The soo fact and 1200 feet to be mile of Sec. Twp. 16 S. R. 45 E. DESCRIPTION OF WORKS 7. If the flow to be utilized is arterian, the works to be used for the control and conservation of the apply when not in use must be described. **Construction of the Section of t	ingila despirito et ese ret	(Pastoffice))	•
If the applicant is a corporation, give date and place of incorporation Vale, Oregon October 16, 1949 1. Give name of nearest stream to which the well, tunnel or other source of water development is busted Willow Greek (These of seven) Tributary of Malhour River 2. The amount of water which the applicant intends to apply to beneficial use is 22 cubic et per second. 3. The use to which the water is to be applied is Irrigation 4. The place where the water is to be pumped or developed is located Korth Well 190 feet Bast and 286 feet south of the North West Section Corner (Over decrees and bearing two metters corner) in Section 4 4, Township 18 South, Range 43 E. W. M. Hiddle Well 1997th. N. and 10 ft. E from West 2 corner Section 1, T. 16 S., R is Section 4, Township 18 South, Range 43 E. W. M. Section 4, Township 18 South 1, Range 43 E. W. M. Section 4, Township 18 South 1, Range 43 E. W. M. M., in the county of Malhour 5. The SOO fact and 1200 feet come in the county of Sec. 4, Twp. 16 S. R. 45 E. M., in the county of Malhour 5. The SOO fact and 1200 feet county of Sec. 4, Twp. 16 S. R. 18 County of Sec. 4, Twp. 16 County of Sec. 4, Twp. 16 County of Sec. 5, Twp. 16 The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the populy when not in use must be described. **County of Sec. 6 **County of Sec. 7 **County of Sec. 8 **County of Sec. 9 **County of	ate of		, do hereby make application for a permit to appropriate	the
I. Give name of nearest stream to which the well, tunnel or other source of water development is busted William of seaso tributary of Malheur River	llowing desc	ribed underground water	s of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	
1. Give name of nearest stream to which the well, tunnel or other source of water development is tunted Total Creek	If the as	plicant is a corporation, g	give date and place of incorporation	
tributary of Malhour River. 2. The amount of water which the applicant intends to apply to beneficial use is 22 cubi set per second. 3. The use to which the water is to be applied is Irrigation. 4. The place where the water is to be pumped or developed is located. North Well 580 feet Bast and 286 feet south of the North West Section Corner in Section 4 4 Township 16 South, Range 45 E. W. M. Middle Well 1997t. N. and 10 ft. E from West 2 corner Section 4, T. 16 S., R 4 Seuth Well 1997t. N. and 10 feet Bast of the Mast One Quarter Corner in Bestions 4, Township 16 South, Range 45 E. W. M. South Well 1997t. N. and 10 feet Bast of the Mast One Quarter Corner in Bestions 4, Township 16 South, Range 45 E. W. M. South Well 1997t. N. and 10 feet Bast of the Mast One Quarter Corner in Bestions 4, Township 16 South, Range 45 E. W. M. South Well 1997t. N. and 10 feet Bast of the Mast One Quarter Corner in Bestions 4, Two. 16 S., R 45 E. M., in the county of Malhour. 5. The 300 feet and 1200 feet to be mile of Sec. Two. 16 S., R 45 E. Length, terminating in the Of Sec. Two. 16 S. Two. Mast Mast Mast Mast Mast Mast Mast Mast	Yale, 0	regay October	16, 1949	
tributary of Malhour River. 2. The amount of water which the applicant intends to apply to beneficial use is 22 cubic et per second. 3. The use to which the water is to be applied is Irrigation. 4. The place where the water is to be pumped or developed is located. North Well 550 feet Bast and 286 feet south of the North West Section Corner in Section 2 4 Township 16 South, Range 45 E. W. M. Middle Well 1997t. N. and 10 ft. E from West 4 corner Section 4, T. 16 S., R 4 South, Well 200 feet South and 10 feet Bast of the Mast One Quarter Corner in Section 4, Township 16 South, Range 45 E. W. M. South Well 1997t. N. and 10 ft. E from West 4 corner Section 4, T. 16 S., R 45 E. M. in the county of Malhour. 5. The Sou feet and 1200 feet for the South of the Mast One Quarter Corner in Malhour. 5. The Sou feet and 1200 feet for the County of Sec. Twp. 16 S., R 45 E. M. in the county of Malhour. 5. The sou feet and 1200 feet for the County of Sec. Twp. 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is arterian, the works to be used for the control and conservation of the poly when not in use must be described. **County number 18 ft. Sec.	. L Give	name of nearest stream	to which the well, tunnel or other source of water developme	nt is
tributary of Malhour River 2. The amount of water which the applicant intends to apply to beneficial use is 22 cubi et per second. 2. The use to which the water is to be applied is Irrigation 4. The place where the water is to be pumped or developed is located North Well 580 feet Bast and 286 feet south of the North West Section Corner (Orve statemes and bearing from section corner) in Section 3 4. Township 15 South, Range 45 E. W. M. South Well 1992ft. N. and 10 ft. E from Nest 2 corner Section 1, T. 16 S., R 1 South Well 2992ft. N. and 10 ft. E from Set 3 E. W. M. South Well 2992ft. N. and 10 ft. E from Set 4. Twp. 16 S., R 45 E. M., in the county of Malhour 5. The SOO fact and 1200 feet of the Wast on Sec. 1. Twp. 16 S., R 45 E. M., in the county of Malhour 5. The SOO fact and 1200 feet of the South seal of the Sec. 1. Twp. 16 S., R 45 E. (Committee bear sections) Ag. L., W. M., the proposed location being shown throughout on the accompanying map. North Jamieson Farms, Inc. DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the poly when not in use must be described. **Cover numbers regardly in a page 1. The states of the section of the section was the section of the sectio			· · · · · · · · · · · · · · · · · · ·	
2. The amount of water which the applicant intends to apply to beneficial use is 22				
2. The use to which the water is to be applied is		**************************************	tributary of Malhour River	· · • • · · ·
4. The place where the water is to be applied is	2. The	emount of water which th	re applicant intends to apply to beneficial use is 22c	ubi
4. The place where the water is to be pumped or developed is located Borth Well 180 feet Bast and 286 feet south of the Borth West Section Corner (Over distance and bearing from section corner) in Section 4, Township 16 South, Range 43 E. W. M. Biddle Well 1892ft. N. and 10 ft. E from West 2 corner Section 4, T. 16 S., R h South Well 2 feet South and 10 feet Bast of the Wast One Quarter Corner in Section 4, Township 16 South, Range 43 E. W. M. Section 4, Township 16 South, Range 43 E. W. M. Section 4, Township 16 South, Range 43 E. W. M. In Section 4, Twp. 16 S. R. 43 E. M., in the county of Malheur 5. The 300 feet and 1200 feet to be mile Consider the land section of Sec. Twp. (Amalheut land section) 43 E., W. M., the proposed location being shown throughout on the accompanying map. 16. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the spely when not in use must be described. **Convenient wells.** **Convenient wells.** **Convenient and conservation of the spely when not in use must be described.** **Convenient wells.** **Convenient and conservation of the spely when not in use must be described.** **Convenient wells.** **Convenient and conservation of the spely when not in use must be described.** **Convenient and convenient wells.** **Convenient and convenient and convenient wells.** **Convenient and convenient and convenient wells.** **Convenient and convenient and conveni	et per secon	L		
4. The place where the water is to be pumped or developed is located North Well 180 feet Bast and 286 feet south of the North West Section Corner (Give distance and bearing from section corner) in Section 4. Township 16 South, Range 43 E. W. M. Middle Well 1892fft. N. and 10 ft. E from West 4 corner Section 4, T. 16 S., R h South Mell 10 feet South and 10 feet Bast of the Wast One Quarter Corner in Section 4, Township 16 South, Range 43 E. W. M. Section 4, Township 16 South, Range 43 E. W. M. In the country of Malheur 5. The 300 feet and 1200 feet to be mile Change to be the well of Sec. Tup. 45. L. W. M., the proposed location being shown throughout on the accompanying map. North Jamieson Farms, Inc. DESCRIPTION OF WORKS 7. If the flow to be utilized is arterian, the works to be used for the control and conservation of the spely when not in use must be described. **Construction** **Constructi	1. The	use to sphick the spater is	to be applied in	
North Well 580 feet Bast and 286 feet south of the North West Section Corner in Section & 4. Township 16 South, Range 45 E. W. M. Middle Well 1392ft. N. and 10 ft. 5 from West 1 corner Section 1, T. 16 S., R is South Well 10 feet South and 10 feet Bast of the Wast One Quarter Corner in Section 4, Township 16 South, Range 45 E. W. M. sing within the of Sec. 1, Twp. 16 S. R. 45 E. M., in the county of Malhaur 5. The SOO feet and 1200 feet to be mile Consider the West in the of Sec. 1, Twp. (Consider the West in the of Sec. 1, Twp. 16. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the pply when not in use must be described. **The development will consist of three wells.** **The development will consist of three we			Tragation	
Horth Well 1980 feet Bast and 286 feet south of the Worth West Section Corner in Section & 4. Township 16 South, Range 45 B. W. M. Middle Well 1992ft. W. and 10 ft. 5 from West 1 corner Section 1, T. 16 S., R is South Well 1992ft. W. and 10 ft. 5 from West 2 corner Section 1, T. 16 S., R is South Well 1992ft. W. and 10 ft. 5 from West 1 corner Section 1, T. 16 S., R is South Well 1992ft. W. and 10 feet Bast of the West One Quarter Corner in Section 4, Township16 South, Range 45 B. W. M. South Well 1992ft. W. M. South Well 1992 feet 10 feet	·····			
in Section \$ 4. Township 16 South, Range 45 E. W. M. Hiddle Will 1992ft. N. and 10 ft. E from Nest 1 corner Section 1, T. 16 S., R la South Well 20 feet South and 10 feet East of the Mast One Quarter Corner in Section 4, Township 16 South, Range 45 E. W. M. ing within the of Sec. 1 Twp. 16 S., R. 45 E. M., in the county of Malhaur 5. The SOO feet and 1200 feet to be mile (Count or stope line) (Count or stope line) 4. Twp. 16 S., R. 45 E. M. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the poly when not in use must be described. 8. The development will consist of three	4. The	place where the water is to	to be pumped or developed is located	
in Section \$ 4. Township 16 South, Range 45 E. W. M. Hiddle Will 1992ft. W. and 10 ft. E from West 1 corner Section 1, T. 16 S., R 1. South Well 20 feet South and 10 feet East of the East one Quarter Corner in Section 4, Township 16 South, Range 45 E. W. M. ing within the of Sec. 1 Twp. 16 S., R. 45 E. M., in the county of Malheur. 5. The SOO feet and 1200 feet to be mile (Committee Prince State) (Committee Prince State) (Committee Prince State) As. L., W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the pply when not in use must be described. **Committee Prince State S	North W	ell 580 feet Bast an	ad 286 feet south of the North West Section Corner	,
5. The SOO fact and 1200 feet to be mile Consider plans line) length, terminating in the South and regard subdivision of Sec. Twp. (Simulated legal subdivision) Ag. E., W. M., the proposed location being shown throughout on the accompanying map. NOrth Jamieson Farms, Inc. DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the apply when not in use must be described. three 8. The development will consist of three (Give number 1992 in harque etc.)	0.0007.00	s rearenthre coast	h . Kange 43 E. W. M.	
length, terminating in the	.M., in the c	ounty of Malheur		
Morth Jamieson Farms, Inc. North Jamieson Farms, Inc. DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the apply when not in use must be described. three 8. The development will consist of three (Give numbers again, throughout on the accompanying map. NOrth Jamieson Farms, Inc. NORTH J		•		
MOTH Jamieson Farms, Inc. NOTH Jamieson Farms, Inc. DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the pply when not in use must be described. three 8. The development will consist of three (Give number 2015 is throughout on the accompanying map. NOTH Jamieson Farms, Inc. NOTH Jamieson Far	5. The			nile.
6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the pply when not in use must be described. 8. The development will consist of three three (Give numbers) (Give numbers) (Give numbers) (Give numbers)		(Com	00to be	
DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the apply when not in use must be described. 8. The development will consist of the development will consist of the control and conservation of the apply when not in use must be described. 6. The development will consist of the control and conservation of the apply when not in use must be described. 8. The development will consist of the control and conservation of the apply when not in use must be described.	length, tern	ninating in the	00 Feet to be not seed or paper line) of Sec. Twp.	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the apply when not in use must be described. three 8. The development will consist of	length, tern	ninating in the	OO. Lest to be	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the pply when not in use must be described. three 8. The development will consist of the development will consist of the control and conservation of the pply when not in use must be described. having	length, term	ninating in the W. M., the proposed local	On Sect	
three 8. The development will consist of the walls (Give number of three) (Give number of three)	length, term	ninating in the	of Sec	
three 8. The development will consist of development will consist of (Give number of number of tunnels, etc.)	length, term	ninating in the	of Sec	
three 8. The development will consist of	length, term 43£., 6. The	winating in the W. M., the proposed local name of the well or other the self or other the self or the self	of Sec	6
three 8. The development will consist of	length, term 43£., 6. The	w. M., the proposed local name of the well or other	of Sec	6
8. The development will consist of	length, term 6. The 7. If the pply when re	w. M., the proposed local name of the well or other to be utilized is art not in use must be describ	of Sec	6
8. The development will consist of	length, term 6. The 7. If the pply when re	w. M., the proposed local name of the well or other to be utilized is art not in use must be describ	of Sec	6
ameter of 12 inches and an estimated depth of 52% feet	length, term 43. £, 6. The 7. If the pply when n	ninating in the W. M., the proposed local name of the well or other e flow to be utilized is arte not in use must be describ	of Sec	6
	length, term 43. £, 6. The 7. If the apply when n	ninating in the W. M., the proposed local name of the well or other e flow to be utilized is arte not in use must be describ	of Sec	f th
	6. The	ninating in the	of Sec	f th

				Jeet; we	ich on bottom
<u>,</u> .2.7					st fell per one
					٠,
		ies from head	gate: width on top (at we	ter line)	esparation oping grand and a beginning
	jast; estipli on t	actom	jest; depth of	water	feet;
	feet fell p		må leet:		
	• • •		500 feet i size at intak\$\$09. Lesti		12
	- 1 -		• •	and the second s	
	·		f usein.		
e and place of	180,	ft.	Is grade uniform?	Estim	sted capacity,
, do no mand a man do no mon do no mon			•		
10. If pumpe	ere to be used,	give size and t	type 8" Punge Tur	tina Typi	
Give capacit	y and type of mo	tor or angine	to be used 10 He Pa H	oter on the Me	rth Well
	3				
,		•	·		
·			other development work is		
rel stream of	stream channel,	, give the dis	tance to be the nearest po	int on each of suc	h channels and
lifference in e	A levation between	n the stream	bed and the ground surfa	ice at the source i	of development
			and the South well	MAR. E MITTA	
			L.BRG. BRR. PONEL WALL		MARK MANA M. MAN. MAN.
iorth well					
		born bed of	Catrom and South w	11 foot at	ove bed of s
erth well	7 Lock a			11 feet at	ove bed of s
erth well (iddle well	7 feet al	from Willo	w Creek	ll feet a	ove bed of s
erth well (iddle well	7 feet al	from Willo			
iddle well 12. Locatio	about } mile	from Willo	w Creek	Nun	nber Acres
iddle well 12. Locatio	about } mile	from Willo	lace of use 146.42	Nun To E	nber Acres le Irri, sted
iddle well 12. Locatio	about } mile	from Willo	lace of use 146.42	Num To E	29.65 35.16
iddle well 12. Locatio	about } mile	from Willo	lace of use 146.42	Num To E	29.65 35.16 29.13 2.48
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78
iddle well 12. Locatio	about } mile	from Willo	lace of use /46.42 Forty-sere Tract Strikes	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Jace of use 146, 42 Forty-acre Tract SWISSE SWISSE SWISSE	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
iddle well 12. Locatio	about } mile	from Willo	Torty-serv Tract SW-SW-SW-SW-SW-SW-SW-SW-SW-SW-SW-SW-SW-S	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
12. Locatio Township 16 5	about } mile n of area to be i	from Willows Trigated, or p	Forty-sere Tract	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
12. Locatio Township 16 5	about mile n of area to be in AS B	from Willowspace or p Section 4 (Henore space of the section of	Jace of use /46, 42 Forty-sere Tract SWING SWI	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
12. Locatio Township 16 5	about mile n of area to be in AS B	from Willowspace or p Section 4 (Henore space of the section of	Jace of use /46, 42 Forty-sere Tract SWING SWI	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
(a) Chara (b) Kind	about mile n of area to be i	from Willowspace or p Section 4 (Henore space of the section of	Jace of use /46, 42 Forty-sere Tract SWING SWI	Num To E	29.65 35.16 29.13 2.48 28.78 18.22
(a) Chara (b) Kind	about mile n of area to be i	from Willows Work Sand	Jace of use /46, 42 Forty-sere Tract SWING SWI	Num To E	29.65 35.16 29.13 2.48 28.78 18.22

`**V**...

The priority date of this permit is ... May 29, 1950 Actual construction work shall begin on or before June 30, 1953 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954 Complete application of the water to the proposed use shall be made on or before October 1, 1955 WITNESS my hand this ___30th day of ____ June Application No. 0-38 7+ -0 TO APPROPRIATE THE UI GROUND WATERS OF 1 STATE OF OREGON This instrument was first rece office of the State Engineer at Sale PERMIT Permit No.

	W.			
ho	8			
on the 29 th day of May	19 50 at 8:00 o'clock		Returned to applicant:	:
on to	2 81	ij	Ren	

Corrected application received: CHAS. E. STRUCKLIN Reverded in book No. June 30, 1952 Permas on page Approved

the foregoing application and do hereby grant the same.

the seed the following limitations and conditions:

The use to which this water is to be applied is _______ Irrigation (Supplemental)

or its agaivalent for each acre irrigated and shall be further limited to a diver-

aten of not to expeed 3 sore fast par sore for each sore irrigated during the

inrigation season of each years previded further that the amount of water allowed herein, tegether with the amount secured under any other right existing for the

ples lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be so cased as to prevent the loss of underground water.

a grantified limited to the amount of water which can be applied to beneficial use and

or its equivalent in case of rotation with other water users, from ...Three

cubic feet per second measured at the point of diversion from the well or

Diamage Basin No Fees Paris 27,85