6019

Persit No. U-451

APPLICATION FOR A PERMIT

Special Special

## interpretate the Underground Waters of the State of Oregon

House B. Hilton-Free	THE SOT
Oregon,	
	sters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
A STATE OF THE STA	on, give date and place of incorporation
	· · · · · · · · · · · · · · · · · · ·
	cam to which the well, tunnel or other source of water development is
itusted Johnson Crook,	(Name of stream)
	tributary of Pine Creek
2. The amount of water which	th the applicant intends to apply to beneficial use is Cubic
eet per second.	•
3. The use to which the water	er is to be applied is
	ris to be summed or developed is located 1095 ft. North from
_	to be pumped of developed is located
a point 55 ft, West	Prom the Southeast corner of the Southwest (Give distance and bearing from section corner)
_	Prom the Southeast corner of the Southwest  (Give distance and bearing from section corner)
a point 55 ft, West in quarter of Sec. 19,77	Come distance and bearing from section corner)  0.6 N. R. 35 E.W.M.
a point 55 ft, West in quarter of Sec, 19,77	Core distance and bearing from section corner)  0.6 N. R. 35 E.W.M.
a point 55 ft. West in a point of Sec. 19,7; being within the	(Give distance and bearing from section corner)  .,6 N. R. 35 R.W.M.  W 1/4  of Sec. 19 Twp. 6 N. R. 35 R.
a point 55 ft. West in a point 55 ft. West in a point 55 ft. West in a point	Cove distance and bearing from section corner)  .,6 N. R. 35 R. W.M.  Of Sec. 19 Twp. 6 N. R. 35 R.  etion with Sprinkling to be miles
a point \$5 ft. West in quarter of Sec. 19,77 being within the \$1/4 of \$5 W. M., in the county of	(Give distance and bearing from section corner)  6 N. R. 35 R. W.M.  Of Sec. 19 Twp. 6 N. R. 35 R.  etion with Sprinkling to be miles  (Canal or pipe line) System.
a point \$5 ft. West in quarter of Sec. 19,7; being within the \$2 1/4 of \$2 to \$3. The used in connecting the second secon	Cove distance and bearing from section corner)  .,6 N. R. 35 R. W.M.  Of Sec. 19 Twp. 6 N. R. 35 R.  etion with Sprinkling to be miles
a point \$5 ft. West in the second of the sec	(Give distance and bearing from section corner)  6 N. R. 35 R. W.M.  Will of Sec. 19 Twp. 6 N. R. 35 R.  Canal or pipe line) System.  (Smallest legal subdivision)  location being shown throughout on the accompanying map.
a paint 55 ft. West in length, terminating in the proposed	(Give distance and bearing from section corner)  6 N. R. 35 R. W.M.  Will of Sec. 19 Twp. 6 N. R. 35 R.  Canal or pipe line) System.  (Smallest legal subdivision)  location being shown throughout on the accompanying map.
a paint \$5 ft. West in length, terminating in the proposed in a proposed in the proposed.	(Give distance and bearing from section corner)  6 N. R. 35 R. W.M.  Will of Sec. 19 Twp. 6 N. R. 35 R.  Canal or pipe line) System.  (Smallest legal subdivision)  location being shown throughout on the accompanying map.
a paint \$5 ft. West in length, terminating in the mane of the well or of the country of the coun	Coive distance and bearing from section corner)  . 6 N. R. 35 E.W.M.  Of Sec. 19 Twp. 6 N. R. 35 E.  Claused or pipe line) System.  Of Sec. Twp.  (Smallest legal subdivision)  location being shown throughout on the accompanying map.  ther works is  DESCRIPTION OF WORKS  s artesian, the works to be used for the control and conservation of the
a paint \$5 ft. West in the proposed  6. The name of the well or of the flow to be utilized in the state of th	Coive distance and bearing from section corner)  . 6 N. R. 35 E.W.M.  Of Sec. 19 Twp. 6 N. R. 35 E.  Claused or pipe line) System.  Of Sec. Twp.  (Smallest legal subdivision)  location being shown throughout on the accompanying map.  ther works is  DESCRIPTION OF WORKS  s artesian, the works to be used for the control and conservation of the
quarter of Sec. 19,77  being within the \$1/4 of \$  W. M., in the county of the till  5. The used in conne in length, terminating in the  R, W. M., the proposed  6. The name of the well or of	(Cover distance and bearing from section corner)  6 N. R. 35 R. W.M.  Wild of Sec. 19 Twp. 6 N. R. 35 R.  Metion with Sprinkling to be miles (Canal or pape line) System.  of Sec. Twp.  (Smallest legal subdivision)  location being shown throughout on the accompanying map.  ther works is  DESCRIPTION OF WORKS  s artesian, the works to be used for the control and conservation of the scribed.
a paint \$5 ft. West in the proposed  6. The name of the well or of the flow to be utilized in supply when not in use must be de	(Chres electance and bearing from section corner)  3.6 N. R. SS R. V. M.  3 V 1/4 of Sec. 19 Twp. 6 N. R. 85 R.  Section with Sprinkling to be miles (Canal or pipe line) System.  of Sec. Twp.  (Breallest legal subdivision)  location being shown throughout on the accompanying map.  ther works is  DESCRIPTION OF WORKS  s artesian, the works to be used for the control and conservation of the scribed.
quarter of Sec. 19,7; being within the 1/4 of 8 W. M., in the county of 1000 till 5. The 1000 to 1000 till in length, terminating in the 1. R. W. M., the proposed 6. The name of the well or of 1000 to 1000	Consider legal subdivision)  location being shown throughout on the accompanying map.  Henrichs.  DESCRIPTION OF WORKS  sartesian, the works to be used for the control and conservation of the scribed.

A STATE OF THE PARTY OF THE PAR		de la sana u	NG) factoring desired from the control of the contr	jest; width on botto
	nt; depth of ten	they amoralism	jest; grade	jeet fell per of
		2186 8		· · · · · · · · · · · · · · · · · · ·
W(V)		iles from head	gate: width on top (at u	pater line)
	feet; width on	bottom	feet; depth c	of water fee
***************************************	feet fall 1	per one thouse	nd feet.	
(c) Langth	of pipe,	ft.; 1	rize at intake,	in.; in size at
m intele	in.;	size at place of	use is	L; difference in elevation between
ake and place of	1100,	ft. 1	is grade uniform?	Estimated capacit
, ) d hb0\pdo 4 c H as c as an a ba aspon agai - p y	sec. ft.		•	
10. If pump	are to by used,	give size and t	ype Burbin Pump	······································
************************	···			
Give capacit	y <b>and type</b> of <b>m</b> o	otor or engine t	to be used 10 H.P	5 phase motor
			. •	
11. If the loc	cation of the we	il, tunnel, or ot	ther development work	is less than one-fourth mile from
ural stream or	stream channel	. ofpe the dista	ance to be the nearest n	oint on each of such channels a
are screens or	· · · · · · · · · · · · · · · · · · ·	, give the usu	unce to be the neurest p	oint on each of such channels a
: difference in el	levation between	n the stream b	ed and the ground surf	ace at the source of developme
<del>7</del> .	•	• •		
***************************************			•••••••••••••••••••	
	•			
*************************	······································		······································	
				•
12 Loostin	of area to be in	reinated or old	and of the	•
12. Location	s of area to be in	rrigated, or pla	ice of use	Number Acres
Township	Range			Number Acres To Be Irrigated
Township WILLAMETTE A	Zango (Sebag)	Section	Forty-acre Tract	To Be Irrigated
Township	Range		Forty-acre Tract	To Be Irrigated  7 1/4 8.45
Township WILLMETTE A	Nange Nange SS E.T.K.	Section	Forty-acre Tract	To Be Irrigated
Township WILMETTE A 6 N. Property di	SS E.V.M.	Section 19	Forty-acre Tract  # E 1/4 of 8  8 E 1/4 of 8	To Be Irrigated  \$ 1/4 8.45
Township WILMETTE A 6 N. Property di	SS E.V.M. coription. chalf of	19 the South	Forty-acre Tract  # E 1/4 of 8  8 E 1/4 of 8  thirty-two rds.	To Be Irrested  7 1/4 8.45  7 1/4 12.51  of the Northeast
Township  WILMETTE    6 N.  Property di  The East on	SS E.V.M. eription. half of the Southwe	19 the South	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8  thirty-two rds.  r,and all that p	To Be Irrested  # 1/4 8.45  # 1/4 12.51  of the Northeast  portion of the East
Township  WILMETTE A  6 N.  Property di  The East on	SS E.V.M. eription. half of the Southwe	19 the South	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8  thirty-two rds.  r,and all that p	To Be Irrested  7 1/4 8.45  7 1/4 12.51  of the Northeast
Township  WILMETTER  6 N.  Property di  The East on  parter of  malf of the	SS E.V.M. eription. half of the Southwest	19 the South est quarte quarter o	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8  thirty-two rds.  r,and all that 1  the Southwest	To Be Irrested  # 1/4 8.45  # 1/4 12.51  of the Northeast  portion of the East
Township  Wilmerrer  6 N.  Property di  The East on quarter of malf of the of the Milt	SS E.V.M.  Soription.  chalf of the Southwester-Freewate	19 the South est quarte quarter o	Forty-acro Tract  # E 1/4 of 8  # E 1/4 of 8  # L 1/4 of 8	To Be Irrested  \$ 1/4
Township  WILMETTE A  6 N.  Property di  The East on  quarter of  malf of the  of the Milt  See, 19 , Tp	SS E.V.M.  seription.  half of the Southwe Southeast en-Freewate ,6 M. R.	the South est quarte quarter o er Hudson SS E.W.M.,	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8  # E 1/4 of 8  # Thirty-two rds.  # The Southwest  # Eay Trigation  # All being East	To Be Irrested  # 1/4
Township  WILMETTE A  6 N.  Property di  The East on  puarter of  malf of the  of the Milt  See, 19 , Tp	SS E.V.M.  seription.  half of the Southwe Southeast en-Freewate ,6 M. R.	the South est quarte quarter o er Hudson SS E.W.M.,	Forty-acro Tract  # E 1/4 of 8  # E 1/4 of 8  # L 1/4 of 8	To Be Irrested  # 1/4
Township  WILMETTE A  6 N.  Property di  The East on  quarter of  malf of the  of the Milt  See, 19 , Tp	SS E.V.M.  seription.  half of the Southwe Southeast en-Freewate ,6 M. R.	the South est quarte quarter o er Hudson SS E.W.M.,	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8  # E 1/4 of 8  # Thirty-two rds.  # The Southwest  # Eay Trigation  # All being East	To Be Impated  8.45  9.1/4 13.51  of the Northeast portion of the Each quarter lying North  Company's canal in  of the Villamitte  of Oregon.
Township  WILMETTE A  6 N.  Property di  The East on  quarter of  malf of the  of the Milt  See, 19 ,Tp	SS E.V.M.  seription.  half of the Southwe Southeast en-Freewate ,6 M. R.	the South est quarte quarter o er Hudson SS E.W.M.,	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8  # E 1/4 of 8  # Thirty-two rds.  # The Southwest  # Eay Trigation  # All being East	To Be Irrested  # 1/4
Township  WILMETTE A  6 N.  Property di  The East on  quarter of  half of the  of the Milt  See, 19 , Tp	SS E.V.M.  Seription.  half of the Southwe Southeast en-Freewate ,6 M. R.	the South set quarte quarter o er Hudson SS E.W.M., ty of Umat	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8	To Be Impated  8.45  9.1/4 13.51  of the Northeast portion of the Each quarter lying North  Company's canal in  of the Villamitte  of Oregon.
Township  WILMETTE A  6 N.  Property di  The East on  quarter of  malf of the  of the Milt  See, 19 ,Tp	SS E.V.M.  SS E.V.M.  Seription.  half of the Southwe  Southeast  m-Freewate  ,6 M. R.	the South set quarte quarter o er Hudson SS I.W.M., ty of Umat	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8	To Be Irrested  8.45  9.1/4 12.51  1. of the Northeast  portion of the East  quarter lying North  Company's canal in  of the Willamitte  of Oregon.  20.96
WLLMETTE A  6 N.  Property di  The East on quarter of the Milt  See, 19 ,Tp  Keridian, in  (a) Charact	SS E.V.M.  SS E.V.M.  Seription.  half of the Southwe  Southeast  m-Freewate  ,6 M. R.	the South set quarte quarter o er Hudson SS I.W.M., ty of Umat	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8	To Be Irrested  8.45  9.1/4 12.51  1. of the Northeast  portion of the East  quarter lying North  Company's canal in  of the Willamitte  of Oregon.  20.96
Township  William TE A  6 No.  Property di  The East on  quarter of  half of the  of the Milt  See, 19 ,Tp  Keridian,in  (a) Charact  (b) Kind of	SS E.V.M.  SS E.V.M.  Soription.  half of the Southwe Southeast  n-Freewat  , 6 M. R.  the Count  er of soil	the South set quarte quarter o er Hudson SS I.W.M., ty of Umat	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8	To Be Irrested  8.45  9.1/4 12.51  1. of the Northeast  portion of the East  quarter lying North  Company's canal in  of the Willamitte  of Oregon.  20.96
Property di The East on quarter of half of the of the Milt See, 19, TP Keridian, in  (a) Charact (b) Kind of UNICIPAL SUI	SS E.V.M.  SS E.V.M.  Soription.  half of the Southwe Southeast  n-Freewat  , 6 M. R.  the Count  er of soil	the South est quarter of Hudson ss E.W.M., ty of Unat	Forty-acre Tract  # E 1/4 of 8  # E 1/4 of 8	To Be Irrested  8.45  9.1/4 12.51  1. of the Northeast  portion of the East  quarter lying North  Company's canal in  of the Willamitte  of Oregon.  20.96

	ill be completely	applied to t	he proposed use	on or before	dur <sub>t</sub> at. All
	Terretory to a proper on the contract of the c	-			
			07	Warri	and a
			Obout	· Mile	r Frencti C
			100 of 10 published these passives		
			****************	**************************************	Berland a como a varia a quando de la conseque al mas de partido.
	14a mit 2 4a	to be no			• • • • • • • • • • • • • • • • • • •
And the second		39 40 4	od 15 cost	- 17GP AT.	H & SPYINKLING
own file	) 400 cm à 10 600 de 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.5 dbc op <b>(1</b> 1.5 + 4000-24.5 c c c c	90 f = 100 a		
)	interior o which group at an a data a secundar a c	Mes established to the track to the	***************		•
77) T 7	<del>10000</del> , + + + + + + + + + + + + + + + + + + +		***************************************	***************************************	•
	)		***************************************	***************************************	
	***************************************	***********	****	,	•••••••••••••••••••••••••••••••••••••••
			•••••••••••••••••••••••••••••••••••••••		
		••••••	············	······································	
		•••••••••••	••••••••••		·····
•••••••••••••••••			••••••	······································	•••••
	•		•••••••	·····	•••••
•••••			•		••••
_	•	······································	••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	
TE OF OREGON,	) R.R.				
ounty of Marion,	)				
This is to certify	that I have exam	nined the fo	regoing applicat	tion, together 1	with the accompanyi
s and data, and reti	urn the same for				•
					***************************************
•					
•				ed to the State	Engineer, with corre
on or before	•••••	, 1	9		
•					

ŧ

BISMG RIGHTS and the following limitations and conditions:

have examined the foregoing application and do hereby grant the same,

......cubic feet per second measured at the point of diversion from the well or

herein granted is limited to the amount of water which can be applied to beneficial use and

of appropriation, or its equivalent in case of rotation with other water users, from ....Hankichs. Wall

Actu	al construction	work sha	ll begin	on or	before	••••••	June 30,	1953
thereafter	be <b>prosecuted w</b>	ith reaso	nable d	iligeno	e and be	complet	ted on or be	fore
October.	1, 1954		**.*****	• • • • • · · · · · · · · · · · · · · ·				
Com	plet <b>e app</b> licatio	n of the t	v <b>ater</b> to	the p	roposed	use shall	be made o	n or be
October	1, 1955							
WIT	'NESS my hand	this 3	Oth	day of	Ju	ne	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •
Application No. U-497 Permit No. U-451	PERMIT TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON		office of the State Engineer at Salem, Oregon, on the 7th day of May	1952. at 1:00 o'clock P. M.	Returned to applicant:	Corrected application received:	Approved: June 30, 1952	Recorded in book No. 2

If for irrigation, this appropriation shall be limited to \_\_\_\_\_\_ of one cubic foot per second or its equivalent for each sere irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each years provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not expeed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be so cased as to prevent the loss of underground water. The priority date of this permit is .... and shall CHAS. E. STRICKLIN State Printing Dept Drainage Basin No. Permits on page Fees Paid 1500 Appr Corre