.

27011.

Permit No. U508

APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

Crismo	Ager.				
Rt. 3, Bex 304, Klassth Falls	, county of Klamath				
tete ofOragon, do ?	ereby make application for a permit to a	ppropriate the			
following described underground waters of the state	of Oregon, SUBJECT TO EXISTING R	IGHTS:			
If the applicant is a corporation, give date and place of incorporation					
1. Give name of nearest stream to which th	e well, tunnel or other source of water (levelopment is			
situated . Ho name. It is merely a dr	in for snow water from hig (Name of stream)	her ground			
then is dry the remainder of the	year tributary ofKlamath Riv	/er			
2. The amount of water which the applicant	intends to apply to beneficial use is $2*$	67 cubic			
feet per second.					
3. The use to which the water is to be applied	is Irrigation - (Gravity	flow			
and Sprinkling system)					
4. The place where the water is to be pumpe					
1627 feet Bast of Section corner					
T. 39 S., R. 8 E., W. M., Klame					
being within the RE 1 NV 1	of Sec. 28	.R. 8 E .			
W. M., in the county of Klamath					
5. The Ditch or natural dr.	in to be 400 Ft	• mileo			
in length terminating in the NE 1 NW1	of Sec. 28	Twp. 39 S			
	shown throughout on the accompanying	map.			
6. The name of the well or other works is	Ager Well				
DESCRIP	TION OF WORKS				
7. If the flow to be utilized is artesian, the supply when not in use must be described.	works to be used for the control and con	nservation of the			
8. The development will consist of	Give number of wells, tunnels, etc.	having a			
diameter of 8 inches and an estimate	ed depth of 80 feet.				

	loste: width on t	op (at water line)	feet; width on botton
	. feet; depth of u	pater		feet fall per on
oursied feet.				
(b) At	·····	viles from headga	te: width on top (at wate	r line)
	. feet; width on i	bottom	feet; depth of	water fee
100	-	per one thousand	, ~	
aleg #	No.	**	,	in.; in size at
	•			lifference in elevation betwee
ske and place of	f use,	ft. Is	grade uniform?	Estimated capacit
*****************	. sec. ft.			
10. If pump	se are to be used,	give size and typ	e 5 inch Turb	ine(One.)
Capaci	ty of 1200	gallons pe	r minute.	
	·	_		•
Give capacit	ty and type of m	otor or engine to	be used25.H.P.	General Electric
***************************************		***************************************		
	,			
11. If the lo	cation of the we	ll, tunnel, or othe	er develooment work is l	ess than one-fourth mile from
	-	•	•	
	-	•	•	
atural stream or	stream channel	, give the distan	ce to be the nearest poin	t on each of such channels ar
atural stream or ne difference in e	stream channel	, give the distan	ce to be the nearest poin	t on each of such channels are at the source of developme
atural stream or he difference in e	stream channel elevation betwee is 10 feet	, give the distant the stream bed	ce to be the nearest poin and the ground surface	ess than one-fourth mile from t on each of such channels an at the source of development dthe ground surfac
tural stream or e difference in e	stream channel elevation betwee is 10 feet	, give the distant the stream bed	ce to be the nearest poin	t on each of such channels are at the source of developme dthe ground surfac
tural stream or e difference in e	stream channel elevation betwee is 10 feet int is 3 f	n the stream bed from the na	ce to be the nearest point and the ground surface tural channel and he channel bed.	t on each of such channels are at the source of development duths ground surfac
tural stream or e difference in e The well at that po: 12. Locatio	stream channel elevation betwee is 10 feet int is 3 f	n the stream bed from the na	ce to be the nearest poin and the ground surface	t on each of such channels are at the source of developme dthe ground surfac
tural stream or e difference in e The well at the po: 12. Locatio Township	stream channel elevation betwee is 10 feet int is 3 f	from the na central bed from the na central boye t	ce to be the nearest point and the ground surface tural channel and he channel bed.	t on each of such channels are at the source of developmed. d. the ground surface Number Acres to Be Irrigated
tural stream or e difference in e The well at that pos 12. Locatio Township "!! AMENE MERSHAM	stream channel elevation betwee is 10 feet int is 3 feet n of area to be i	from the na cent above t	ce to be the nearest point and the ground surface tural channel and he channel bed. Forty-serv Tract	t on each of such channels are at the source of developmed the ground surface Number Acres to Be Irrigated
tural stream or e difference in e The well at that pos 12. Locatio Township 139. S. 39. S.	stream channel elevation betwee is 10 feet int is 3 f	from the na rest above t rrigated, or place	ce to be the nearest point and the ground surface tural channel and he channel bed. Forty-sere Tract SWA SWA	t on each of such channels are at the source of development develo
tural stream or e difference in e The well at that po: 12. Locatio Townsty 139. S. 39. S. 39. S.	stream channel elevation betwee is 10 feet int is 3 f	from the na rest above t rrigated, or place section 21 21	ce to be the nearest point and the ground surface tural channel and he channel bed. Forty-sers Tract SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2	t on each of such channels are at the source of developmed. d. the ground surface Number Acres to Be Irrigated 2.4 1.6 9.4
tural stream or e difference in e The well at that po: 12. Locatio Township HAMEITE BERNAM 39. S. 39. S. 39. S.	stream channel elevation betwee is 10 feet int is 3 f	from the na cat above t rrigated, or place section 21 21 21	ce to be the nearest point and the ground surface tural channel and he channel bed. Forty-saw Tract SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2 SW2	Number Acres to Be Irrigated 2.4 1.6 9.4 24.8
tural stream or e difference in e The well at that pos 12. Locatio Townsts 139. S. 39. S. 39. S. 39. S. 39. S.	stream channel elevation betwee is 10 feet int is 3 feet n of area to be i	rrigated, or place	ce to be the nearest point and the ground surface tural channel and he channel bed. Forty-see Tract SW1	Number Acres to Be Irrigated 2.4 1.6 9.4 24.8 2.0
tural stream or e difference in e The well at that pos 12. Locatio Townsta 39. S 39. S 39. S 39. S	stream channel elevation betwee is 10 feet int is 3 feet n of area to be i	rigated, or place	ce to be the nearest point and the ground surface tural channel and he channel bed. Torty-see Tract SWA SWA SWA SEA SEA SEA SEA SEA SEA SEA SEA SEA SE	Number Acres to Be Irrigated 2.4 1.6 9.4 24.8 2.0 15.4
tural stream or e difference in e The well at that pos 12. Locatio Townsts 139. S. 39. S. 39. S. 39. S. 39. S.	stream channel elevation betwee is 10 feet int is 3 feet n of area to be i	rrigated, or place	ce to be the nearest point and the ground surface tural channel and he channel bed. Forty-see Tract SW1	Number Acres to Be Irrigated 2.4 1.6 9.4 24.8 2.0
tural stream or se difference in each that possible that p	stream channel elevation betwee is 10 feet int is 3 feet n of area to be i	rigated, or place	ce to be the nearest point and the ground surface tural channel and he channel bed. Torty-see Tract SWA SWA SWA SEA SEA SEA SEA SEA SEA SEA SEA SEA SE	Number Acres to Be Irrigated 2.4 1.6 9.4 24.8 2.0 15.4

(a) Character of soil Sandy. loam

- (b) Kind of crops raised . Wheat, Oats, Barley and Alfalfa MUNICIPAL SUPPLY-
 - 13 (a) To supply the city of

county, having a present population of

and or estimated application of

M. Completed on work will be completed o	
It. The spector will be completely applied	to the proposed use on or before June 1, 1983
	Notes
	mrs. George W. Ager
	(Manage) at applicable
	L L
and the second s	. Assert

Remarks The Passyunia into	which the well water is to flow is an
	Cications of the Federal Range Conservat
Note: The foregoing described but due to the unexpects	well was drilled for domestic purposes
installed and tested. Maintai	ning a continual output of 120) gellons
	A
	······································
	······································
	······································
ATE OF OREGON,	······································
· · · · · · · · · · · · · · · · · · ·	······································
ATE OF OREGON, St. County of Marion,	
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the	ne foregoing application, together with the accompanying
ATE OF OREGON, St. County of Marion,	ne foregoing application, together with the accompanying
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the	ne foregoing application, together with the accompanying
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the	ne foregoing application, together with the accompanying
ATE OF OREGON, County of Marion, This is to certify that I have examined the sps and data, and return the same for	ne foregoing application, together with the accompanying
ATE OF OREGON, ss. County of Marion,	ne foregoing application, together with the accompanying
ATE OF OREGON, ss. County of Marion,	ne foregoing application, together with the accompanying
ATE OF OREGON, County of Marion, This is to certify that I have examined the sps and data, and return the same for In order to retain its priority, this application.	ie foregoing application, together with the accompanying

PERMIT

County of Marion,

This is to certify that I have axamined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water	which can be applied to beneficial use and					
shall not exceed 1.486 cubic feet per second measured at the point of diversion from the well or						
source of appropriation, or its equivalent in case of rotation with other water users, from						
(Ager Well)						
The use to which this water is to be applied is						
If for irrigation, this appropriation shall be limited to1/						
or its aquivalent for each acre irrigated and shall	1 be further limited to a diversion					
of not to exceed 3 sore feet per acre for each acr	e irrigated during the irrigation					
season of each year,						
and shall be subject to such reasonable rotation system as may						
The priority date of this permit is February	3, 1953					
Actual construction work shall begin on or before	March 31, 1954 and shall					
thereafter be prosecuted with reasonable diligence and be comp October 1, 1955	leted on or before					
Complete application of the water to the proposed use sha	ill be made on or before					
WITNESS my hand this 31st day of Witness my hand the W	arch 194.53.					

Approved:

Corrected application received:

Recorded in book No. 2

Permits on page U-50

CHAS, E. STRICKLIN STATE ENGINEER

Prainage Basin No. 14 Page

Fees Pard

Application No. 13

Permet No.

This instrument was first received in the

TO APPROPRIATE THE UNDER-CROUND WATERS OF THE STATE OF OREGON

PERM

office of the State Engineer at Salem, Oregon,

on the 3 rd day of February....

19453 at 8:00 o'clock

Returned to applicant: