3ta17

Affection of the second of the

To Appropriate the Underground Waters of the State of Oregon

I,		erenteren eren eren eren eren eren eren		·	
of	The Dalles	(Milato es approxi-		Wasoo	
state of	Gragon.				
following descr	ibed underground toster	re of the state of Ore	- SUBJECT TO	or a permit	appropriate me
	plicant is a corporation,				
		The same and the s)) mooi poraece		*********
1. Give	name of nearest stream	to which the well,	termed or other so	at enutp	• • • • • • • • • • • • • • • • • • • •
situated	Columbia River		turbines or output. Se	rurce oj wate.	r development 13
		, (Name of			
2. The as	mount of water which th				
feet per second		se whhereases seems	to apply to vene ju	cial use is	l.o cubic
	se to which the water is t	to be applied to 4	· · · · · · · · · · · · · · · · · · ·		
	E DO WINDER DIES	to oe appuea a	rrigation	•	* ** ** · · · · · · · · · · · · · · · ·
4. The pl	and enhand the uniter is f	· • • • • • • • • • • • • • • • • • • •		·	
from the N	ace where the water is t	o be pumped or deve	loped is located 2.	6140'	W. 2041 feet
and the state of t	ai 946£107	Δ.11. Τ.1m. π. ,	2 ETHING		
***************************************	E corner of Section	ive distance and bearing from	section corner)	***********	
			section corner)	•••••••••••••••••••••••••••••••••••••••	· · · · · · · · · · · · · · · · · · ·
				•••••••••••••••••••••••••••••••••••••••	• • • • • • • • • • • • • • • • • • •
being within the	NW 1 NE 1	of	Sec. 11 . T	'wp. 1N	, R. 13 E
being within the	unty of Wasco	of	Sec. 11 . T		, R. 13 E
being within the W. M., in the co	unty of Wasco pipe line	nal or pipe line)	Sec. 11 To be	0.12	miles
being within the W. M., in the co 5. The in length, termin	unty of Wasco pipe line (Cau	nal or pipe line) NE (Smallest legal subdivision	Sec. 11 To be of Sec.	0.12	miles Twp. 1N
being within the W. M., in the co 5. The in length, termin	unty of Wasco pipe line (Car nating in the NW 1	nal or pipe line) NE † (Smallest legal subdivision tion being shown the	Sec. 11 To be of Sec.	0.12 11 ccompanying	miles Twp. 1N map.
being within the W. M., in the co 5. The in length, termin	unty of Wasco pipe line (Cau	nal or pipe line) NE † (Smallest legal subdivision tion being shown the	Sec. 11 To be of Sec.	0.12 11 ccompanying	miles Twp. 1N map.
being within the W. M., in the co 5. The in length, termin	unty of Wasco pipe line (Car nating in the NW 1	nal or pipe line) NE † (Smallest legal subdivision tion being shown the	to be of Sec. roughout on the ac	0.12 11 ccompanying	miles Twp. 1N map.
being within the W. M in the co 5. The in length, termin R. 13 E. W 6. The na	unty of Wasco pipe line nating in the NW ‡ M, the proposed locat me of the well or other to	nal or pipe line) NE (Smallest legal subdivision tion being shown the works is DESCRIPTION OF	to be of Sec. Toughout on the action well	0.12 . 11 ccompanying	miles Twp. 1N map.
being within the W. M., in the co 5. The in length, termin R. 13 E. W 6. The na	unty of Wasco pipe line (Car nating in the NW 1	nal or pipe line) NE (Smallest legal subdivision tion being shown the works is DESCRIPTION OF	to be of Sec. Toughout on the action well	0.12 . 11 ccompanying	miles Twp. 1N map.
being within the W. M. in the co 5. The in length, termin R. 13 E. W 6. The na 7. If the faupply when no	unty of Wasco pipe line nating in the NW ‡ M, the proposed locat me of the well or other to	nal or pipe line) NE \(\frac{1}{2} \) (Smallest legal subdivision tion being shown the works is \(\frac{1}{2} \) DESCRIPTION OF esian, the works to bed.	to be of Sec. Toughout on the action well	0.12 . 11 ccompanying	miles Twp. 1N map.
being within the W. M. in the co 5. The in length, termin R. 13 E. W 6. The na 7. If the faupply when no	unty of Wasco pipe line nating in the NW 1 M, the proposed locat me of the well or other in low to be utilized is arte t in use must be describ artesian.	nal or pipe line) NE (Smallest legal subdivision tion being shown the works is DESCRIPTION OF esian, the works to bed.	to be of Sec. roughout on the action well WORKS be used for the con	0.12 ccompanying ntro! and con	miles Twp. 1N map.
being within the W. M. in the co 5. The in length, termin R. 13 E. W 6. The na 7. If the faupply when no	unty of Wasco pipe line (can nating in the NW 1 M., the proposed locat time of the well or other in Clow to be utilized is arte t in use must be describ t artesian.	nal or pipe line) NE \(\frac{1}{2} \) (Smallest legal subdivision tion being shown the works is \(\frac{1}{2} \) DESCRIPTION OF esian, the works to bed.	to be of Sec. Toughout on the achievey well WORKS	0.12 11 ccompanying ntro! and con	miles Twp. 1N map.
being within the W. M., in the co 5. The in length, termin R. 13 E. W 6. The na 7. If the fi supply when no	unty of Wasco pipe line (can nating in the NW 1 M., the proposed locat time of the well or other in Clow to be utilized is arte t in use must be describ t artesian.	nal or pipe line) NE 1 (Smallest legal subdivision tion being shown the works is DESCRIPTION OF esian, the works to bed.	to be of Sec. roughout on the ac Hovey Well well	0.12 ccompanying	miles Twp. 1N map.
being within the W. M., in the co 5. The in length, termin R. 13 E. W 6. The na 7. If the fi supply when no	unty of Wasco pipe line nating in the NW 1 M, the proposed locat me of the well or other to low to be utilized is arte t in use must be describ artesian.	nal or pipe line) NE 1 (Smallest legal subdivision tion being shown the works is DESCRIPTION OF esian, the works to bed.	to be of Sec. roughout on the ac Hovey well well number of wells, tunnels, e	0.12 ccompanying ntro! and con	miles Twp. 1N map. servation of the
being within the W. M. in the co 5. The in length, termin R. 13 E. W 6. The na 7. If the frupply when no Not	unty of Wasco pipe line can nating in the NW 1 NM, the proposed locat time of the well or other in low to be utilized is arte t in use must be describ artesian.	nal or pipe line) NE	to be of Sec. roughout on the ac Hovey well well number of wells, tunnels, e	0.12 ccompanying ntro! and con	miles Twp. 1N map. servation of the

			A September 1986	feet fall per one
	Bressel englisch) ms4	
(b) At		niles from head	gete: width on top (at wete i	line)
***************************************	feet; width on i	bottom	feet; depth of wo	ter feet;
		- : • •		
(c): Length e	fiphpopilist philip the use mistromers	waster the	sise at tribake,	. in.; size at600 ft.
intake	k in.;	; size at place of	f use	fference in elevation between
ke and place of	MOC,	15 1	ls grade walform?	Estimated capacity
1.0	sec. ft.	kar e series	e van e	
10. If pumpe	are to be used,	give size and t	ype 7.5 HP Flectri	<u> </u>
Paitbar	ks-libres Dec	p Bell Cent	rifigal	
Give capacity	y and type of mi	otor or engine t	to be used7.5 HP Electr	LG

11 If the los	ration of the use	 ell tunnel or of	ther development mork is les	e than one-fourth mile from a
11. If the loc	cation of the we	eu, runnei, or oi	ther development work is let	s than one-fourth mile from a
ural stream or	stream channe	l, give the dist	ance to the nearest point o	n each of such channels and
situs streem or	aticum cionina	s, give ine am	whice to the hearest point o	is each of such charmes and
More than	ope-fourth,	.Bl.18. IFOM .B	earest stream.	
				•••••••••••••••••••••••••••••••••••••••
				ec. 11, T. 1N. Sange 13 Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use NW. 1 NE. 4, S	ec. 11, T 1N. Range 13
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use NW. 1 NE 1, S	Number Acres to Be Irrigated
12. Location	of area to be i	irrigated, or ple	ace of use NW. 1 NE 1, S	Number Acres to Be Irrigated
12. Location	Range 13 E.	irrigated, or ple	Porty-serv Trect NW 1 NE 1	Number Acres to Be Irrigated
12. Location Township 1N (a) Charact	Range 13 E.	irrigated, or ple	Forty-ecro Tract NW 1 NE 1 NW 2 NE 1 required, attach separate sheet) canic Loss	Number Acres to Be Irrigated
12. Location Township 1N (a) Charact	ter of soil	irrigated, or plo	Forty-ecro Tract NW 1 NE 1 NW 2 NE 1 required, attach separate sheet) canic Loss	Number Acres to Be Irrigated

STATE ENGINEER

ないない

						3
					rted constant	2
*		capett will	e sompleteges	tejete . Boxunt	er 1, 1953	
		I be comp	THE RESERVE TO SE	e broboded ree	on or before Louis	ber 1, 1951
				n	<i>(</i>) 3 <i>(</i>)	
						over
				908 1	B H	reet
No Septiment		e growe	. 4.		Dalles, O	•
			as witnesses:	•		
(1)	Ju 2	Filk	ele,	The U	lles Oregon	
(2) X	ne de		· \	The D	lles, Oregon	
(2)		(Mame)	,		(Address of without)	•••••••••••••••••
				,		······································
STATE O	F OREGON.	35.				
County	of Marion,					
This	s is to certify	that I hav	e examined the fo	regoing applica	tion, together with	the accompanying
maps and	data, and ret	urn the sam	se for			
				·		
•			•			
			.*			
					to the State Engine	eer, with corrections
on or befo	TE			•		
WIT	INESS my h	and this				, 193 .
					,	

CARA CYSTEM & MEETS

CONTRACTOR OF THE STATE OF THE

AND THE PARTY OF T

This is to certify that I have exemined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right hereta granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ... xxx....QaQli5... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ... HOVEY Well. The the to which this todier is to be applied is _____irrigation_____ If for irrigation, this appropriation shall be limited to ______1/80 _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year. and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be so cased as to prevent the loss of underground water. The priority date of this permit is April 20, 1953 Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before ...October 1, 1955 Complete application of the water to the proposed use shall be made on or before Actaber 1, 1950 WITNESS my hand this21st... day of Char & Shiel In

ALFRED & COLV

15.00

1.54 Permit No.

Application No. 158

PERMIT

STATE OF OREGO

GROUND WATERS OF

TO APPROPRIATE THE

Dirision No.

District

office of the State Engineer at Sa This instrument was first re

on the 20 th day of April 19353, at 6:00 o'clock & Returned to applicant for correct

Corrected application received:

Approved:

Aurust 21, 1953. Permit, on page 6 541 Recorded in Book No.

CHAT. E. STRICKLIN

STATE PRINTING LEPT