To Appropriate the Underground Waters of the State of Oregon

	Street St	Wind The						• • • • • • • • • • • • • • • • • • • •
Alles	rienter	Gre.	P#3	e of applicant)	, county of	Vmetilla	•	·····,····· ,
tate of Or	gon.			• •	e application	for a permit	to approprie	ite the
ollowing des	ribed underg	round wate	rs of the sta	te of Oregon,	SUBJECT T	O EXISTING	RIGHTS:	
If the a	oplicant is a c	orporation,	give date an	nd place of in	corporation			
1. Give	_'	•	s to which t		nel or other s	ource of wat	er developn	rent is
	•	••••	************	(Name of stre	ibutary of	ine Creek	K	
•					apply to bene			cubic
eet per secon								
3. The	use to which	the water	is to be app	lied is Irr	igation	*** *********		····
of Sec. 5	_	. R. 35	E. W. M.	780 It	ed is located Bast fi	om a poi		_
of Sec. 5	the ST	corner	E.W.M. Give distance and Of Sec.	780 ft bearing from sect 80 Tp. 6	Bast fr	com a poi:	nt 891 f	_
of Sec. 3 orth from being within W. M., in the	the ST	corner	E.W.M. Cive distance and of Sec. the SW	780 ft bearing from sect 30 Tp. 6	. Bast fi	on a poi: 5 E.W.M. Twp. 6 M	nt 891 f	r.
of Sec. 3 orth from being within W. M., in the 5. The	the ST	corner	E.W.M. Give distance and of Sec. the S W	780 ft bearing from sect 80 Tp. 6	Bast fi	Twp. 6	nt 891 f	r.
being within W. M., in the in length, ter	the ST the ST county of	. R. 35 corner 1/4 of Unetille	E.T.M. Give distance and Of Sec. the S T	780 ft bearing from sect 80 Tp. 6	Bast fi	Twp. 6 M	nt 891 f	r.
being within W. M., in the in length, ter	the ST the ST county of	corner 1/4 of Unatille he proposed local	E.T.M. Give distance and of Sec. the ST anal or pipe line) (Smallest le cation being	780 ft bearing from sect 80 Tp. 6	to be agreed on the	Twp. 6 M	nt 891 f	r.
being within W. M., in the in length, ter	the ST the ST the M the ST county of minating in t , W. M., the p	corner 1/4 of Unatille he proposed local	E.T.M. Give distance and of Sec. the ST analor pipe line; (Smallest le cation being or works is	780 ft bearing from sect 50 Tp. 6	to be aghout on the	Twp. 6 M	nt 891 f	r.
being within W. M., in the in length, ter R. 6. The	the ST the ST the ST county of minating in t , W. M., the p name of the	corner 1/4 of Unatille he proposed lowell or other utilized is a	constance and of Sec. the ST analor pipe line; (Smallest le cation being or works is DESCRIP rtesian, the	780 ft bearing from sect 30 Tp. 6 1/4 of Sect shown through the storal of the section of the	to be aghout on the	Twp. 6 M	• R 35	E.
being within W. M., in the 5. The in length, ter R. 6. The supply when	the ST the ST the ST county of minating in t , W. M., the p name of the he flow to be not in use m	n. 35 corner 1/4 of Unatille the proposed low well or other utilized is a ust be descri	construction of Sec. the ST analor pipe line (Smallest lecation being r works is DESCRIP rtesian, the ibed.	780 ft bearing from sect 80 Tp. 6 1/4 of Sect shown through the storal action of warks to be	to be aghout on the	Twp. 6 M	• R 35	E.
being within W. M., in the 5. The in length, ter R. 6. The supply when	the ST the ST the ST county of minating in t , W. M., the p name of the	N. 35 CORNET 1/4 of Unatille the proposed location well or other utilized is a ust be descri	core distance and of Sec. the ST anal or pipe line) (Smallest le cation being or works is DESCRIP rtesian, the ibed.	780 ft bearing from sect 30 Tp. 6 1/4 of Sect shown through the sector of Sector o	to be supposed for the sused for the	Twp. 6 M	• R 35	I.
being within W. M., in the 5. The in length, ter R. 6. The	the ST the ST the ST county of minating in t , W. M., the p name of the ne flow to be not in use m	N. 35 CORNET 1/4 of Unatille the the the the the the the the the th	core distance and of Sec. the ST anal or pipe line) (Smallest le cation being or works is DESCRIP rtesian, the ibed.	780 ft bearing from sect 30 Tp. 6 1/4 of Sect shown through the sector of Sector o	to be aghout on the words for	Twp. 6 M	• R 35	E.
being within W. M., in the in length, ter R. 6. The	the ST the ST the ST county of minating in t , W. M., the p name of the ne flow to be not in use m	N. 35 CORNET 1/4 of Unatille the the the the the the the the the th	core distance and of Sec. the ST anal or pipe line) (Smallest le cation being or works is DESCRIP rtesian, the ibed.	780 ft bearing from sect 30 Tp. 6 1/4 of Sect shown through the sector of Sector o	to be aghout on the works	Twp. 6 M	• R 35 Twp. In a map.	E.

Array 1.13 (62) \$1.	de: width on top	fat auter Has)		foot; width on bottom
jes	t; dopth of water	-	feet; grade	feet fall per one
usend fast.		•		
(b) At		se from headga	te: width on top (at water line)	***************************************
			feet; depth of water	
de				
			e at intake, in.; i	e size atft.
			setn.; differe	
			grade uniform?	
				·
		give size and typ	3ª	
		,44		
Give capacity	and type of mo	tor or engine to	be used 10 H.P. 3	Pha se
West enhouse			······································	
11. If the loc	ation of the wel	l, tunnel, or oth	er development work is less th	an one-fourth mile from a
			nce to be the nearest point on e	•
e difference in el	evation between	i the stream be	d and the ground surface at th	e source of development
			•	
•	•	•		
		•••••••••	•••••	
12. Location	r of area to be in	rrigated, or plac	ce of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
6X.	MENGUM E.W.M	. 30	8 W 1/4 of 8 W 1/4	41.33
10 acres	of this is	supplemen	tal to a 10 ac.	The second secon
lton-Freewa	ter Hudson	Bay ditch	60.,right	nas agus ginne she alle transportation and the final f
Beginning	at the So	uthwest co	rner of Section 50 i	n Township 6 N.
				_
			Lana an 3an da amad	_ one rod West
	\ .	1	ore or less to apoi	i
the Southe	est corner	of the So	thwest quarter of t	ne Southwestquarte
the Souther said Secti	est corner on 30', the	of the Son	thwest quarter of toparallel with the li	he Southwestquarte
the Souther said Sections of South the	est corner ion 30', the rough the c	of the Some	uthwest quarter of to parallel with the line Southwest quarter	ne Southwestquarte ne running North of said Section
the Souther said Sections of South the	est corner ion 30', the rough the c	of the Some	thwest quarter of toparallel with the li	ne Southwestquarte ne running North of said Section
the Souther said Sections South the	ion 30', the rough the co, and 13 ft.	of the Someone North	uthwest quarter of to parallel with the line Southwest quarter	ne running North of said Section North of the lin
f the Souther f said Section of South the following tast	ion 30', the rough the co, and 13 ft.	of the Some new Morth enter of the more or 1 through the	parallel with the line Southwest quarter ess to apoint 13 ft.	ne running North of said Section North of the lin
f the Souther f said Section South the South t	on 30', the rough the co, and 13 ft. and West t	of the Some of the south of the	parallel with the line Southwest quarter ess to apoint 13 ft.	ne running North of said Section North of the lin west quarter of 79 rods, morepor le
f the Souther f said Section South the South the South the Section of the West	on 30', the rough the co, and 13 ft. and West to 30., thence line of sai	of the Son nee North enter of the more or 1 through the West parallel Section	parallel with the line Southwest quarter ess to apoint 13 ft. center of the South liel with said line 30, thence South alco	ne Southwestquarte ne running North of said Section North of the lin west quarter of 79 rods, morepor le
f the Souther f said Section of South the Sout	on 30', the rough the constant west to 30., thence line of said	of the Some of the More of the More of the More of the More of the Mest parallel Section	parallel with the line Southwest quarter ess to apoint 13 ft. center of the South liel with said line 30, thence South alcoof the Place of begin	ne running North of said Section North of the lin west quarter of 79 rods, morepor le
f the Souther f said Section of South the South the said Section of the West of Character for the Control of the Section of th	on 30', the rough the cough the cough the constant west to 30., thence line of said to said the cough the	of the Some of the More work of the More of the More of the More of the Mest parallel Section of less the leaning ash	parallel with the li he Southwest quarter ess to apoint 13 ft. center of the South llel with said line 30, thence South alc equired attach separate sheet) the place of begin	ne running North of said Section North of the lin west quarter of 79 rods, morepor le
f the Southerf said Section of South the South the South the South the South the South the South said Section of the West (a) Character (b) Kind of South So	and last to and last to and West to so, thence the corrector of soil last to of crops raised	of the Some of the More work of the More of the More of the More of the Mest parallel Section of less the leaning ash	parallel with the line Southwest quarter ess to apoint 13 ft. center of the South liel with said line 30, thence South alcoop the place of begin to the place of the plac	ne running North of said Section North of the lin west quarter of 79 rods, morepor le
f the Souther feath and South the south the south the south the south the south the south and section the West south and section (a) Character (b) Kind of MUNICIPAL SU	and West to soil soil spice of crops raised	of the Some of the North enter of the more or language the west parallel Section of least the Leanic ash Alfalfa, gr	parallel with the line Southwest quarter ess to apoint 13 ft. center of the South liel with said line so, thence South alone the place of begin ains, vegetables, past	ne running North of said Section North of the lin west quarter of 79 rods, morepor le
f the Souther f said Section of South the south the south the section of the West of the South S	and West to so, thence the constant was to so, thence the constant of said to so the constant of crops raised to supply the city of supply the city to supply the cit	of the Some of the sort of the more or land the sort on the sort on the sort of the sort o	parallel with the line Southwest quarter ess to apoint 13 ft. center of the South liel with said line so, thence South alone the place of begin ains, vegetables, past	ne running North of said Section North of the lin west quarter of 79 rods, morepor le

TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before			417447	resulting .	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyings and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before WITNESS my hand this day of			beterALKAN		.;
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before			he nonnead use on	or heteration Late.11	164
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before	17. The light was de co.	approved a		_ &	•
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before			077	VI.	<i>^</i>
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before			Muma	u Stovall	···
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before	•			(digitation of applicant)	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before	· · · · · · · · · · · · · · · · · · ·		********		. g a de o o a a a a anglissa
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before 19 WITNESS my hand this day of				•	•
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before 19 WITNESS my hand this day of 19			****************	<u></u>	à rispellar er 4 4 6 7 at 1988-\$180-4
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before		Line Shr	ANLINA	Sustem	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correions on or before	67017				*************
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	611-14 3	* / X			••••
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	-40H	Lane	Q.4	·	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correions on or before		••••••			*****
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correions on or before		·		•••••••••••••••••••••••••••••••••••••••	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with cornions on or before				***************************************	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	•	•		·.	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correions on or before		••••	•		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		••••••	•		·····
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		•••••••••••••••••••••••••••••••••••••••			
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			••••		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		· · · ·	······································		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before					••••••
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		······································		•••••	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before					
This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before					
This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before					
This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	STATE OF OREGON,				
In order to retain its priority, this application must be returned to the State Engineer, with correlions on or before	County of Marion,				
In order to retain its priority, this application must be returned to the State Engineer, with correspond to the State Engineer, with the Engineer Eng					
In order to retain its priority, this application must be returned to the State Engineer, with correspond to the State Engineer, with the Engineer Engineer, with the Engineer Engin	This is to certify that I	have examined the	foregoing application	on, together with the acc	companyi
In order to retain its priority, this application must be returned to the State Engineer, with corresponds on or before	naps and data, and return the	same for	•••••		
In order to retain its priority, this application must be returned to the State Engineer, with corresponds on or before		••••••			
ions on or before					
ions on or before					
ions on or before	In order to retain its ma	ioritu this applicati	on must he returne	d to the State Engineer.	with corr
WITNESS my hand this day of, 19, 19				a to the state singeneer,	
	WITNESS my hand thi	day of	•••••	,19	9
The second secon					

Capital of Marion,

This is to certify that I have experimed the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and source of appropriation, or its equivalent in case of rotation with other water users, from .Stavall .Nall ... The use to which this water is to be applied is irrigation and supplemental irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be so cased as to prevent the loss of underground water. The priority date of this permit is March 24, 1954 Actual construction work shall begin on or before July 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before ...October 1, 1956 Complete application of the water to the proposed use shall be made on or before October 1, 1957 20th WITNESS my hand this 2000 day of ... at Salem, Oregon REGON Application No. TO APPROPRIATE GROUND WATE STATE OF C office of the State Engine on the 24 nd day of 10, 1954, at 1:00 o'clock July 20 Recorded in book No. Permits on page U-CHAS. E. STRIC Corrected application rec 16.6. Service Programs De This instrument was Drainage Basin No Returned to applicant. Permit No. Fees Paid Approved: