

Permit No. U-848

APPLICATION FOR A PERMIT

To appropriate the Underground Waters of the State of Oregon

I, Frank M. Lockwood
(Name of applicant)
of Route 1, Waitsburg, Wash., county of Walla Walla
(Postoffice)
state of Walla Walla, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Mud Creek
(Name of stream)

tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The place where the water is to be pumped or developed is located _____
South 5° 47' West 1592.7 from Northeast Corner of Lot 2, Section 17,
(Give distance and bearing from section corner)
Township 6 North, Range 35, E. W. M. thence N 59° W. 59'

being within the N.E. ¼ S.E. ¼ of Sec. 17, Twp. 6, R. 35 E. W. M., in the county of Umatilla

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____ Twp. _____
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 380 feet.

CANAL RECORD FOR THE YEAR 1911

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type centrifugal pump, 25-30 HP

Give capacity and type of motor or engine to be used
Electric, 25-30 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to be the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development 315 to Mud Creek Elev. diff. zero see plat

12. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE				
6 N	35 E	17	NE $\frac{1}{4}$, SE $\frac{1}{4}$, NW $\frac{1}{4}$ & SW $\frac{1}{4}$ of SE $\frac{1}{4}$	160
		17	NE $\frac{1}{4}$ & SE $\frac{1}{4}$ of SW $\frac{1}{4}$	80
		17	Lot 2 NE $\frac{1}{4}$ & E $\frac{1}{4}$ Lot 2 NW $\frac{1}{4}$ (3 Except.)	160
		16	Portion of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, NW $\frac{1}{4}$ & N $\frac{1}{2}$ SW $\frac{1}{4}$ of SW $\frac{1}{4}$.	60
			(SEE REMARKS)	

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam
(b) Kind of crops raised pasture and diversified

MUNICIPAL SUPPLY—

13. (a) To supply the city of
(Name of) county, having a present population of
and an estimated population of in 19.....

The Southeast quarter, and the East half of the Southwest quarter of Section Seventee, Township Six, North, Range Thirty-Five, East of the Willamette Meridian, containing 240 acres. Situated in Umatilla County, Oregon.

The fractional Southwest quarter of the Northwest quarter of Section Sixteen, in Township Six North, Range Thirty-five, East of the Willamette Meridian; also the West half of the Southwest quarter of Section Sixteen, Township Six, North, Range Thirty-five, East of the Willamette Meridian, excepting therefrom the following:

Commencing at the Southwest corner of the Southwest quarter of said Section Sixteen; thence North to Section line forty rods; thence East at right angles eighty rods to the East line of the West half of the Southwest quarter of said Section; thence South on said East line forty rods to the Southeast corner of the Southwest quarter of the Southwest quarter of said Section; thence West to the point of beginning, situated in Umatilla County, Oregon.

Lot Two of the Northeast quarter, and the East half of Lot Two, of the Northwest quarter of Section Seventeen, in Township Six North Range Thirty-five, East of the Willamette Meridian, containing 76.11 acres, more or less, excepting therefrom, however, the following:

(1) Beginning at a point on the South line of Lot Two of the Northwest quarter of Section Seventeen, Township Six North Range Thirty-five and distant 3301.5 feet West from the half section corner between Sections Sixteen and Seventeen; thence North at right angles 825.5 feet to the North line of said Lot Two; thence West along the North line of said Lot Two to the Northwest corner of the East half of Lot Two; thence South 822 feet, more or less, to the Southwest corner of the East half of Lot Two of said Section Seventeen; thence East along the South line of said Lot Two, 686.3 feet to the point of beginning. All being East of the Willamette Meridian, in the County of Umatilla and State of Oregon. Excepting any and all water rights of way.

(2) Beginning at a point on the South line of Lot Two Section Seventeen, Township Six, North, Range Thirty-five, East of the Willamette Meridian, and distant 1700 feet West from the half Section corner between Sections Sixteen and Seventeen, said Township Six; thence West along said South line of Lot Two, 1207.5 feet; thence North at right angles 827.0 feet; thence Easterly along the North line of said Lot Two 1207.5 feet; thence South 832.5 feet to the point of beginning, containing 23 acres together with all water rights belonging to said land, and rights of way for ditches.

(3) Also beginning at a point on the South line of Lot Two Section Seventeen, Township Six North, Range Thirty-five East of the Willamette Meridian, and distant 2907.5 feet West from the half Section corner between Sections Sixteen and Seventeen of said Township Six, thence West along the said South line of Section Seventeen, 369.0 feet; thence North at right angles 825.3 feet; thence Easterly along the North line of said Section Seventeen 369.0 feet; thence South 827.0 feet to the point of beginning, containing seven acres, together with all water rights, and rights of way of ditches belonging to the said lands.

Situated in Umatilla County, Oregon.

16. Construction work will be completed on or before April 1, 1954

17. Construction work will be completed on or before May 20, 1954

17. The water will be completely applied to the proposed use on or before Dec. 1, 1951

Frank M. Goodwood
(Signature of Applicant)

Remarks: _____
(Continued from item 8)

Township	Range	Section	Forty-acre Tract	No. Acres to be irrigated			
6 N.	35 E.	17	SW 1/4 NE 1/4	12.41			
			SE 1/4 NE 1/4	25.42			
			NE 1/4 SW 1/4	40.00			
			SE 1/4 SW 1/4	40.00			
			NE 1/4 SE 1/4	40.00			
			NW 1/4 SE 1/4	40.00			
			SW 1/4 SE 1/4	40.00			
			SE 1/4 SE 1/4	40.00			
			16	SW 1/4 NW 1/4	26.30		
				NW 1/4 SW 1/4	40.00		
				SW 1/4 SW 1/4	20.00		
							364.13

STATE OF OREGON, }
County of Marion, } 22.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.55 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation, & supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be so cased as to prevent the loss of underground water.

The priority date of this permit is June 7, 1954

Actual construction work shall begin on or before September 20, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 20th day of September, 1954

Charles E. Sticklin
STATE ENGINEER

Application No. U-719
Permit No. U-640

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of June 1954 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

September 20, 1954 of
Recorded in book No. 2 U-640
Permits on page

CHARLES E. STICKLIN
STATE ENGINEER

Drainage Basin No. 7 Page 246

Fees Paid