APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

1. Bill EHER	. :
Box 575 (Manthing seasons) , country of Umatila	,
ate of, do hereby make application for a permit to appropriate blowing described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	the
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water developmen	+ ic
trusted East Birch Creek. (Name of stream)	16 69
(Name of stream) tributary of Umatille Riv	··
*	
2. The amount of water which the applicant intends to apply to beneficial use is	
3. The use to which the water is to be applied is Description Specific as	₩ €
irrigated posture of alfalfo-	
4. The well or other source is located 1420 ft. N and 1610 ft. E from the St	W
(N or 8.) (N or 8.) (N or 8.) (N or 8.)	
orner of Section 16 (Section or subdivision)	
Wall is in the NE Quarter of the SW (18 preferable, give distance and bearing to section corner)	
Quarter of Sec. 16 (If there is more than one well, each must be described. Use separate sheet if necessary)	
eing within the SU Quarter of Sec. 16. Twp. 15 R 32	~
	<u> </u>
V. M. in the county of Umatiffa-	
5. The to be (Canal or pipe line)	diles
n length terminating in the	
Committee legal surdivision. W. M., the proposed location being shown throughout on the accompanying mair.	
the property was the wind the will be the accompanying may.	,
6. The name of the well or other works is Bilk Etter Drilled webl	' ~
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation, of supply when not in use must be described.	7 ; 1
Not Antesian.	
8. The development will consist of ONE Drilled well timels etc.	ਅਵ ਫ
diameter of 6 inches and an estimated depth of 265 feet.	
28' 5. L P.L. 110' @ 150 gpm	
Overhead Sprink Len System to be use 23 heads. 15 H.P. Line shaft Tubine Pamp	
23 hoods ISHP 1 1 1 1 Th	~
~ MULLS. IS II.I. LINGSHOTT LABINE PAMP	•

1 1 /	A. fat Olm		ds point of	conditatere materially changed t	n size, stating miles fr				
				ine)	`				
					•				
	thousand feet.								
	(b) At	mil	es from hea	dgete: width on top (at water lin	e)				
	********	feet; width on b	ottom	jeet; depth of water	f				
	grade feet fall per one thousand feet.								
	(c) Length	of pipe,	ft.;	size at intake,in.;	in size at				
	from instalce	isı.; si	ze at place	of usein.; differ	ence in elevation betu				
	intake and place	of use,		Is grade uniform?	Estimated capa				
		sec. ft.							
	. 10. If pum	ps are to be used, g	rive size and	type					
			, ,						
	Cina haman		motor or on	gine to be used					
	Give norse	power and type of	motor or en	give to be used					
	11. If the language of the difference in	location of the well or stream channel, elevation between	, tunnel, or , give the d the stream	other development work is less the istance to the nearest point on the bed and the ground surface at the standard surface at t	nan one-fourth mile fr each of such channels he source of develop				
	11. If the inatural stream of the difference in Stream	location of the well or stream channel, elevation between L'S. farth	tunnel, or give the d the stream	other development work is less this istance to the nearest point on e bed and the ground surface at the surface	nan one-fourth mile fre each of such channels he source of develop				
	11. If the inatural stream of the difference in Stream	location of the well or stream channel, elevation between L'S. farth	tunnel, or give the d the stream	other development work is less the istance to the nearest point on each bed and the ground surface at t	nan one-fourth mile fro each of such channels he source of develops				
	11. If the inatural stream of the difference in Stream.	location of the well or stream channel, elevation between is for the well on of area to be in Range	tunnel, or give the d the stream	other development work is less this istance to the nearest point on e bed and the ground surface at the surface at the surface of use	nan one-fourth mile from the source of development of the source of				
	11. If the natural stream of the difference in MeLL. Signal 12. Location 12. Location 13. November 14.	location of the well or stream channel, elevation between is for the well on of area to be in will amore to be in the well and the well amore will amore to be in the well amore will amore to the will amore to the will amore to the well amore amore to the	tunnel, or give the d the stream	other development work is less this istance to the nearest point on e bed and the ground surface at the surface at the surface of use	Number Acres To Be Irrigated				
	11. If the natural stream of the difference in McL. S. f.	location of the well or stream channel, elevation between is for the well on of area to be in willamette Meridian is a second of the well area to be in the will among the well area to be in the well among the well am	tunnel, or give the dethe stream	other development work is less this stance to the nearest point on e bed and the ground surface at the stance of t	Number Acres To Be Irrigated				
	11. If the natural stream of the difference in McL. S. Freen. 12. Location N. or 6.	location of the well or stream channel, elevation between is for the well on of area to be in will amore to be in the well and the well amore will amore to be in the well amore will amore to the will amore to the will amore to the well amore amore to the	tunnel, or give the d the stream	other development work is less this stance to the nearest point on e bed and the ground surface at the stance of the stance of use NEQuarter of SWG.	Number Acres To Be Irrigated 30 (Total				
	11. If the natural stream of the difference in McL. S. f.	location of the well or stream channel, elevation between is for the well on of area to be in will amount to Meridian in the well amount to the well amount to the well are well amount to the well are well amount to the well	tunnel, or give the d the stream rigated, or p	other development work is less the istance to the nearest point on each and the ground surface at the surface at the surface of the surface of use Porty-acre Tract NEQuarter of SWOM SE Quarter of SWOM SE Quarter of SWOM	Number Acres To Be Irrigated 30 (Total				
	11. If the natural stream of the difference in McL. S. Freen. 12. Location N. or 6.	location of the well or stream channel, elevation between is for the well on of area to be in will amount to Meridian in the well amount to the well amount to the well are well amount to the well are well amount to the well	tunnel, or give the d the stream rigated, or p	other development work is less this stance to the nearest point on e bed and the ground surface at the surface of the surface of the surface of use Porty-acre Tract NEQuarter of SWOM NWOwarter of SEQuarter of SEQUAREST SEQUENTIAL SEQUENTIA	Number Acres To Be Irrigated 30. (Total				
	11. If the natural stream of the difference in McL. S. Freen. 12. Location N. or 6.	location of the well or stream channel, elevation between is for the well on of area to be in will amount to Meridian in the well amount to the well amount to the well are well amount to the well are well amount to the well	tunnel, or give the d the stream rigated, or p	other development work is less this stance to the nearest point on e bed and the ground surface at the surface of the surface of the surface of use Porty-acre Tract NEQuarter of SWOM NWOwarter of SEQuarter of SEQUAREST SEQUENTIAL SEQUENTIA	Number Acres To Be Irrigated 30 (Total				
	11. If the natural stream of the difference in McL. S. Freen. 12. Location N. or 6.	location of the well or stream channel, elevation between is for the well on of area to be in will amount to Meridian in the well amount to the well amount to the well are well amount to the well are well amount to the well	tunnel, or give the d the stream rigated, or p	other development work is less this stance to the nearest point on e bed and the ground surface at the surface of the surface of the surface of use Porty-acre Tract NEQuarter of SWOM NWOwarter of SEQuarter of SEQUAREST SEQUENTIAL SEQUENTIA	Number Acres To Be Irrigated 30 (Total				
	11. If the natural stream of the difference in McL. S. Freen. 12. Location N. or 6.	location of the well or stream channel, elevation between is for the well on of area to be in will amount to Meridian in the well amount to the well amount to the well are well amount to the well are well amount to the well	tunnel, or give the d the stream rigated, or p	other development work is less this stance to the nearest point on e bed and the ground surface at the surface of the surface of the surface of use Porty-acre Tract NEQuarter of SWOM NWOwarter of SEQuarter of SEQUAREST SEQUENTIAL SEQUENTIA	Number Acres To Be Irrigated 30 (Total				
	11. If the natural stream of the difference in McL. S. Freen. 12. Location N. or 6.	location of the well or stream channel, elevation between is for the well on of area to be in will amount to Meridian in the well amount to the well amount to the well are well amount to the well are well amount to the well	tunnel, or give the d the stream rigated, or p	other development work is less this stance to the nearest point on e bed and the ground surface at the surface of the surface of the surface of use Porty-acre Tract NEQuarter of SWOM NWOwarter of SEQuarter of SEQUAREST SEQUENTIAL SEQUENTIA	Number Acres To Be Irrigated 30 (Total				
	11. If the natural stream of the difference in McL. S. Freen. 12. Location N. or 6.	location of the well or stream channel, elevation between is for the well on of area to be in will amount to Meridian in the well amount to the well amount to the well are well amount to the well are well amount to the well	tunnel, or give the d the stream rigated, or p	other development work is less this stance to the nearest point on e bed and the ground surface at the surface of the surface of the surface of use Porty-acre Tract NEQuarter of SWOM NWOwarter of SEQuarter of SEQUAREST SEQUENTIAL SEQUENTIA	Number Acres To Be Irrigated 30 (Total				

STATE ENGINEFIE

N. Bulgarasi car			Lat. 500			
18. Construction		· .		1954	· · · · · · · · · · · · · · · · · · ·	
II. Construction :			_		934	
17. The souter will 3 A. in Fall	be completed	y applied to t	he proposed w	ne on or before	Septem 1955	ber I,
			•	ll lite	رم: (Applicant)	•••••
				* ********************	· · · · · · · · · · · · · · · · · · ·	· • • • • • • • • • • • • • • • • • • •
Remarks:	n hillerage war to hald a r Piller e basic a	un Tiak d skippe ad Rippe a guinn à a bac	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		······································	
This three with our wash delives or was pages only a self sel	**************************************	**************************************	2000 - 1000 - 1000 - 1000 - 1000 - 1000			••••··································
., , , , , , , , , , , , , , , , , , ,	90-00 a f v 18/10 was w n 8 es was a a de a	************				·····

***************************************	***************************************	•••••••••••		•		
· · · · · · · · · · · · · · · · · · ·				······································	······································	
			••••••••			
		•	••••	••••••	•••••••••••	
			······································		•••••••••••••••••••••••••••••••••••••••	• • • •
ATE OF OREGON, County of Marion,	ss.					
This is to certify	that I have ex	camined the f	oregoing appl	ication, togeth	er with the acco	ompanyin
ps and data, and retu	rn the same fo					
				•••••••••••••••••••••••••••••••••••••••		
······································		······································	·····	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
In order to retain	its priority, t	his application	n must be reta	urned to the S	t ate Engin eer, w	ith correc

Country of Market

This is to certify that I have examined the foregoing application and do hereby grant the same, RIPLES AND EXISTING RIGHTS and the following limitations and conditions:

shall not exceed	
Pill Ster Drilled Well The use to which this water is to be applied is irrigation	
The use to which this water is to be applied is irrigation	
The state of the s	
· · · · · · · · · · · · · · · · · · ·	
If for irrigation, this appropriation shall be limited to	!
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3	
acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be still	
further limited to a diversion of not to exceed 0.334 c.f.s.	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.	
The well shall be so cased as to prevent the loss of underground water.	
The priority date of this permit is July 20, 1954	
Actual construction work shall begin on or before September 20, 1955 and she	:11
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 56	
······································	
Complete application of the water to the proposed use shall be made on or before October 1, 1957	
WITNESS my hand this 20th day of September 1954	
GRAVE SILLETIN STATE ENGINEER	· ·
regon, regon, o)	
DER HE HE W. W. M. M. O. W. O. W. M. M. O. W. M.	
Permit No. U-782 Permit No. U-144 PERMIT APPROPRIATE THE UNDER STATE OF OREGON The State Engineer at Salem, Or the State E	
PERMIT PERMIT PERMIT APPROPRIATE THE UNGROUND WATERS OF T STATE OF OREGON STATE OF OREGON STATE OF OREGON 1 STATE OF OREGON 2 O 2. day of U/4 at S: OO o'clock A. at S: OO o'clock A. september 20, 1954 son page Son page Sida a statember 20, 1954 Son page	¥
PERMI No. No. No. No. No. No. No. No. No. No.	
PERN Permit No. PERN APPROPRIATE SROUND WATE STATE OF C The State Engine	
Permit No. Permit No. Permit No. APPROPR APPROPR STATE Instrument the State E Com. day d to applice d to applice and on ho raded in ho raded in ho stan page	
PERMIT TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON This instrument was first received in the STATE OF OREGON This instrument was first received in the State Engineer at Salem, Oregon on the 20th day of Uly 1954, at 3:00 o'clock A. M. September 20, 1954 Recorded an book No. 2 o Permits on page 4: 646	
Pe GR GR Office of the ACO on the ACO Approved Returned a Record Record Permass of the Acoustics of the Action of the ACO on the	

£ 1.6 W