## Permit No. U. B64

## APPLICATION FOR A PERMIT

## To Appropriate the Underground Waters of the State of Oregon

PHILOMATH	
te of ORESON	(Melling address), do hereby make application for a permit to appropriate the
lowing described undergro	ound waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a com	poration, give date and place of incorporation
-,	position, good date and place of incorporation
······································	
1. Give name of neare	est stream to which the well, tunnel or other source of water development is
nated	VER GROEK
	(Name of stream)  tributary of Silver LABR
	<b></b>
Z. The amount of water second.	er which the applicant intends to apply to beneficial use is
•	Tenantia I I I I I I I I I I I I I I I I I I I
	he water is to be applied is TRRIGATION
	ource is located it and ft. from the westy
4. The well or other so	ource is located
	275 RIGE WM.  (Section or subdivision)
mer of Section 1	ELR KIGE WHI
and the second s	(Section or subdivision)
······································	· · · · · · · · · · · · · · · · · · ·
·	(Section or subdivision)  (If preferable, give distance and bearing to section corner)
/. When	(If preferable, give distance and bearing to section corner)
/. When	(If preferable, give distance and bearing to section corner)
eing within the 3. No.	(If preferable, give distance and bearing to section corner)    It professore than one we'll, each must be described. Use separate sheet if necessary)    Of Sec. 13, Twp. 275   R. 16 =
eing within the 3. No.	(If preferable, give distance and bearing to section corner)  Is more than one well, each must be described. Use separate sheet if necessary)  Of Sec. 13, Twp. 275 R. 16 E.  LAKE  1
eing within the 3. No. 1. No.	(If preferable, give distance and bearing to section corner)  Is more than one well, each must be described. Use separate sheet if necessary)  Of Sec. 13. Twp. 275 R. 16 E.  LAKE  1. Miles  1. Miles  1. Miles  1. Miles
ring within the 3. No. 1. No.	(If preferable, give distance and bearing to section corner)  Is more than one well, each must be described. Use separate sheet if necessary)  Of Sec. 13. Twp. 275 R. 16 E.  LAKE  1. Miles  1. Miles  1. Miles  1. Miles
eing within the 3. No. 1. No.	(If preferable, give distance and bearing to section corner)    Section corner    Se
eing within the 3. No. 1. No.	(If preferable, give distance and bearing to section corner)  (If preferable, give distance and give distanc
ing within the 3. No. 1. No. 1	(If preferable, give distance and bearing to section corner)  [13 more than one we'll each must be described. Use separate sheet if necessary)  [14
eing within the 3. No. 1. No.	(If preferable, give distance and bearing to section corner)  (If preferable, give distance and give distanc
eing within the 3.  N.M., in the county of  5. The  length, terminating in the  1. E, W. M., the pro  6. The name of the way.	(If preferable, give distance and bearing to section corner)    Lamore than one well, each must be described. Use separate sheet if necessary)    Of Sec.   3
ing within the 3. No. 1. No. 1	(If preferable, give distance and bearing to section corner)    Lamore than one well, each must be described. Use separate sheet if necessary)    Of Sec.   3
ing within the 3. No. 1. No. 1	(If preferable, give distance and bearing to section corner)    Lamore than one well, each must be described. Use separate sheet if necessary)    Of Sec.   3
eing within the 3.  N.M., in the county of  5. The  length, terminating in the  1. E, W. M., the pro  6. The name of the way.	(If preferable, give distance and bearing to section corner)    Lamore than one well, each must be described. Use separate sheet if necessary)    Of Sec.   3
eing within the 3.  N.M., in the county of  5. The  length, terminating in the  1. E, W. M., the pro  6. The name of the way.	(If preferable, give distance and bearing to section corner)    Lamore than one well, each must be described. Use separate sheet if necessary)    Of Sec.   3
ing within the 3.  N. M., in the county of	(If preferable, give distance and bearing to section corner)    Lamore than one well, each must be described. Use separate sheet if necessary)    Of Sec.   3
ing within the 3. No.  M., in the county of	(If preferable, give distance and bearing to section corner)  Of Sec. 13. Twp. 275 R. 16 E.  Of Sec. 13. Twp. 275 R. 16 E.  Of Sec. 13. Twp. 275 R. 16 E.  Of Sec. 13. Twp. 275  Opposed location being shown throughout on the accompanying map.  Oell or other works is ALBERTSON NOS. 1-2 £ 3.  DESCRIPTION OF WORKS  tilized is artesian, the works to be used for the control and conservation of the second described.  will consist of 3. Albertson having a
ing within the 3.  M., in the county of  5. The  length, terminating in the  M.E., W. M., the pro  6. The name of the way  7. If the flow to be ut apply when not in use must	(If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corner)  (If preferable, give distance and bearing to section corners)  (If preferable, give distance and bearing to section corners)  (If preferable, give distance and bearing to section corners)  (If preferable, give distance and bearing to section corners)  (If preferable, give distance and bearing to section corners)  (If preferable, give distance and bearing to section corners)  (If preferable, give distance and bearing to section corners)  (If preferable, give distance and section of the section of

ite. A <b>i hea</b> i	agaie: wain on up	(at water un	e) 4	feet; width on bot
<b>Z</b>	feet; depth of wate	π <i></i>	feet; grade	feet fall per
ınd feet.				
(b) At	/ mile	es from headg	ate: width on top (at water lir	ne) Approx Sen
	feet; width on b	ottom	feet; depth of water	· 0.5
•••••	jeet fall pe	er one thousar	nd feet.	
(c) Length	of pipe,	ft.; s	ize at intake, in.;	in size at
intake	in.; si	ze at place of	use in.; diffe	rence in elevation betu
e and place	of use,	ft. 1	s grade uniform?	. Estimated capa
	sec. ft.			
10. If pum	ips are to be used, g	rive size and t		
· · · · · · · · · · · · · · · · · · ·			Deep Well +	urbine Type
Give horse	power and type of	motor or engi	ne to be used	
al stream	location of the well or stream channel, elevation between	give the dis	tance to the nearest point on ed and the ground surface at	each of such channels
ral stream ( ifference in	or stream ch <mark>annel</mark> ,	give the dis the stream b	tance to the nearest point on ed and the ground surface at	each of such channels
al stream ( ifference in	or stream channel, elevation between	give the dis the stream b	tance to the nearest point on ed and the ground surface at	each of such channels
al stream of ifference in 12. Locat	ion of area to be ir	give the dis the stream b	tance to the nearest point on ed and the ground surface at	each of such channels the source of develops
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at  ce of use	each of such channels the source of develops  Number Acres To Be Irrigated
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at the gro	Number Acres To Be Irrigated
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at the gro	Number Acres To Be Irrigated  37  38
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at ce of use  Forty-acre Tract  NE NE  NW NE  SW NE	Number Acres To Be Irrigated  37 38
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at  the contract of use  Forty-acre Tract  NE NE  NW NE  SW NE  SE NE	Number Acres To Be Irrigated  37 38 40
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at  the ce of use  Forty-acre Tract  NE NE  NW NE  SE NE  NW SW	Number Acres To Be Irrigated  37 38 40 39
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at  the ce of use  Forty-acre Tract  NE NE  NW NE  SE NE  NW SW	Number Acres To Be Irrigated  37 38 40 39
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at  the ce of use  Forty-acre Tract  NE NE  NW NE  SE NE  NW SW	Number Acres To Be Irrigated  37 38 40 39
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at  the ce of use  Forty-acre Tract  NE NE  NW NE  SE NE  NW SW	Number Acres To Be Irrigated  37 38 40 39
ral stream ifference in 12. Locat	ion of area to be ir	rigated, or pla	tance to the nearest point on ed and the ground surface at  the ce of use  Forty-acre Tract  NE NE  NW NE  SE NE  NW SW	Number Acres To Be Irrigated  37 38 40 39

Change of	some a present population of
en estimated population of	
14. Estimated cost of proposed wer	
15. Construction work will begin on	or before a fact - 75.7
16. Construction work will be comp	Neted on or before 4 2221 - 1258
17. The water will be completely as	pplied to the proposed use on or before 1. 1958
	***************************************
	Do allerta
•	X LL , CALLUMAN
Remarks:	
•	
····	
	•
	•
ATE OF OREGON,	
County of Marion,	
This is to certify that I have exami	ined the foregoing application, together with the accompany
ps and data, and return the same for	
,	
	-
In order to retain its priority, this	application must be returned to the State Engineer, with corr
us on or before	

STATE ENGINEER

## PERMIT

County of Marion,

This is to certify that I have exemined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and						
				ured at the point of diversion from the well or		
powrce of a	appropriation, or its	requivalent in case of t	rotation u	oith other water users, from Albertson		
Folls Mo	xe. 1, 2 and 3		•··••			
The	use to which this	water is to be applied	is	irrigation		
				1/80 of one cubic foot per second		
or its equi	ivalent for each act	re irrigated and shall l	be further	limited to a diversion of not to exceed 3		
icre feet j	per acre for each a	cre irrigated during th	re irrigat	on season of each year;		
•••	•••••••••••••••••••••••••••••••••••••••		• ••••			
	······································		••••			
••••••••••••	······································	·				
••••••	•••••••••••••••••••••••••••••••••••••••		•••••			
			*****			
**************			•••••			
			*****			
				ay be ordered by the proper state officer.		
		used as to prevent the				
		ork shall begin on or b		lenember 20 1055		
				completed on or before October 1, 1956		
· · · · · · · · · · · · · · · · · · ·				completed on or before October 1, 1929		
Con	nplete application (	of the water to the pro	mosed use	shall be made on or before October 1, 19 <b>57</b>		
		······································	·····•			
WI:	TNESS my hand th	ris 20th day of	Dec	, 195h		
				Lewis a. Stanley		
				STATE ENGINEER		
		n the egon		fo £		
4 1	UNDER THE N	ived in G		ENGIN		
7,		Sale So		- 20 - 20 - 30 - 30 - 30 - 30 - 30 - 30 - 30 - 3		
5 7	ERMIT RIATE THE WATERS OF	Aug.		C - 7		
Application No.	PERMIT PRIATE TO WATERS TE OF ORB	nent was first receive the Engineer at Salem day of August	ant:	book No.  STANI.  3/.45		
Application Permit No.	PI APPROPH GROUND V	State da	pplic	in bo		
App Per	PERM TO APPROPRIATE GROUND WATE	This instrument was first received ce of the State Engineer at Salem, Othe 23 Eday of August  K, at K.IK o'clock P. M.	d to a	proved:  December 20. 1  Recorded in book No.  mits on page  LEFTS A. STANLET  paid # 31.45		
	2	This instrument was first received in the office of the State Engineer at Salem, Oregon on the 23 Eday of August  1954, at 4.34 o'clock R. M.	Returned to applicant:	Approved: Deceming on page LENIS A LENIS A		
1		1 2 2 3 1	<u> </u>	Z 2 3		