Permit No. U- 670)

APPLICATION FOR A PERMIT

To Appropriate the Underground Waters of the State of Oregon

-	0-3	(Name of applicant)
f	Salem, Oregon	eddres), county of Marion,
tate of	Oregon	, do hereby make application for a permit to appropriate the
ollowing de	scribed underground wat	ers of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the	applicant is a corporation	, give date and place of incorporation
1. G i	ve name of nearest strea	m to which the well, tunnel or other source of water development is
ituated	Umatilla River	
		(Name of stream) tributary of Columbia River
2. Th feet per seco		the applicant intends to apply to beneficial use is2cubic
3. T)		r is to be applied isdomestic use for Eastern Oregon State of Pendleton, Oregon
4. T	he well or other source is	located 800 ft. S and 1450 ft. W from the
corner o jks	common to sections 3	(Section or subdivision)
·•····································	(U p	referable, give distance and bearing to section corner)
being with		an one well, each must be described. Use separate sheet if necessary) No. 2 N R. 32 E
W. M., in t	he county of Umatill	La.
	•	to city main to be miles
in length, t	terminating in the	(Smallest legal subdivision) of Sec. , Twp.
		location being shown throughout on the accompanying map.
6. T	The name of the well or o	ther works is Pendleton Hospital Deep Well
		DESCRIPTION OF WORKS
	f the flow to be utilized in en not in use must be des	s artesian, the works to be used for the control and conservation of the scribed.
	Wa	ll is not artesian
	The development will co	nsist of
		id an estimated depth of852 feet.
din	of 12 imphas	nd an estimated denth of 934 test

	imensions et e	E ack point of ce	mal where materially change	ed in size, stating mi
eadgate. At headg			not applicable	
			feet; grade	
housand feet.				
(b) Atnot	applicable	iles from heads	gate: width on top (at water	line)
	feet; width on	bottom	feet; depth of wa	ter
7rade	feet fall	per one thousas	nd feet.	
(c) Length o	f pipe,	137 ft.; s	tize at intake, 10 i	n.; in size at N.I
rom intake	N.A. in.;	size at place of	use 10 in.; di	ference in elevation
ntake and place of	use,	5 ft. I	s grade uniform? No	Estimated
2.3	sec. ft.		0	
10. If pumps	are to be used,	520 give size and t	O g.p.m. ype Fairbanks-Morse 1	1 stage 12", wit
of column	plus 9'-9" o	of bowls plus	s 20' of suction pipe.	
Give horsepo	nver and type o	of motor or engi	ine to be used 125 H.	P., 440-V, 3 ph.
60	cy., electr	ric motor.		•
natural stream or the difference in el	levation betwee	el, give the dis en the stream b	ther development work is less tance to the nearest point of the ded and the ground surface of the stills River which is a the well.	n each of such charact the source of dev
natural stream or the difference in el	the ground s	el, give the disen the stream be feet to Uma	stance to the nearest point of sed and the ground surface of atilla River which is a	n each of such char at the source of dev 22 feet below
natural stream or the difference in el	the ground s	el, give the disen the stream be feet to Uma	stance to the nearest point of sed and the ground surface of atilla River which is a	n each of such char it the source of dev 22 feet below
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of the well.	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char it the source of dev 22 feet below Licable. Number Acre
natural stream or the difference in el 12. Location Township N. or S.	the ground s of area to be i	el, give the disen the stream b feet to Umi surface at the	stance to the nearest point of sed and the ground surface of atilla River which is a see well. Torty-acre Tract	n each of such char at the source of dev 22 feet below licable.

(Paris) (II)	y, having a present population of12,000
estimated population of131	000 ta 18 60
14. Estimated cost of proposed	works, \$ 35,000.00
15. Construction work will begin	a on or before October 7, 1953
16. Construction work will be co	ompleted on or before December, 1954
	ly applied to the proposed use on or before Summer, 1955
	Organia 100 P 110
	(Buggerer of multimet)
	by by thele
	Secreta
Remarks:	••••••
•••••••••••••••••••••••••••••••••••••••	
	•
······································	
	•
E OF OREGON,	
unty of Marion,)	
This is to certify that I have ex	ramined the foregoing application, together with the accompanying.
and data, and return the same fo	or :
	this application must be returned to the State Engineer, with corre
on or before	
TY A A A I EN LINE TIME THE BUTCH AND A SECOND OF THE SECO	

County of Marion,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:							
T	he right herein gra	ented is limited to the c	imount of w	eater which can be applied to bene	ficial use and		
shall not	exceed 2.0	cubic feet per i	econd meas	nired at the point of diversion from	m the mell or		
source of	appropriation, or	its equivalent in case o	of rotation u	vith other water users, from Pand	leten		
	al Doop Well				re folt		
			4	\ A 4			
Homit.	municip	al use in	d is/	entional BBH: usein.EasternOregons	State		
	al and/City of						
If.	for irrigation, this	appropriation shall be	limited to.	of one cubic foc	ot per second		
or its equ	uivalent for each o	icre irrigated and shal	l be further	limited to a diversion of not to exc	cced		
				on season of each year;			
			·	e, cacir gear,	***************************************		
				······································			
***************************************	•••••••••••••••••••••••••••••••••••••••	·····			************		
· ···			••••••	· ······			
			••••••				
• • • • • • • • • • • • • • • • • • • •							
and shall	be subject to such	reasonable rotation »	ustem as ma	ay be ordered by the proper state	* ******* * * ** ** * * * * * * * * *		
					officer.		
		cased as to prevent the					
		his permit is					
Ac	tual construction i	vork shall begin on or l	before	December 20, 1955	and shall		
thereafte	r be prosecuted u	oith reasonable diligen	ice and be	completed on or before October	1, 19 56		
· · · · · · · · · · · · · · · · · · ·	***************************************		·······•				
Con	nplete application	of the water to the pr	oposed use s	shall be made on or before October			
**** ** ** ** ***				muit de mude on or dejore October	7 1, 19 57		
wi	TNESS my hand t	L: 20th	 Do o o	-			
***	iness my nana i	nisaay of	Dece	1954			
			**********	Seurs A. Stauley	E ENGINEER		
Ŋ		ر د د ده ۱۱		·			
		in the		of			
: :	UNDER THE N	i, Or M.					
670	UNDE F THE ON	alem alem		2 C			
	VIT E THE U ERS OF '	at S fot A		. In the state of	_		
7 7	RMIT ATE THATES ATERS			199 (3		
	PERM PRIATE D WATER TE OF OF	t was fi Enginee of A	::	20, 1954 k No. U- G'	Lantin C		
Permit No.	PERN TO APPROPRIATE GROUND WATE STATE OF C	This instrument was first received in the instrument was first received in the interpolation of the interpolation	hurned to applicant	▼ 000q	72, 1		
erm erm	APPROP GROUND STATI	8 2 S	ds o	combo ed in bo page	**		
	¥ 0.	is is .	i p	proved: Decemb Recorded in Mits on page	-3		
	F	The The	r te		+		
i		th 8 %	8	App.	3		