

EXISTING WELL #1

P.O.A. #1

39S/10E/966

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

KLAMATH LOS93

(START CARD) # 36258

(1) OWNER: Well Number Name Travis Wilson

Address P.O. Box 7672 City Klamath Falls State Or. Zip 97602

(2) TYPE OF WORK: [X] New Well [] Deepen [] Recondition [] Abandon

(3) DRILL METHOD: [X] Rotary Air [] Rotary Mud [] Cable [] Other

(4) PROPOSED USE: [X] Domestic [] Community [] Industrial [] Irrigation [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [] Yes [X] No Depth of Completed Well 543 ft. Explosives used [] Yes [X] No Type Amount

Table with columns: HOLE Diameter, From, To, SEAL Material, From, To, Amount sacks or pounds. Row 1: 10", 0, 38, Cement, 0, 38, 9 Sacks. Row 2: 6", 38, 543.

How was seal placed: Method [] A [] B [X] C [] D [] E [] Other

Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 6", +1, -39, .250, [X], [], [X], [].

Final location of shoe(s)

(7) PERFORATIONS/SCREENS: [] Perforations Method [] Screens Type Material

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner.

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Pump, Bailer, Air, Flowing Artesian, Yield gal/min, Drawdown, Drill stem at, Time. Row 1: 30 GPM, 300', 1 hr.

Temperature of Water 60 Depth Artesian Flow Found Was a water analysis done? [] Yes By whom Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other Depth of strata:

(9) LOCATION OF WELL by legal description: County Klamath Latitude Longitude

Township 39S N or S. Range 10E E or W. WM. Section 9 NW 1/4 NW 1/4 Tax Lot 900 Lot Block Subdivision Street Address of Well (or nearest address) Pine Grove, Seutter Place/Quail Ln., Klamath Falls

(10) STATIC WATER LEVEL: 160 ft. below land surface. Date 9/16/92 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 375'

Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 375', 543', 70 GPMS, 160'

(12) WELL LOG: Ground elevation

Table with columns: Material, From, To, SWL. Rows: Soil (0-1), Yellow Clay (1-22), Blue Clay (22-421), Grey Rock (421-422), Blue Clay (422-430), Black Sandstone (430-438), Black Sandstone & Blue Clay (438-543).

Date started 9/15/92 Completed 9/16/92

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed [Signature] WWC Number 1452 Date 9/22/92

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WWC Number 693 Date 9/22/92

T 11156

EXISTING WELL # 2
 PROPOSED P.O.A. # 2

KLAM 57230

STATE OF OREGON
 WATER SUPPLY WELL REPORT
 (as required by ORS 537.765 & OAR 690-205-0210)

KLAM 57230

12-04-2009

Page 1 of 2

WELL LABEL # L 100677

START CARD # 1008879

(1) LAND OWNER Owner Well I.D. _____

First Name J. MICHAEL & SHARON Last Name BAILEY
 Company _____
 Address 217 VINE ST.
 City MURRY State UT Zip 84107

(2) TYPE OF WORK New Well Deepening Conversion
 Alteration (repair/recondition) Abandonment

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud
 Reverse Rotary Other _____

(4) PROPOSED USE Domestic Irrigation Community

Industrial/ Commercial Livestock Dewatering
 Thermal Injection Other _____

(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)

Depth of Completed Well 461.00 ft.

BORE HOLE			SEAL			sacks/	
Dia	From	To	Material	From	To	Ant	Lbs
10	0	168	Bentonite Chips	0	38	17	S
6	168	461	Cement	38	168	34	S

How was seal placed: Method A B C D E

Other Bent. poured dry

Backfill placed from _____ ft to _____ ft. Material _____

Filter pack from _____ ft. to _____ ft. Material _____ Size _____

Explosives used: Yes Type _____ Amount _____

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6	<input checked="" type="checkbox"/>	2	171	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Shoe Inside Outside Other Location of shoe(s) 171

Temp casing Yes Dia _____ From _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method _____

Screens Type _____ Material _____

Perf/S	Casing/	Screen	Scr/slot	Slot	# of	Tele/
creen	Liner	Dia	width	length	slots	pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
20		270	1

Temperature 61 °F Lab analysis Yes By _____

Water quality concerns? Yes (describe below)

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County Klamath Twp 39.00 S N/S Range 10.00 E E/W WM
 Sec 9 NE 1/4 of the NW 1/4 Tax Lot 901
 Tax Map Number _____ Lot _____
 Lat _____ " or _____ DMS or DD
 Long _____ " or _____ DMS or DD
 Street address of well Nearest address

NEXT TO 3114 PINE GROVE RD. KLAMATH FALLS, OR 97603

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Predeepening				
Completed Well	12-02-2009			152

Flowing Artesian? Dry Hole?

WATER BEARING ZONES Depth water was first found 125

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
11-30-2009	125	162	18			65
12-02-2009	326	402	40			152

(11) WELL LOG

Ground Elevation 4,150

Material	From	To
Top Soil	0	2
Brown Sand & Sandstone	2	15
Brown Clay	15	39
Gray Clay	39	125
Gray Clay with Streaks of Black Sand & Sandstone	125	162
Gray Clay	162	326
Gray Clay with Streaks of Black Sand & Sandstone	326	402
Gray Clay	402	461

RECEIVED

NOV 17 2010

WATER RESOURCES DEPT
 SALEM OREGON

Date Started 11-30-2009 Completed 12-02-2009

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1560 Date 12-04-2009

Electronically Filed

Signed JAMES B PINKARD (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 777 Date 12-04-2009

Electronically Filed

Signed STEPHEN R HUGHES (E-filed)

Contact Info (optional)

ORIGINAL - WATER RESOURCES DEPARTMENT
 THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK

Form Version: 0.95

T 11156

REVISED 4-23-07

THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSE ONLY

NW1/4NE1/4 SEC. 09 T.39S. R.10E. W.M.
KLAMATH COUNTY

39 10 09AB

1/4 COR.
4
9

1/16 COR.
R2

SEE MAP 39 10

CANCELLED NO. 501

SEE MAP 39 10 9AA



SEE MAP 39 10 09BA

1/16 COR.

39 10 09AB

SEE MAP 39 10 09AC

RECEIVED

NOV 17 2007

WATER RESOURCES DEPT
SALEM, OREGON

T 11156