The original and first copy of this report ECE VAFFE WELL REPORT UMA

WATER RESOURCES DEPARTMENT. DEC 14 1978 TATE OF OREGON SALEM, OREGON 97310
within 30 days from the dat ATER RESOURCES nDEPTE above this line)

HALESWELL # 8 State Well No. 3N/29E-746	id
State Permit No.	

		-	., OB	نق رائد م
SA	LEM.	0	DEC	ON

(1) OWNER: 7 7 1 1 2 7	(10) LOCATION OF WELL:	4 40 0
Name COOK BROS. CIRCLE C RANCH	County HMATILLA Driller's well no	umber 024-48
Address PR	3F 14NW 1/4 Section 14 T. 3N	R. 29 E, W.M.
ECHO, OF GON	Bearing and distance from section or subdivisi	on corner
(2) TYPE OF WORK (check):		
New Well Deepening Reconditioning Abandon		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	28 st.
Rotary Driven Domestic Industrial Municipal Domestic	Static level 95 ft. below land s	surface. Date //- 30-78
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar	e inch. Date
CASING INSTALLED: Threaded Welded 15 th Gage 4250	· · · · · · · · · · · · · · · · · · ·	below casing DELOW
" Diam. from	Depth drilled 1492 ft. Depth of compl	eted well 1492 ft.
	Formation: Describe color, texture, grain size	and structure of materials;
PERFORATIONS: Perforated? Yes & No.	and show thickness and nature of each stratu with at least one entry for each change of forma position of Static Water Level and indicate prin	tion. Report each change in
Type of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	Silt Soil	101
perforations from ft. to ft.	CLAV. GRAVEL	6 43
perforations from ft. to ft.	BROWN BASALT	43 80
perforations fromft. toft.	-HARO GREY "	80 128
(E) SCREENS	SOFT " "	128 145 water
(7) SCREENS: Well screen installed? Yes No	HARO "	145 188
Manufacturer's Name	MED. "	88 238
Type Model No Diam Slot size Set from ft. to ft.	SAFE BROWN	238 265
Diam. Slot size Set from ft. to ft.	SOFF BROWN "	265 290 water
	BLOKEN BROWN "	3.85 402 notes
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	HARD GREY "	402 695
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	BROKEN GREY "	695 136 Water
Yield: gal./min. with ft. drawdown after hrs.	HARO ""	736 1012
EST 2000 GPM AIR WET "	BRIKEN RED "	1012 1018
" " " " " " " " " " " " " " " " " " "	MED. GREY "	1018 1392
Bailer test gal./min. with ft. drawdown after hrs.	SOFT RED "	1392 1408 water
Artesian flow g.p.m.	MED GREY "	1408 1492
erature of water Depth artesian flow encountered ft.	Work started //- 13 19 78 Complete	ed 12-11 1978
(9) CONSTRUCTION:	Date well drilling machine moved off of well	12-11 1978
Well seal-Material used NEAT CEMENT	Drilling Machine Operator's Certification:	•
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	
Diameter of well bore to bottom of sealin.	best knowledge to belie.	above are true to my
Diameter of well bore below sealin.	[Signed]	Date 12-11, 1978
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator) Drilling Machine Operator's License No.	886
How was cement grout placed?	Dining Machine Operator's Intense No.	
***************************************	Water Well Contractor's Certification:	
The state of the s	This well was drilled under my jurisditude to the best of my knowledge and bel	
Was a drive shoe used? 🗌 Yes 🕳 No Plugs Size: Indat by 🗔	Name WALLACE WELL	ERIBHING
Did any strata contain unusable water? Yes No	(Person firm or corporation)	(Type or print)
Type of water? depth of strata APR 2 9 2011	Address	
Method of sealing strata off	[Signed] Carellale	
Was well gravel packed? Yes PNo Size of gravel HESOURCES D	(Water Well Contr	actor)
Gravel placed from SALEM, OREGON	Contractor's License No. 385 Date	12-11 , 19 78

MENDED WELL LOG NGTICE TO WATER WELL CONTRACT

The original and first copy of this appare to be filed with the WATER RESOURCES DEPARTMINAR 1 9 1979 STATE OF OREGON SALEM, OREGON 97310 (Please type or print) within 30 days from the date of well complete ATER RESOURCES DEFINE write above this line) State Permit No. ____ SALEM OREGON (10) LOCATION OF WELL: (1) OWNER County UMATILLA Driller's well number 06-19 Name Address (2) TYPE OF Reconditioning Abandon New Well [Deepening [] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven 🗋 Rotary Domestic 🔲 Industrial 🗎 Municipal 🗍 Static level ft, below land surface. Date Cable Jetted 🔲 Bored | Irrigation X Test Well

Other Dug Artesian pressure lbs. per square inch. Date 585 CASING INSTALLED: Threaded [7] Welded [7] (12)Diameter of well below casing " Diam. from _____ ft. to ____ ft. Gage Depth drilled ft. Depth of completed well ." Diam. from ft. to ft. Gage . Formation: Describe color, texture, grain size and structure of materials: _" Diam. from ft. to ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? Yes No. MATERIAL Type of perforator used Size of perforations in. by perforations from perforations from perforations from (7) SCREENS: Well screen installed? | Yes | No Manufacturer's Name Model No. . Slot size . Set from ... Set from ... Drawdown is amount water level is lowered below static level (8) WELL TESTS: LAYNE YOU Was a pump test made? Yes \(\subseteq \text{No If yes, by whom?} \) gal./min. with Yield: ft. drawdown after hrs. APR 2 9 2011 WATER RESOURCES DEP Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Completed erature of water Depth artesian flow encountered ft. Work started Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: This well was constructed under my direct supervision.

Materials used and information reported above are true to my best knowledge and felief Well seal-Material used . Well sealed from land surface to Diameter of well bore to bottom of seal Diameter of well bore below sealin. [Signed] ... Number of sacks of cement used in well seal Drilling Machine Operator's License No. How was cement grout placed? Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Contractor's License No.

..... Size: location ...

depth of strata

Method of sealing strata off

Type of water?

Was a drive shoe used? 🗌 Yes 🗌 No Plugs

Gravel placed from ft. to

Did any strata contain unusable water? 🗌 Yes 📋 No

Was well gravel packed? [Yes [No Size of gravel:

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WELL REPORT FILED Ditchen #1

ı				_
į	-		I man ma t	ı
			1 'S' V4/ \xs	_
	State	Well Not 31	30E-300	ς
			CLLDD	-
			717~UUUUU	

WATER RESOURCES DEPARTMENT, UMAT SALEM, OREGON 97310 within 30 days from the date of well completion.

	SOLEM ORECOM
(1) OWNER:	(10) LOCATION OF WELL:
Name KOBERT PETRIK	County UMATILLA Driller's well number 01-78
Address RT#2 Box 20	*WHE 4 SW 14 Section 30 T. 3N R. 30E, W.M.
FOHO, OREGON	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotary Driven Domestic Industrial Municipal	Static level 200 ft. below land surface. Date /- //- 72
Dug Bored Irrigation Frest Well Other	Artesian pressure lbs. per square inch. Date
S. CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
" Diam. from ft. to ft. Gage	Depth drilled 1086 ft. Depth of completed well 1086 ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated.
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	DEEPENING FROM 892 Fr.
perforations fromtt. tott.	Series Control of the
perforations from ft. to ft.	CUTTINGS FROM 811 832
perforations from ft. to ft.	MED. GREY BASALT 832 870
(E) CODERNO.	BROKEN KED " 870 893
(7) SCREENS: Well screen installed? Yes No	BROKEN GREY " 893 905
Manufacturer's Name	HARD " " 905 915
Diam. Slot size Set from ft. to ft.	BROKEN LEO 9/3 9/0 Water
Diam. Slot size Set from ft, to ft.	GPEY " 1001 1020
	HARD GREY " 1020 1058
(8) WELL TESTS: Drawdown is amount water level is lewered below static level	DONNEY PED II INTO INSA WELL
Was a pump test made? Wes No If yes, by whom?	HARO GREY " 1080 1086
yad:/580 gal./min. with 9 ft. drawdown after 3 hrs.	
, , , , , , , , , , , , , , , , , , , ,	
<i>n</i>	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started -// 19 78 Completed -/5 19 78
(9) CONSTRUCTION:	Date well drilling machine moved off of well 1-15 1978
Well seal—Material used	Drilling Machine Operator's Certification:
	This well was constructed under my direct supervision.
Diameter of well bore to bottom of seal	Materials used and information reported above are true to my best knowledge and relief.
Well sealed from land surface to Diameter of well bore to bottom of seal Diameter of well bore below seal Diameter of well bore below seal	[Signed] AMICALLANDate 2-2 1978
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)
How was cement grout placed?	Drilling Machine Operator's License No.
WATER RECOURSES	Water Well Contractor's Certification:
WATER RESOURCES DEPT	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? Yes No Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water? Yes No	Name (Rerson firm or corporation) (Type or print)
Type of water? depth of strata	Address FENDETTON ORE, 9786/
Method of sealing strata off	Section 1
Was well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed fromft. toft.	Contractor's License No. 583 Date 2-2 , 1978
with the state of	I

NOTICE TO WATER WELL CONTRACTOR
The original and first copy

within 30 days from the date of well completion.

T 11239

of this report are to be filed with the

WATER WELL REPORT

(Please type or print)

DEC - 2 1975 (Do not write above this line)



Ditchew #1.
State Well No. 3N/30E-30d

S	tate	Permit	No.	***************************************
---	------	--------	-----	---

WATER RESOURCES DEPT.	(10) TOGARION OF THE	
(1) UWNER: CALEM OREGON	(10) LOCATION OF WELL:	
Name Lover Tellick	County Umatilla Driller's well number	
Address Rt7	14 SE 14 Section 30 T. 3 N. R. 30 E.	W.M.
Echo, Osegon 97826	Bearing and distance from section or subdivision corner	<u> </u>
(2) TYPE OF WORK (check):		
New Well Deepening Reconditioning Abandon	3	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	<u> </u>	
Rotary Driven Domestic Industrial Municipal	Depth at which water was first found	
Cable 1 Jetted 1	Static level 250 ft. below land surface. Date //-	7-7-
Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date	
S) CASING INSTALLED: Threaded Welded	(19) WELL LOC.	
"Diam. from	(12) WELL LOG: Diameter of well below casing	
"Diam. from ft. to ft. Gage	Depth drilled ft. Depth of completed well \$3.	5 ft.
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of mate	
2000 1000 1000	and show thickness and nature of each stratum and aquifer penetr with at least one entry for each change of formation. Report each chan	
PERFORATIONS: Perforated?	position of Static Water Level and indicate principal water-bearing s	
Type of perforator used	MATERIAL From To S	WL
Size of perforations in. by in.	Regining week	
	1 69 4 12 11	
perforations fromft. toft.	The Office to laid	
perforations fromft. toft.	7/1 700 W C10	
perforations from ft. to ft.		 -
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		
Type Model No		
Diam. Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
It. W	- · · · · · · · · · · · · · · · · · · ·	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Kyes \(\subseteq No \) If yes, by whom? farmore.	RECEIVED	
d: 540 gal./min. with 230 ft. drawdown after 7/2 hrs.	ΔPR 2.9. 2011	=
n H H	- MIN DU CUII	
п п н	WATER RESOURCES DEPT	
Bailer test gal./min. with ft. drawdown after hrs.	SALEM, OREGON	
esian flow g.p.m.	WALEM, UNCOUN -	
	Work started /A 30 1945 Completed //- 7 1	-12
perature of water Depth artesian flow encountered ft.		1975
(9) CONSTRUCTION:	Date well drilling machine moved off of well /1-3	<u> کے 19</u>
Well seal-Material used Ast disturbed	Drilling Machine Operator's Certification:	
Well sealed from land surface toft.	This well was constructed under my direct supervis	
	Materials used and information reported above are true to best knowledge and belief.	my
Diameter of well hore to bottom of sealin.		75
Diameter of well bore below sealin.	(Drilling Machine Operator)	ж
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No	
Number of sacks of bentonite used in well sealsacks		
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this repo	rt is
of water lbs./100 gals.	true to the best of my knowledge and belief.	
Was a drive shoe used? Tes No Plugs Size; location ft.	Name TROY GRIFFIN	
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)	M A F
Type of water? depth of strata	Address GOD HERMISTON AVE, HERMISTO!	SOF
Method of sealing strata off	[Signed] July Shiffi.	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor)	
Gravel placed from ft. to ft.	Contractor's License No. 5 Date 1/-3, 1	كراوا
		000.110
(USR ADDITIONAL SI	HERTS IF NECESSARY) SP*45	a36~119

(USE ADDITIONAL SHEETS IF NECESSARY)

TICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

(Please type or print)
(Do not write above this line


1369

P) tchew	- '/
State Well No	3N/30E-3020
State Permit No	
	2 6317

Page (10) LOCATION OF WELL: SOURCES DEPT matella Driller's well number Name County E 14 Section 30 T. 37. R. 30 E. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well 5 Reconditioning [Deepening 📋 Abandon | | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found 218 Rotary Driven [] Domestic | Industrial | Municipal | ft. below land surface. Date /0 Cable Jetted | Bored | Irrigation Test Well [] Other Dug Artesian pressure lbs. per square inch. Date 1211 20 400 CASING INSTALLED: Threaded | Welded (12) WELL LOG: Diameter of well below casing 84 400 835 2." Diam. from 0 ft. to 73 ft. Gage 1250 ft. Depth of completed well Depth drilled Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in **PERFORATIONS:** position of Static Water Level and indicate principal water-bearing strata. Perforated? Yes No. Type of perforator used MATERIAL Size of perforations in. by 30 ft. to perforations from ... 30 perforations from ... perforations from (7) SCREENS: Well screen installed? 🗆 Yes 🛣 No Manufacturer's Name ... Set from . (8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. * # 500 gal./min. with 3/7 ft. drawdown after hrs. g.p.m. perature of water 19 75 Completed 23 Depth artesian flow encountered . ft. Date well drilling machine moved off of well 19 7 CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to .. best knowledge and belief. Diameter of well bore to bottom of seal Diameter of well bore below seal [Signed] (Drilling Machine Operator) Number of sacks of cement used in well seal Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal .. Brand name of bentonite . Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is of water _ ... lbs./100 gals. true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs Size: location GRIFFIN (Type or print) Did any strata contain unusable water?

Yes

No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes W No Size of gray 10.21 Contractor's License No. ... Gravel placed from ft. to ..



STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

Ditches

1 State Well No. 3/30 - 30 ca(cont)

State Permit No. 6-8041

(Do not write above this line)

(1) OWNER:	(10) LOCATION OF WELL:
Name Robert Petrick	County Umatella Driller's well number
Address Rt 2	14 14 Section 30 T. 311. R. 30 E. W.M.
Echo, Origon 41826	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check);	
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotary Driven Domestic D Industrial D Municipal D	Static level ft. below land surface. Date
Cable	
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
" Diam. from ft. to ft. Gage	Depth drilled ft. Depth of completed well ft.
ft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Basaer Rail 702 795
	Rock Shown 795 835 W.B.
perforations fromft. toft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name	
Type Model No	
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is	
lowered below static level	DEACUED
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
<u>" </u>	APR 2 9: 2011
" "	
Bailer test gal./min. with ft. drawdown after hrs.	WATER RESOURCES DEPT
Artesian flow g.p.m.	SALEM, OREGON
Topperature of water Depth artesian flow encountered ft.	Work started 19 Completed 19
(a) CONCERNICATION	Date well drilling machine moved off of well 19
(9) CONSTRUCTION:	Duilling Machine Operator's Contification.
Well seal-Material used	Drilling Machine Operator's Certification: This well was constructed under my direct supervision.
Well sealed from land surface to ft.	Materials used and information reported above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.
Diameter of well bore below seal in.	[Signed] Date, 19
Number of sacks of cement used in well seal	Drilling Machine Operator's License No
Number of sacks of bentonite used in well seal sacks Brand name of bentonite	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? Yes No Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Name TROY GRIFFIN (Person, firm or corporation) (Type or print) Address 900 HERMI STON AVE, HERMI STON OR
Method of sealing strata off	
Was well gravel packed? Yes No Size of gravel:	[Signed](Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 65 Date
WARTER MIGHEU ALVIN COMMISSION IN W	I Transport Transport Transport Transport Transport Transport Transport

NOTICE TO WATER WELL CONFIRCT E IV EDER WELL REPORT

water resources departmend CT 25 1978 STATE OF OREGON
SALEM, OREGON 97310 (Please type or print)
within 30 days from the defer RESOURCES (Bept of write above this line)
SALEM, OREGON

Ditche N#7 State Well No. 3N/30E-20CC

State Permit No. 6-8367

(1) OWNER: Name ROBERT D. PETRIK	(10) LOCATION OF WELL:
77) / n	County UMATIALA Driller's well number 019
Address RT 2 BOX 20	SW 48W 4 Section 20 T. 31/ R. 30 E. W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.
Roterry M Driven D	Depth at which water was first found 245
Cable Jetted	Static level 4 ft. below land surface. Date 10 /21/7
Dug Bored Irrigation X Test Well Other	Artesian pressure lbs. per square inch. Date
ASING INSTALLED: Threaded Welded	157 60 500
16 " Diam. from 0 ft. to 18 ft. Gage 250	(12) WELL LOG: Diameter of well below casing 10" BELOG
" Diam, fromft. toft. Gage	Depth drilled //07 ft. Depth of completed well //07 ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	SILTY SOIL 0 45
perforations from ft. to ft.	SOFT BROKEN BASAUT 45 68
perforations fromft. toft.	HARD GREY " 68 141
perforations from ft. to ft.	BROKEN RED 11 141 153
	MED. GREY " 153 210
(7) SCREENS: Well screen installed? Yes No	BROKEN BROWN " 210 245 Tinter
Manufacturer's Name	HARD GREY " 245 400
Type Model No.	BRONEN BROWN 11 400 425 TURE
Diam. Slot size Set from ft. to ft.	HARD GREY " 425 535
Diam. Slot size Set from ft. to ft.	BRONEN " 535 575
(8) WELL TESTS: Drawdown is amount water level is	BRONEN BROWN " 575 590 Water
lowered below static level	G-REY " 590 675
Was a pump test made? Yes No If yes, by whom?	BRAKEN BROWN 1 675 690
Yield: gal./min. with ft. drawdown after hrs.	- GREY
EST, 2000 GPA AIR LIFT.	BEOKEN BROWN " 180 789 water
" " " "	BROWEN BROWN " 885 1006 water
Bailer test gal./min. with ft. drawdown after hrs.	MFD, G-REY " 1000 1045
Artesian flow g.p.m.	GREY " 1045 1107
erature of water \$2 Depth artesian flow encounteredft.	Work started 9-22 19 78 Completed 19-2/ 1978
The state of the s	- 1 400
(9) CONSTRUCTION:	Date well drilling machine moved off of well 10-21 19 78
Well seal-Material used NEAT CEMENT	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge approprief.
Diameter of well bore below seal	[Signed] 55446661 Date 10-21, 1978
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator) Drilling Machine Operator's License No
How was cement grout placed?	Drilling Machine Operator's License No.
Addition of the second	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is
When a data about 10 D the days	true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name LOALLACE WELL DRIG, CO.
Did any strata contain unusable water? Yes No RECEIVED	(Ferso), firm or corporation) (Type or print)
Type of water? depth of strata TLVLIVLV	Address
Method of sealing strata off	[Signed]
Was well gravel packed? ☐ Yes No Size of graver R Z 3 ZUII	(Water Well Contractor)
Gravel placed from ft. to ft. to	Contractor's License No. 523 Date 10-21, 1978
CUSE ADDITIONAL SE	EETS IF NECESSARY) SP*45654-119
T 11039	

UMAT 54853

well #3

STATE OF OREGON

JUN 2 6 2003

WATER SUPPLY WELL REPORT

WATER RESOURCES DEPT (as required by ORS 537.765) Instructions for completing this report are on the lift page of the form.

WELL I.D. # L 34669 START CARD #_/47797

(1) LAND OWNER Well Number	(9) LOCATION OF	WELL by legal	description:		
Name Kenneth Coppinger	County Mentil				
Address 7333 Coppinger Lane City Echo State OR Zip 97826	Township_3N				WM.
	Section 24				
2) TYPE OF WORK When Well Deepening Alteration (repair/recondition) Abandonment	Tax Lot 2600 L				
3) DRILL METHOD:	Street Address of We	ell (or nearest addres	s) <u>75235</u> 6	Copping	er Lane
Rotary Air Rotary Mud Cable Auger	(10) STAŢIÇ WATE	R LEVEL:			
Other	345 ft. bel	low land surface.		Date	-/-03
4) PROPOSED USE:	Artesian pressure	lb. per	square inch	Date	
Domestic Community Industrial Pringation	(11) WATER BEAR	ING ZONES:			
Thermal Injection Livestock Other	Depth at which water wa		112		
5) BORE HOLE CONSTRUCTION: Special Construction approval Yes Pro Depth of Completed Well					T
Explosives used Yes PNo Type Amount	From	To	Estimated F		SWL
HOLE SEAL	6/2	645	/00		343
	8/3	860	2000		345
22" 0 25 Cement 0 403 260 SACKS	975	1016	100		343
19" 25 403	1048	1072	100	7	345
15" 403 615					
10" 695 1025	(12) WELL LOG:				
fow was seal placed: Method B A □B □C □D □E		d Elevation			
Other	No.	-,	В		ONE
Backfill placed fromft. toft. Material	Materia		From	To	SWL
Gravel placed fromft. toft. Size of gravel	Silty soil		<u> </u>	4	
6) CASING/LINER:	Brown clay		4	15	
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 42 403 -375	Clay with	grave/	15	19	
	Brown clay			103	
	Brown ba		103	116	
	Gray basal		116	136	
iner: RECEIVED	Brown ba		156	170	
iner:	Gray basal		170	234	
Orive Shoe used ☐ Inside ☐ Outside ☐ None	Brown bas	,	233	249	
inal location of shoc(s) <u>NATER RESOURCES DEPT</u>	Gray basali		249	308	
7) PERFORATIONS/SCREENS: SALEM, OREGON	Ked basal		308	3/5	
Perforations Method	Gray base		3/5	389	
☐ Screens Type Material	Brown base		389	395	
Slot Tele/pipe	Gray basali		393	612	
From To size Number Diameter size Casing Liner	Gray + blace		612	645	WB
		postone	4.73	0	
	Gray basal	/_	643	8/3	, 0
				Cont	19.2
				,	
B) WELL TESTS: Minimum testing time is 1 hour Flowing	Date started		pleted 4	<u>-1-03</u>	<u> </u>
□ Pump □ Bailer □ Artesian	I certify that the work I			estion or abou	ndon
Yield gal/min Drawdown Drill stem at Time	ment of this well is in com				
3,0007 1093 1hr.	standards. Materials used a	and information repo	orted above are tr	ue to the best	of my
	knowledge and belief.		WWC Num	iber	
	Signed			ate	
emperature of water	(bonded) Water Well Con	structor Certificat			
/as a water analysis done?	I accept responsibility f			andonment v	ork
id any strata contain water not suitable for intended up ECELER	performed on this well duri	ing the construction	dates reported ab	ove. All wor	
Salty Muddy Odor Colored Other	performed during this time construction standards. Thi				elie£
	pt	DI II NI		ber <u>12</u>	
APR 2 9 2011	Signed / almul	e wall	nc D	ale <u>4-1</u>	5-03

	OREG	OI								
WATER SUP			ORT				WELL I.D. #	L		
(as required by				4b - 14			START CAR	D# <u>/47</u>	797	
(1) LAND OV	VNER			Well Nu	mber		(9) LOCATION OF WELL by legs	description:		
Name Kene	reth	وموق	inger	,			County Retille Latitude		ongitude	
Address 75	235	الطوف	State C	Ane	7:-	0001	Township 31 N or S Ran	ge 29E	E or W .	WM.
City Echi			State C	1	Zip	97826	Section 24 NE 1/4	NE	1/4	
ONEW Well			eration (repair	r/reconditi	on) 🗆 Aba	indonment	Tax Lot 2600 LotBI Street Address of Well (or nearest addr	ss) <u>75235</u>	Cappine	ger La
(3) DRILL M	ЕТНОІ) :					Echo, OR 976	26		
☐ Rotary Air ☐ Other				uger			(10) STATIC WATER LEVEL:		Date	
(4) PROPOSI	ED USE	:					Artesian pressurelb. pe	r square inch	Date	
☐ Domestic ☐ Thermal ☐		•	dustrial 🗌 vestock 🗀	•			(11) WATER BEARING ZONES:			
(5) BORE HO	LE CO	NSTRUC	TION:				Depth at which water was first found			
Special Constru					-		From To	Estimated	Flow Rate	SWL
Explosives used	[] Yes [□ No Typ		Ап	nount					
HOLE			SEAL							
Diameter From	To	Materia	il From	To	Sacks or p	ounds				
	<u> </u>									
							(12) WELL LOG:			
How was seal pl	aced:	Method	□A □	В	C D	□Е	Ground Elevation			
Other										
Backfili placed f	rom	ft. to	ft.	Materia	ıl		Material	From	То	SWL
Gravel placed fro	om	ft. to_	ft.	Size of	gravel		Par 2 Cast. from Pg. 1:			
(6) CASING/I	INER:						Red 4 gray basalt	8/3	860	WB
Diamete	r From	1 1	auge Steel	Plastic	Welded	Threaded	with soapstone			
Casing:			🗆				Gray baselt	860	973	
			🗆				Black basalt with	175	1016	WB
	_		🗆				soapstone			
		++					Gray basalt	1016	1048	
Liner:	_		🛚				Kedy gray basalt	1048	1072	WB
Drive Shoe used							with sagritune		<u> </u>	
Final location of			de 🗆 None				Gray basalt	1072	1095	
(7) PERFORA							/			_
☐ Perforatio					_			L <u></u>		
☐ Screens		Type		Mat	erial					
		,,		Tele/pip			RECEIVED -			
From To	size	Number	Diameter	size	Casing	_	HIN 0 4 2002			
		-			_ 📙		JUN 2 6 2003			
	_				_ 🖺		WATER RESOURCES DEPT			
	 			 			SALEM, OREGON		<u> </u>	
		<u> </u>						<u> </u>		<u></u>
(8) WELL TE	STS: M	linimum 1	testing tim	e is 1 he	our		Date started /-/7-0.3 Co	mpleted	-1-03	
☐ Pump	□Ba	iler	□Air		Flow	ving sian	(unbonded) Water Well Constructor Cert	fication:		
	_	wdown	Drill ste	ım at		Time	I certify that the work I performed on the			
Vield gal/min				- A AL		hr.	ment of this well is in compliance with Oreg standards. Materials used and information re			
Yield gal/min							knowledge and belief.			
Yield gal/min					+			WWC Nu	mber	
Yield gal/min									D	
Yield gal/min							Signed		Date	
Yield gal/min Temperature of v	vater		•		Found		(bonded) Water Well Constructor Certific	ation:		
Temperature of v	ysis done	? []Yo	s By who	m			(bonded) Water Well Constructor Certific	ation: on, alteration, or a	bandonment	
Temperature of v Was a water anal Did any strata co	ysis done ntain wat	? [] Yo	es By who ble for inten	m ded use?	T	000 little	(bonded) Water Well Constructor Certific I accept responsibility for the constructi performed on this well during the construction performed during this time is in compliance	ation: on, alteration, or a on dates reported a with Oregon wate	bandonment above. All wo r supply well	rk
Temperature of v Was a water anal Did any strata co	ysis done ntain wat uddy [? []Yo er not suita]Odor [es By whom ble for inten Colored	m ded use?	T		(bonded) Water Well Constructor Certific I accept responsibility for the constructi performed on this well during the construction	ation: on, alteration, or a on dates reported a with Oregon wate	bandonment bove. All wo r supply well owledge and b	rk
Temperature of v Was a water anal Did any strata co	ysis done ntain wat uddy [? []Yo er not suita]Odor [es By whom ble for inten Colored	m ded use?	T		(bonded) Water Well Constructor Certific I accept responsibility for the constructi performed on this well during the construction performed during this time is in compliance	nation: on, alteration, or a on dates reported a with Oregon water the best of my know WWC Nu	bandonment bove. All wo r supply well owledge and b	rk

APR 2 9- 2011

UMAT 54853

New #1

STATE OF OREGON

(as required by ORS 537.765)

WATER SUPPLY WELL REPORT

JUN 2 6 2003

WATER RESOURCES DEPT

WELL I.D. # L 34669 START CARD # _ /47797

Instructions for completing this report are on the	Mt page of the form.			··				
(1) LAND OWNER Name Kenneth Coppinger Well	(9) LOCATION OF WELL by legal description: County Martil a Latitude Longitude							
Address 73235 Coppinger L	Township 3N N or S Range 29E E or W. WM.							
City Echo State OF	Section 24 NE 1/4 NE 1/4							
(2) TYPE OF WORK			LotBloc					
PNew Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment		Street Address of V	ell (or nearest address) 1/5235	COPPING	er hane		
(3) DRILL METHOD:		Zeno, O	X 9782	<u> </u>				
	•	(10) STATIC WATE				1110		
	345 ft.bd	low land surface.		Date	-/-03			
(4) PROPOSED USE:	Artesian pressure	lb. per	square inch	Date	_			
☐ Domestic ☐ Community ☐ Industrial ☐ Irrig	(11) WATER BEAR	ING ZONES:						
☐ Thermal ☐ Injection ☐ Livestock ☐ Other			1.12					
(5) BORE HOLE CONSTRUCTION:		Depth at which water w	as first found	oca				
	cial Construction approval 🗍 Yes 🗗 No Depth of Completed Well 🖊 💇 ft.			From To Estimated Flow Rate SWL				
Explosives used Yes No Type	612	645	100	*	343			
HOLE SEAL		8/3	860	2000		345		
Diameter From To Material From	Sacks or pounds	975	1016	100		345		
	23 260 5200	1048	1072	100		345		
19" 25 403		7078	10 10	700		273		
15" 403 615				<u> </u>				
10" 695 1025		(12) WELL LOG:						
How was seal placed: Method A B	□C □D □E	Grou	nd Elevation					
Other		Mater	ial	From	То	SWL		
	terial	Silty Soi			4			
	e of gravel			-0	15			
(6) CASING/LINER:		Brownela		15	19			
	astic Welded Threaded	Clay with			_			
		Brown cla		(1)	10.3	-		
		Brown be		103	116			
		Gray basa	,	116	136			
		esal +	156	170				
Liner:	Gray basa		170	234				
Drive Shoe used Inside Outside None	Brown ba		23.3	249				
Final location of shoe(s)		t, hard	249	308				
(7) PERFORATIONS/SCREENS: SAL	EM, OREGON	Ked basa	14	308	3/5			
Perforations Method		Gray base	1+	3/5	389			
Screens Type	Material	Brown bas		389	315			
	/pipe	Gray basa	14	393	612			
	ize Casing Liner		K basalt	612	645	WB		
		with so	apstone					
		Gray basa	1+	643	8/3			
	o o l				Cons	6 Pa. 2		
						, , , , , , , , , , , , , , , , , , , 		
		Date started /-/	7-03 Com	pleted 4	1-1-0:	\		
(8) WELL TESTS: Minimum testing time is	1 hour Flowing			·				
□ Pump □ Bailer ☑ Air	(unbonded) Water Well							
Yield gal/min Drawdown Drill stem at Time I certify that the work I performed on the co								
3000+ 109	ج <u>۱</u> hr.	standards. Materials used						
knowledge and belief. WWC Number								
	Signed			noer Date				
220								
Temperature of water Depth Artesian Flow Found (bonded) Water Well Constructor Certification:								
Was a water analysis done?						woпк k		
Did any strata contain water not suitable for intended as performed during this time is in compliance with Oregon water supply well								
Salty Muddy Odor Colored Other construction standards. This raport is true to thoubest of my knowledge and belief					elief			
Depth of strata: APR 2 9 2011 Signed Latrick Way Number Date						15-03		
	D PERAUDATA AFAT	organica /		· · ·				

STATE OF OREGON					
WATER SUPPLY WELL REPORT (as required by ORS 537.765)	WELL I.D. # L				
Instructions for completing this report are on the last page of this form.	SIARI CARD#_/#///				
(1) LAND OWNER Well Number	(9) LOCATION OF WELL by legal description: County Legal Latitude Longitude				
Address 75235 Coppinger Lane	Township 3N N or S Range 29E E or W. WM.				
City Echo State OR Zip 978	Section 24 NE 1/4 NE 1/4				
(2) TYPE OF WORK ☐ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonm	Tax Lot 3600 Lot Block Subdivision Street Address of Well (or nearest address) 75235 Coppinger Lev				
(3) DRILL METHOD:	Echo, OR 97826				
□ Rotary Air □ Rotary Mud □ Cable □ Auger	(10) STATIC WATER LEVEL:				
Other	ft. below land surface. Date				
(4) PROPOSED USE:	Artesian pressurelb. per square inch Date				
□ Domestic □ Community □ Industrial □ Irrigation	(11) WATER BEARING ZONES:				
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	Depth at which water was first found				
(5) BORE HOLE CONSTRUCTION: Special Construction approval ☐ Yes ☐ No Depth of Completed Well					
Explosives used Yes No Type Amount	Prom 10 Estimated Flow Rate SWL				
HOLE SEAL					
Diameter From To Material From To Sacks or pounds					
	(12) WELL LOG:				
flow was seal placed: Method A B C D E	Ground Elevation				
Other					
Backfill placed fromft. toft. Material	Material From To SWL				
Gravel placed fromft. toft. Size of gravel	- Pg. 2 Coat. from Pg. 1:				
6) CASING/LINER:	Red & gray basalt 8/3 860 WB				
Diameter From To Gauge Steel Plastic Welded Threade					
Sasing:	Bray baselt 860 975 Black baselt with 975 1016 WB				
	Black basal + with 975 1016 WB Soapstone				
	Gray basel+ 1016 1048				
iner:	Red y grav basalt 1048 1072 WB				
	with Spantone				
Drive Shoe used I Inside Outside None	Gray basalt 1072 1095				
Final location of shoe(s)					
Perforations Method					
☐ Screens Type Material					
Slot Tele/pipe	RECEIVED -				
From To size Number Diameter size Casing Lin					
	JUN 2 6 2003				
	WATER RESCURCES DEPT				
	SALEM, OREGON				
	Date started /-/7-0.3 Completed 4-/-43				
8) WELL TESTS: Minimum testing time is 1 hour Flowing	Date states 7 7 00 completed 7 7 7 00				
Pump Bailer Air Artesian	(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandon-				
Yield gal/min Drawdown Drill stem at Time	ment of this well is in compliance with Oregon water supply well construction				
l hr.	standards. Materials used and information reported above are true to the best of my knowledge and belief.				
	WWC Number				
	Signed Date				
emperature of water Depth Artesian Flow Found	(bonded) Water Well Constructor Certification:				
Was a water analysis done?	I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work				
Did any strata contain water not suitable for intended use?	performed during this time is in compliance with Oregon water supply well				
Salty Muddy Odor Colored Other	construction grandards. This report is trule to the best of my knowledge and belief				
Depth of strata:	Signal Date 4-/5-03				
ORIGINAL - WATER RESOURCES DEPARTMENT F	RST COPY – CONSTRUCTOR SECOND COPY – CUSTOMER				
APR 2 9 -201					

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

MAT WATER WEI

ATER WELL REPORT

7Gtate Well No.

old #7

STATE ENGINEER, SALEM, OREGON 93310 1326 within 30 days from the date of well completion.

STATE OF OREGON FEB 2 0 1976 tate Well No.

(Please type or print)
WATER RESOURCEStades Int. No. 9-6626
(Do not write above this line)
SALEM, OREGON

(1) OWNEB:	(10) LOCATION OF WELL:			
Name Kenny (springer	County Waltella Driller's well number 2-76			
Address	NE 14 NE 14 Section 24 T. 3N R. 39 E. W.M.			
end organi	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):				
New Well Deepening Reconditioning Abandon				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 245 ft.,			
Rotary Driven Domestic Industrial Municipal Domestic	Static level 2/5 It. below land surface. Date 2/16/76			
Dig Bored Irrigation Test Well Other	Artesian pressure ACLIE lbs. per square inch. Date			
(5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing 16 To 50:			
/6 " Diam. from	Depth drilled 1012 ft. Depth of completed well 1012 ft.			
Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;			
- All to the same of the same	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in			
PERFORATIONS: Perforated?	position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used	MATERIAL From To SWL			
	1.44 10.102 0 16			
Size of perforations in. by in.	1 1 1 1 1 1 25			
perforations from	traken branch 16 85			
perforations from	MCAL Hard bysall 85 127			
perforations from ft. to ft.	Lards grey basale 127 227			
(7) SCREENS: Well screen installed? Yes No	Meda Larry balace 222 250 alle			
() High partors anythings I are A inc	Mary Karl June 750 270			
Manufacturer's Name	Karly grey breakt 270 308			
Type Model No	traken Walang 308 312 thile			
Diam. Slot size Set from ft. to ft.	Kardagrey fraints, 3/2 890 1			
Diam Slot size Set from ft. to ft.	branker busht . 390 395 Tinler			
(8) WELL TESTS: Drawdown is amount water level is	Marso ares basel 395 1-32			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	toucked Wilseand 132 45 Exter			
Was a pump test made? 🗌 Yes 🕍 No If yes, by whom?	Kard new baselt 45 813.			
Weld: / 100 + gal./min. with, 77 ft. drawdown after hrs.	Medy 10 Kandy Casalt 813 844			
2' 41/1/	broken Krust 844 848 Water			
acoupt -	Karto Lantt (4) 891			
и и и и и и и и и и и и и и и и и и и	backen Lasalt 91/ 896			
Bailer test gal./min. with ft. drawdown after hrs.	hartefant 1916 985			
Artesian flow g.p.m.	Stoken bosalt 185 1612 tales			
perature of water 62 Depth artesian flow encountered				
	Work started 1-14 19 76 Completed 2-15 19 76 Date well drilling machine moved off of well 2-16 19 76			
(9) CONSTRUCTION: Well seal-Material used Seat Cement	Drilling Machine Operator's Certification:			
Well seal—Material used	This well was constructed under my direct supervision.			
Well sealed from land surface to	Materials used and information reported above are true to my			
Diameter of well bore to bottom of seal	best knowledge and belief			
Diameter of well bore below seal	[Signed] Colrect H. (Wilder Date 2/6, 1976)			
Number of sacks of cement used in well sealsacks	VX42			
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No			
Brand name of bentonite	Winter Wiell Contractorie Contifications			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:			
of water Tos./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Was a drive shoe used? ☐ Yes No Plugs Size: location ft.	Walling tiell Flelo (a			
Did any strata contain unusable water? Yes Non-	(Regson, firm or corporation) (Type or print)			
Type of water? depth of strata RECEIVED	Address P.O. BOX 792 FEWALETON OR			
	2 97 7/1/0/1			
Method of sealing strata off	[Signed] Clerall W. Willed			
Was well gravel packed? Yes TNo Size of gravel R 2 3 2011	(Water Well Contractor)			
Gravel placed from	Contractor's License No. 583 Date 2/16, 19.76			
THE ADDITIONAL OF THE PROPERTY	IRETS IF NECESSARY) SP*45656-119			
T 11239 SALEM, OREGON				