STATE ENGINEER Salem, Oregon	4536 W	ell Record	STATE W	ELL NO. <u>10/3W-</u> Linn
Suloni, Ologon	1004		APPLICA'	TION NOG
OWNER: Ardle Ed	lwards	MAILING ADDRESS:	Rt. 2, Box	350
LOCATION OF WE	LL: Owner's No1	CITY AND STATE:	Albany, Ore	gon
	6 T. 10 S. R. 3	E. WM	1	
	from section or subdivision			
corner 1825' S. &	20' W. of NE cor. Sec.	6		H 2
Altitude at well	180 ft. Interpolated		 	
Thirtude at Well				
	drilled Date Constructed	·-		
	2 ft. Depth cased 22	·-	Section	6
Depth drilled 2	2 ft. Depth cased 22	·-	Section	6
Depth drilled	2 ft. Depth cased 22 8 inch ft. ENT: Type Fairbanks Mor	ft.		
Depth drilled2 CASING RECORD: FINISH: AQUIFERS: WATER LEVEL: 8	2 ft. Depth cased 22 8 inch ft. ENT: Type Fairbanks Mor	ft.		
Depth drilled	2 ft. Depth cased 22 8 inch ft. ENT: Type Fairbanks Mor	se electric hours	centrifugal	H.P. 10

RECEIVED

MAR 2 0 2012

WATER RESOURCES DEPT SALEM, OREGON

0 to 6

SOURCE OF INFORMATION GR-772

Sandy loam

Gravel

DRILLER or DIGGER

REMARKS: Log:

AKA Well #2

Salem, Oregon	71-0	Well Record		COTINTS	WELL NO. ⁵	
. 2	3150			APPLICA	ATION NO.	GR-77
OWNER: Ardle	Edwards	MAILING ADDRESS:		2, Box		
		CITY AND)			
		2 STATE:	Alba	my, Ore	egon	
SE ¼ SE ¼ Sec.	31 T. 9 S. 1	E. R3 W., W.M.		1		
Bearing and distance f				i		
corner 300' N. of S	SE cor. Sec. 31					
				ŀ		
Altitude at well187	ft. Interpola	ated				
TYPE OF WELL: dri					R	· @
					27	
Depth drilled 26 f	Depth cased	∠O IU•	S	ection	7±	
FINISH:						
		,				
AQUIFERS:					<u> </u>	
AQUIFERS:					Anna Anna Anna Anna Anna Anna Anna Anna	
AQUIFERS: WATER LEVEL: 13	ft.					
	ft.		-			
WATER LEVEL: 13:		electric			uр	20
WATER LEVEL: 13:	NT: Type F. M.	electric				20
WATER LEVEL: 13 : PUMPING EQUIPMENT Capacity	NT: Type F. M.	electric				20
WATER LEVEL: 13: PUMPING EQUIPMENT Capacity	NT: TypeF. M.					5 <u>** 1</u>
WATER LEVEL: 13: PUMPING EQUIPMENT Capacity	NT: Type F. M. G.P.M. ft. after	hours hours				G.:
WATER LEVEL: 13: PUMPING EQUIPMENT Capacity	NT: TypeF. M. G.P.M. ft. after ft. after	hours hours				G.:
WATER LEVEL: 13: PUMPING EQUIPMENT Capacity	NT: Type F. M. G.P.M. ft. after ft. after rrigation ATION GR-773	hours hours Temp.	°F			G. G
WATER LEVEL: 13: PUMPING EQUIPMEN Capacity	NT: Type F. M. G.P.M. ft. after ft. after rrigation ATION GR-773	hours hours Temp.	°F			G. G

RECEIVED

MAR 2 0 2012

WATER RESOURCES DEPT

REMARKS:

STATE ENGINEER Salem, Oregon

Well Record

AKA Well #3
STATE WELL NO. 9/3W-32N(1)
Linn
COUNTY Linn
COUNTY APPLICATION NO. GR-774

OWNER: Ardle Edwards	MAILING ADDRESS: .	Rt. 2, Box 350
LOCATION OF WELL: Owner's No3	CITY AND	Albany, Oregon
SW 1/4 SW 1/4 Sec. 32 T. 9 S, R. 3 W.,	W.M.	
Bearing and distance from section or subdivision corner 400' N. & 400' E. of SW cor. Sec. 32		
COLLIGI		
Altitude at well 187 ft. Interpolated		NI
TYPE OF WELL: drilled Date Constructed Apr		9
Depth drilled 26 ft. Depth cased 26 ft.		Section 32
CASING RECORD: 10 inch		
		'
FINISH:		
AQUIFERS:		
WATER LEVEL: 13 ft.		
PUMPING EQUIPMENT: TypeFairbanks N Capacity G.P.M.	forse elect	ric H.P. 10
WELL TESTS: Drawdown ft. after l	ours	GPM
Drawdown ft. after h		
SOURCE OF INFORMATION GR-774	-	· , 19
ADDITIONAL DATA: Log X Water Level Measurements		
REMARKS: Log: Sandy loam 0 to 5 f Sand & gravel ? (This location of land has		avel) DECEIVER

KECEIVED MAR 2 0 2012

WATER RESOURCES DEPT SALEM, OREGON

AKA Well #4

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	92436
START CARD #	197219

(1) LAND OWNER Owner Well I.D. 4929	(9) LOCATION OF WELL (legal description)
First Name Bill Last Name Sabol	County LINN Twp 10 S N/S Range 3 W E/W WM
Company DJ Edwards Family LLC	Sec 6 SE 1/4 of the NE 1/4 Tax Lot 102
Address P.O. Box 425	Tax Map Number Lot
City St. Paul State OR Zip 97137	Lat " " or 0 DMS or DD
	Long o o o DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion	Street address of well Nearest address
Alteration (repair/recondition) Abandonment	
(3) DRILL METHOD	Next to 32633 Cooper Dr. NE, Albany, OR 97321
Rotary Air Rotary Mud Cable Auger Cable Mud	(A) CT LTIC IV LTDD I DVDI
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
(A) PROPOSED LISE Demais VI Lineiro Committee	Existing Well / Predeepening
(4) PROPOSED USE Domestic Irrigation Community Industrial/ Commercial Livestock Dewatering	Completed Well 03-07-2008 9
	Flowing Artesian? Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 16
(5) BORE HOLE CONSTRUCTION Special Standard [Attach copy)	TOTAL DATA DATA DATA DATA DATA DATA DATA D
Depth of Completed Well 59 ft.	03-07-2008 16 60 1,200 9
BORE HOLE SEAL sacks/	
Dia From To Material From To Amt lbs 16 0 59 Bentonite 0 19 90 S	
16 0 59 Bentonite 0 19 90 S	
	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Other Poured dry	Sandy Loam 0 10
Backfill placed from ft. to ft. Material	Cemented gravel 10 16
Filter pack from ft. to ft. Material Size	Gravel & sand 16 60
Explosives used: Yes Type Amount	Allowed formation to naturally cave in around
(6) CASING/LINER	casing below 20' RECEIVED
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	HEDEIVED
● <u> </u>	
● ○ 14 □ 20 40 250 ● ○ X □	JONES DRILLING CO. INC. MAR 2 5 2008
	DVIII DILLETING CON TICE
	29400 SANTIAM HWY. WATER RESOURCES DE
	LEBANON, OR 97355 SAIFM, OREGON
Shoe Inside Outside Other Location of shoe(s)	541-367-2560 541-451-2686
Temp casing X Yes Dia 16 From 1 To 60	
(7) PERFORATIONS/SCREENS	1-800-915-8388
Perforations Method Torch cut	
Screens Type Material	
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 03-06-2008 Completed 03-07-2008
creen Liner Dia From To width length slots pipe size	
Perf Casing 19 59 .438 10 400	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
(8) WELL TESTS: Minimum testing time is 1 hour	License Number 1411 Date 03-20-2008
Pump Bailer Air Flowing Artesian	Password : (if filing electronically)
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed
1,200 55 1	(bonded) Water Well Constructor Certification
	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
Temperature 54 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well
Water quality concerns? Yes (describe below)	construction standards. I his report is true to the best object to the best object.
From To Description Amount Units	License Number 1684 Date 03-20-2008
	Password: (if ding electronically) MAR 2 0 2012
	Signed Contact Info (optional) Jones Drilling Co., Inc. 1-800-915-8388
	21.17.7.7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.

AKA Well #5

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	92439
START CARD#	198003

(1) LAND OWNER Owner Well I.D. 4933	(0) LOCATION OF WELL (legal decemin	ntion)
	(9) LOCATION OF WELL (legal descrip	•
First Name Bill Last Name Sabol	· · · · · · · · · · · · · · · · · · ·	ange 3 W E/W WM
Company DJ Edwards Family LLC		Tax Lot 200
Address P.O. Box 425 City St. Paul State OR Zip 97137	·	Lot DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion		DMS or DD
Alteration (repair/recondition) Abandonment	Street address of well Nearest ad	dress
(3) DRILL METHOD	Cooper Dr., Albany, OR	
Rotary Air Rotary Mud Cable Auger Cable Mud		
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SW	/L(psi) + SWL(ft)
	Existing Well / Predeepening	/L(psi) + SWL(it)
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 04-18-2008	13
Industrial/ Commercial Livestock Dewatering		Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was	first found 18
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)		
Depth of Completed Well 60 ft.	04-18-2008 18 50 1,000	13
BORE HOLE SEAL sacks/		
Dia From To Material From To Amt lbs		
16 0 60 Bentonite 0 18 30 S		
		<u>-</u>
	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E		From To
	Material Brown sandy loam	From To 10
XOther Poured dry Backfill placed from ft. to ft. Material	Cemented gravel	10 18
Filter pack from ft. to ft. Material Size	Sand & gravel	18 _50
Explosives used: Yes Type Amount	Blue clay	50 60
Explosives usedi es TypeAnount		
(6) CASING/LINER	Naturally caved in around 14" casing from 18' - 60'	RECEIVED
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		
○ 14 20 60 250 ○ X	JONES DRILLING CO., INC.	APK 23 2008
	29400 SANTIAM HWY.	
		WATER RESOURCES DE
Shoe Inside Outside Other Location of shoe(s)	LEBANON, OR 97355	SALEM, OREGON
	541-367-2560 541-451-2686	Ortzun, on z
Temp casing X Yes Dia 16 From 1 To 60	1-800-915-8388	
(7) PERFORATIONS/SCREENS		
Perforations Method Torch cut		
Screens Type Material		
Pert/S Casing/Screen Scm/slot Slot # of Tele/	Date Started 04-17-2008 Completed	04-18-2008
creen Liner Dia From To width length slots pipe size		
Perf Casing 20 60 .438 10	(unbonded) Water Well Constructor Certification	an deamening alteration or
	I certify that the work I performed on the construction abandonment of this well is in compliance with	
	construction standards. Materials used and information	
	the best of my knowledge and belief.	
(8) WELL TESTS: Minimum testing time is 1 hour	License Number 1411 Date 04	-22-2008
Pump Bailer Air Flowing Artesian	Password : (if filing electronically)	M
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed	
1,000 55 2	(bonded) Water Well Constructor Certification	2 44
	I accept responsibility for the construction, deepening	g, alteration or abandon
	work performed on this well during the construction da	ites reportec Dabov All work
Temperature 54 °F Lab analysis Yes By	performed during this time is in compliance with	Oreg ver supply vell
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of	
From To Description Amount Units	License Number 1684 Date 04-2	2-200
	Password : (if filing electronically)	1 OH O
- +	Signed Contact Info (optional) Jopes Dulling Co., Inc. 1-	800-915-83882