NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97 within 30 days from the date

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

STATE OF OREGON AUG 14 1973 WELL NO. 275/16E-21

(Please type or print ATE ENGINE Fermit No. (Do not write above this AALEM. OREGON of well completion. (1) OWNER: (10) LOCATION OF WELL: Name Kenneth E. Pawell Driller's well number N. E. V. Section 2/ T. 27 R. 16 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well 💢 Deepening [Reconditioning [Abandon 🗌 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary 🗀 Driven 🗖 Domestic | Industrial | Municipal | it. below land surface. Date 7-30-73 Cable Irrigation Test Well | Other Dug Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing 14 " Diam. from 0 ft. to 20 ft. Gage .250 Depth drilled ft. Depth of completed well 2.30 " Diam, from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials; " Diam. from ft. to ft. Gage and show thickness and nature of each stratum and aguifer penetrated. with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? | Yes | No. Type of perforator used MATERIAL From O' Size of perforations in. by in. perforations from _____ ft. to ____ ft. OVERN 23, ___ perforations from _____ ft. to ___ perforations from 170' (7) SCREENS: Well screen installed? Yes No Manufacturer's Name Diam. ____ Slot size ____ Set from ____ ft. to __ Diam. ____ Slot size ____ Set from ____ ft. to ____ (8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom? gal./min. with ft. drawdown after WATER RESOURCES DEPT SALEM, OREGON Bailer test 60 gal./min. with ft. drawdown after 2 hrs. Artesian flow perature of water 4.3 Depth artesian flow encountered 7-30 1973 Work started 7-25 19 7 3 Completed Date well drilling machine moved off of well 7-30 1973 (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Materials used and information reported above are true to my 20 Well sealed from land surface to ... 18 in. Diameter of well bore to bottom of seal . (Drilling Machine 9 Number of sacks of cement used in well seal Drilling Machine Operator's License No. 484 Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge, and belief. Was a drive shoe used?

Yes No Plugs Size: location ft. Name Jilli Cunninglam Well Did any strata contain unusable water? [] Yes 🗷 No Type of water? depth of strata

(Water Well Contractor)

Contractor's License No. 539 Date 7-30 1973

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON \$2310 within 30 days from the date of well completion.

WATER WELL REPORT E C I V ED STATE OF OREGON

(Please type or print)

AUC 19197 State Permit No. 775/166-21

| (1) OWNED. | (40) = 0.00 = = 0.00 | | |
|--|---|--------------------|--|
| (1) OWNER: | (10) LOCATION OF WELL: | | |
| Name Kennoth E. Powell | County AKC Driller's well nu | mber | |
| Address P.O. 13 AX 176 ChrisTings VALLEY | ENNEW NE 14 Section 2 / T.213 | R. /6 E W.M. | |
| (2) TYPE OF WORK (check): | Bearing and distance from section or subdivision | on corner | |
| | | | |
| New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 12. | | | |
| | (11) WATER LEVEL: Completed we | ell. | |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | Depth at which water was first found | 600 st. | |
| Rotary Driven Domestic Dindustrial Municipal Domestic Dindustrial Municipal Domestic Dindustrial | Static level 50 ft. below land st | irlace. Date 8/8/7 | |
| Due 🛘 Bored 🖟 Irrigation 🗹 Test Well 🗎 Other 🔻 | Artesian pressure Ibs. per square | inch. Date | |
| (5) CASING INSTALLED: Threaded [] Welded [] | | | |
| (5) CASING INSTALLED: Threaded Welded | (12) WELL LOG: Diameter of well be | elow casing | |
| "Diam from ft. to ft. Gage | Depth drilled 65 ft. Depth of comple | ted well 888 ft. | |
| "Diam. fromft. toft. Gage | Formation: Describe color, texture, grain size as | | |
| 27 10 1111 27 10 1111 | and show thickness and nature of each stratum with at least one entry for each change of formati | | |
| Ferforated? Yes No. | position of Static Water Level and indicate princ | | |
| Type of perforator used | MATERIAL | From To SWL | |
| Size of perforations in. by in. | OLAH GAM | 230 600 | |
| perforations from ft. to ft. | DUMICE & GRAVEL | | |
| perforations fromft. toft. | BLACK & FINC | 600 601 | |
| perforations from ft. to ft. | CLAY GRAY | 601 665 | |
| (E) SCOPERIG. | Punice + GRAVEL | 665666 | |
| (7) SCREENS: Well screen installed? Yes Will your No | BLACK & FINE | 111001 | |
| Manufacturer's Name | CLAY GRAY | 066886 | |
| Type Model No Diam Slot size Set from ft. to ft. | Eyin ice | - CT 000 | |
| Diam. Slot size Set from ft. to ft. | Chair GHAY | 30/300 | |
| | deserved FRAM 230 | ET | |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level | 78/888' With 8" Hol | | |
| Was a pump test made? Yes No If yes, by whom? | DECEIVED | | |
| eld: gal./min. with ft. drawdown after hrs. | HECEIVED . | | |
| , , , , , , , , , , , , , , , , , , , | 1 4 2012 | | |
| " " " | MAY 1 4 2012 | | |
| Bailer test 3 () gal./min. with () ft. drawdown after / hrs. | WATER RESOURCES DEPT | | |
| rtesian flow g.p.m. | SALEM, OREGON | | |
| Imperature of water 2 Depth artesian flow encountered ft. | Work started 7/24/ 1976 Completed | S/2 107/ | |
| | | | |
| (9) CONSTRUCTION: CASING, & SEAL, | Date well drilling machine moved off of well | 8/9 1976 | |
| Well seal-Material used NOT disTurbed. | Drilling Machine Operator's Certification: | * | |
| Well sealed from land surface to ft. | This well was constructed under my Materials used and information reported | | |
| Diameter of well bore to bottom of sealin. | best knowledge and belief, | 0.10 01 | |
| Diameter of well bore below seal in. | [Signed] (Drilling Machine Operator) | ate | |
| Number of sacks of cement used in well sealsacks | Drilling Machine Operator's License No | 1003 | |
| Number of sacks of bentonite used in well seal sacks | | | |
| Number of pounds of bentonite per 100 gallons | Water Well Contractor's Certification: | | |
| of waterlbs./100 gals. | This well was drilled under my jurisdic | | |
| Was a drive shoe used? Yes No Plugs Size: location ft. | true to the best of my knowledge and believed | DRILLING | |
| Did any strata contain unusable water? 🗀 Yes 🕱 No | Name (Person, firm or corporation) | (Type or print) | |
| Type of water? depth of strata | Address PO BOX 136 XMAS V | ALLEY ORE | |
| Method of sealing strata off | Isimod (Paul Blackers | <i>~</i> | |
| Was well gravel packed? Yes No Size of gravel: | [Signed] J. C. (Water Well Contra | ctor) | |
| Gravel placed from ft. to ft. | Contractor's License No.5.3.6 Date .8/ | 9/ 1976 | |
| | | | |

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL BEFORE EIVED

| State | Well | No. | 275 | 165-21 AA |
|-------|------|-----|-----|-----------|
|-------|------|-----|-----|-----------|

(Please type or print) DEC 301976

(Do not write above this line)

| | MATER | | |
|--|---|--|--|
| (1) OWNER: | (10) ISOCATION OF WELL: | | |
| Name Kenneth E. Powell | County Lake Driller's well number | | |
| Address P.O. Box 176 Chris Tmas VALLY | M15 117 21 - 275 11 5 | | |
| DRe. 97638 | Bearing and distance from section or subdivision corner | | |
| (2) TYPE OF WORK (check): | bearing and distance from section or subdivision dorner | | |
| New Well ☐ Deepening ❷ Reconditioning ☐ Abandon ☐ | | | |
| f abandonment, describe material and procedure in Item 12. | (11) WATER LEVEL: Completed well. | | |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | l = | | |
| Potarry C Drivon C | Depth at which water was first found 1002 ft. | | |
| Domestic Industrial Municipal | Static level 35 1t. below land surface. Date // 37/146 | | |
| Jug Boled Imgalion Test well Other | Artesian pressure lbs. per square inch. Date | | |
| CASING INSTALLED: Threaded Welded | (12) WELL LOG: Diameter of well below casing 8" | | |
| ft. toft. Gage | Double deallies & 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | | |
| "Diam. from ft. to ft. Gage | Formation: Describe color, texture, grain size and structure of materials; | | |
| " Diam. from ft. to ft. Gage | and show thickness and nature of each stratum and aquifer penetrated, | | |
| PERFORATIONS: Perforated? Yes Peno. | with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. | | |
| | | | |
| Type of perforator used | MATERIAL From To SWL | | |
| Size of perforations in. by in. | CLAY 9 RAY 888 1602 | | |
| perforations from | Pumice & GRAVEL 1002 1003 | | |
| perforations from ft. to ft. | | | |
| perforations from ft. to ft. | Delpened From 888' | | |
| (7) SCREENS: Well screen installed? Yes P'No | 10 1003' WITH A 6" | | |
| Manufacturer's Name | Habe | | |
| Type Model No | 11080 | | |
| Diam Slot size Set from ft. to ft. | | | |
| Diam Slot size Set from ft. to ft. | | | |
| 8) WELL TESTS: Drawdown is amount water level is | RECEIVED | | |
| lowered below static level | 4 4 0040 | | |
| Was a pump test made? ☐ Yes ☑ No If yes, by whom? | MAY 1 4 2012 | | |
| d: gal./min. with ft. drawdown after hrs. | WATER RESOURCES DEPT | | |
| " " " | SALEM, OREGON | | |
| " | OALLIN, OTTE | | |
| Bailer test 35 gal./min. with 5 ft. drawdown after / hrs. | | | |
| Amesian flow g.p.m. | | | |
| perature of water 50 Depth artesian flow encountered ft. | Work started /1/19 1976 Completed 19 | | |
| (9) CONSTRUCTION: CASING & SCAL | Date well drilling machine moved off of well ///30 1976 | | |
| NoT Chet About | Drilling Machine Operator's Certification: | | |
| | This well was constructed under my direct supervision. | | |
| Well sealed from land surface to | Materials used and information reported above are true to my | | |
| | | | |
| Fumber of sacks of cement used in well seal sacks | [Signed] Crilling Machine Operator) Date | | |
| Now was cement grout placed? | Duilling Machine Openstants License No. 1003 | | |
| The state of the s | | | |
| The state of the s | Water Well Contractor's Certification: | | |
| ************************************** | true to the best of my knowledge and belief. | | |
| Was a drive shoe used? Yes No Plugs Size: location ft. | Name FAUL BLACKMAN DIZI [IN 9 | | |
| Old any strata contain unusable water? Yes No | (Person, firm or corporation) (Type or print) | | |
| Type of water? depth of strata | _ Address F.O. BOX 136 XMAS VALLEY ORE | | |
| Method of sealing strata off | [Signed] Vaul Slockman | | |
| Vas well gravel packed? Tyes Mo Size of gravel: | (Water Well Contractor) | | |
| Gravel placed from ft. to ft. | Contractor's License No.5.3.5 Date 12/89 , 1976 | | |
| | | | |

WATER WELL REPORT STATE OF OREGON

RECEIVED

RECEIVED 345/18+356

MAY 2 3 1984

SALEM, OREGON

WATER RESOURCES DERTATER NRESOURCES DEPT (1) OWNER: State au I (2) TYPE OF WORK (check):

Te many Deepening [] Reconditioning [If abandonment, describe material and procedure in Item 12.

Driven

(3) TYPE OF WELL: (4) PROPOSED USE (check): ☐ Municipal Domestic Lidustria! Irrigation Test Well Other

Dog (5) CASING INSTALLED:ft. Gauge

(6) PERFORATIONS: Perforated? Yes WNo Type of perforator used in. by in. Size of perforations

perforations from ft., to....... ft. (7) SCREENS: Well screen installed? Yes No Manufacturer's Name Drawdown is amount water level is lowered (8) WELL TESTS: below static level

a pump test made? I Yes I No If yes, by whom? gal/min with ft. drawdown after gal/min. with drill stem at Air test hra. ft. drawdown after gal./min. with ian flow

rature of water Depth artesian flow encountered (9) CONSTRUCTION: Diameter of well bore below seal Number of sacks of cement used in v

Was a drive shoe used? Yes No

Did any strata contain unusable water? Type of Water? Method of sealing strate off

Was well gravel packed? Yes WNo ft. to Gravel placed from ...

| 10) LOCATION OF WELL: | | | | |
|--|--|------------|----------------|----|
| County LAKE Driller's well | I number | - | | |
| NH W Section 3.3 T.345 | R / | E | W.M. | |
| Tax Lot Bile | St | abdivistor | 1 1 1. | |
| Address at well location: NE CH CM1 | iacu | SCH | fue | |
| | | | <u> </u> | |
| (11) WATER LEVEL: Completed v | vell. | | | |
| Depth at which water was first found | | | fL | |
| Ratic level ft. below | land surfa | ce. Date | | |
| Artesian pressure Ibs. r | er square | inch. Dat | <u> </u> | |
| 12) WELL LOG: Diameter of well below | v casing | | | |
| Depth drilled 280 ft. Depth of | complete | i well | ft | |
| ormation: Describe color, texture, grain size and str hickness and nature of each stratum and aquifer pen | ructure of | material | s; and show | |
| meaness and nature of each stratum and aquifer pen or each change of formation. Report each change in | | | | |
| and indicate principal water-bearing strata. | | | | |
| MATERIAL. | From | To | SWL | |
| SAND BRAWN | 0 | 14 | | |
| BRAY LAVARACK | 14 | 19 | | |
| - ALL HROUNCINDS | 19 | 16 | | |
| BROWN LAVARACK | 76 | 41 | | |
| BROWN CINDERSTUN | 441 | 44 | | |
| GRAVIAVA ROCK | 44 | 70 | | |
| | 1 | - | | |
| my cuttery letters | | <u> </u> | | |
| my Cut live | DI | CF | IVET | • |
| my contraction of | | | HAEL | |
| A sing one of the | | AV 1 | 4 2012 | |
| Sulfation of the | M | AI I | H-ZUIZ- | |
| Some is sever the supply | WATE | RESC | DIRCES D | EF |
| 1200 Kell TO 120H | SA | LEM, | PREGON | 1 |
| Lit All Then 100 | | 1 | | |
| 70 980 | | | | |
| La L | Ann | A/ | 1 | |
| I do not prest where the | | F | | |
| Wales or account of Ose C | alle | 5 | | |
| seelling land Calver theth lan | Me I | Wr | | |
| Work started 3 / 6 9 84 Comple | ted 3/ | 11 | 1954 | 1 |
| Date well drilling machine moved off of well | 2 5 | 13 | 19 | 4 |
| (unbonded) Water Well Constructor Certi | fication | (if app | licable): | , |
| This well was constructed under my direct | | | | Į |
| and information reported above are true to my | best kno | wledge | and belief. | / |
| [Signed] . J. J | Date. | 4/X | , 19. 7 | ! |
| Bonded Water Well Constructor Certification: | | | | |
| Bond 714368 Issued by: KW. Brands C. | | | | |
| This well was drilled under my jurisdicti | mety Compa | - | et is trave to | |
| | vii aiiu W | וטקסי סיי | - LO WILLIAM | , |

State Permit No.

WATER WELL REPORT POR RECEIVED RECEIVED

BY STATE OF OREGON

WATER RESOURCES OF THATER RESOURCES DEPT PORTIENTS.

WATER RESOURCES OF THATER RESOURCES DEPT PORTIENTS. SALEM, OREGON GALEM, ORRGON

| 1) OWNER: | (10) LOCATION OF WELL: |
|--|--|
| Name Robert L. STOCK#0-77 | County LAKE Driller's well number |
| Address 37990 Sulken RD | ## 14 Section 33 T.3H R/8 E W.M. |
| City SC 10 State Oil | Tax Lot Blk Subdivision |
| (2) TYPE OF WORK (check): | Address at well location: |
| New Well □ Deepening □ Reconditioning □ Ahandon □ | CANALINE VALUE OUT |
| If abandonment, describe material and procedure in Item 12. | (11) WATER LEVEL: Completed well. |
| | Depth at which water was first found dant la materiani Will ft. |
| | Static level fow from the state below land stuffer. Date |
| Rotary Air W Driven C Domestic C Kaustrial C Municipal C Regry Mud C Dug C Irrigation W Test Well C Other C | Artesian pressure lbs. per square inch. Date |
| ☐ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐ | (12) WELL LOG: Diameter of well below casing |
| (5) CASING INSTALLED; Steel Plastic | Depth drilled 280 ft. Depth of completed well 780 ft. |
| Threaded U Welded | Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry |
| Diam from ft. to | for each change of formation. Report each change in position of Static Water Level |
| "Diam fromft to | and indicate principal water-bearing strata. |
| LINER INSTALLED: | MATERIAL From To SWL |
| "Diam fromft. to | 200 4 BKOWN 6 4 |
| (6) PERFORATIONS: Perforated? Yes No | GRAY LAVAKOCK 4 19 |
| Type of perforator used | DROWN CINDER 19 76 |
| Size of perforations in by in | BROWN LAWA ROCK 36 HU |
| perforations from | 11/2 0.47 |
| perforations from | - Tra culting come out |
| perforations from 11. | They to the south on delin |
| (7) SCREENS: Well screen installed? Yes You | della tella a della dell |
| Manufacturer's Name | - 1 14 Oll Vigged The Contract |
| Type Model No. | Left Alth May Called |
| Diam. Slot Size Set from ft. to | and dulle to HAST suid |
| Diam. Slot Size Set from ft. to ft. | Idden toute the forthe 1210 V |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level | alrialx Isale Live |
| State State | RECEIVED |
| d: gal/min. with ft. drawdown after hrs. | 004 |
| d: gal/min. with ft. drawdown after hrs. | MAY 1 4 2012 |
| Air test gal/min. with drill stem at ft. hrs. | WATER RESOURCE DEPT |
| Bailer test stal/min. with ft. drawdown after hrs. | SALEM, OREGON |
| Assesian flow g.p.m. | |
| perature of water Depth artesian flow encountered | Work started 4/19 19 X 44 Completed 4/24 19 X44 |
| (9) CONSTRUCTION: Special standards: Yes No | Date well drilling machine moved off of well 1987 |
| Walland Material word Carrent | (unbonded) Water Well Constructor Certification (if applicable): |
| Well sealed from land surface to | · |
| Diameter of well hore to bottom of seelin. | This well was constructed under my direct supervision. Materials used and information reported above are frue to my best knowledge and belief. |
| Diameter of well hore below seal | [Signed] |
| Number of sacks of cement used in well seal | Bonded Water Well Constructor Certification: |
| Brushund grand or | Bond (namber) Issued by: NW Bry Olive 12 |
| The state of the s | This well was drilled under my jurisdiction and this report is true to the bost of my knowledge and belief |
| Was pump installed? | Name NEL SEARCHWELL DRILL IN 6 |
| Was a drive shoe used? Yes No Pluge Size: location ft. | (Penson, firm or gorporation) |
| Did any strata contain unusable water? Yes No | Address Address Address Address |
| Type or water: Geptn of strata | [Signed] // Soale 1 |
| Method of sealing strate off | Water Well Constructor Date |
| Was well gravel packed? Yes PNO Size of gravel: | LANCE St. Lie. K. Manus |
| Gravel placed from | THATTER PROOFINGED BUILDANGERAND |