

NOTICE TO WATER WELL CONTRACTOR  
 The contractor shall report  
**RECEIVED**  
 WATER RESOURCES DEPARTMENT,  
 SALEM, OREGON  
 within 30 days from the date  
 of completion.

**WATER WELL REPORT**  
 STATE OF OREGON  
 (Please type or print)  
 (Do not write above this line)

State Well No. 246/18E-35cd  
 State Permit No. \_\_\_\_\_  
 pg 1 of 2

From Jake 7/2  
 P6A

(1) OWNER:  
 Name Bob Strickland  
 Address 37990 Bellway Pl  
Scio Oregon 97374

(2) TYPE OF WORK (check):  
 New Well  Deepening  Reconditioning  Abandon   
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):  
 Rotary  Driven  Domestic  Industrial  Municipal   
 Cable  Jetted  Irrigation  Test Well  Other   
 Dug  Bored

CASING INSTALLED: Threaded  Welded   
 12" Diam. from 0 ft. to 20.5 ft. Gage 1.50  
 " Diam. from ft. to ft. Gage  
 " Diam. from ft. to ft. Gage

PERFORATIONS: Perforated?  Yes  No.  
 Type of perforator used \_\_\_\_\_  
 Size of perforations in. by in.  
 perforations from ft. to ft.  
 perforations from ft. to ft.  
 perforations from ft. to ft.

(7) SCREENS: Well screen installed?  Yes  No  
 Manufacturer's Name \_\_\_\_\_  
 Type \_\_\_\_\_ Model No. \_\_\_\_\_  
 Diam. Slot size Set from ft. to ft.  
 Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level  
 Was a pump test made?  Yes  No If yes, by whom?  
 Yield: gal./min. with ft. drawdown after hrs.  
 Bailer test 400 gal./min. with ft. drawdown after hrs.  
 Artesian flow g.p.m.  
 Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:  
 Well seal—Material used cement  
 Well sealed from land surface to 18 1/2 ft.  
 Diameter of well bore to bottom of seal 16 1/4 in.  
 Diameter of well bore below seal 12 - 9 in.  
 Number of sacks of cement used in well seal 11 sacks  
 How was cement grout placed? pressure grout  
12" hole to 129'  
 Was a drive shoe used?  Yes  No Plug Size: location ft.  
 Did any strata contain unusable water?  Yes  No  
 Type of water? depth of strata  
 Method of sealing strata off  
 Was well gravel packed?  Yes  No Size of gravel:  
 Gravel placed from ft. to ft.

(10) LOCATION OF WELL:  
 County Jake Driller's well number 50  
SE 1/4 SW 1/4 Section 35T. 24 R. 18 E W.M.  
 Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.  
 Depth at which water was first found \_\_\_\_\_ ft.  
 Static level 81 ft. below land surface. Date May 10-79  
 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 12" 8"  
 Depth drilled 462 ft. Depth of completed well 460 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
soft top soil	0	1	
Red sandstone	1	7	
gray, broken rock	7	10	
gray, broken hard basalt	10	28	
Red clay	38	41	
gray basalt	41	97	
Red clay	97	130	
Brown clay rock	130	130	
gray sandstone	130	152	MC
light gray to brown sandstone	152	170	-44
hard hard basalt	170	210	44
gray sandstone	210	220	51
Red clay	220	224	-
hard Basalt	224	232	
hard layer water bearing	232	236	+12
gray hard lava basalt	236	265	29 (9)
soft gray lava type of green	265	285	-
hard rock clay	285	290	
Green clay	290	336	-

Work started May 26 1979 Completed May 31 1979  
 Date well drilling machine moved off of well May 31 1979

Drilling Machine Operator's Certification:  
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
 [Signed] John F. Adams Date June 1, 1979  
 (Drilling Machine Operator)  
 Drilling Machine Operator's License No. 1302

Water Well Contractor's Certification:  
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
 Name Jyle R. Adams (Type or print)  
 (Person, firm or corporation)  
 Address Rt 3 Box 1228 Kellman, Ore.  
 97123  
 [Signed] Jyle Adams  
 (Water Well Contractor)  
 Contractor's License No. 690 Date June 1 1979

(USE ADDITIONAL SHEETS IF NECESSARY)

SP4586-119

APR 22 2013

T011581

WATER RESOURCES DEPT

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 245/18E-3500

State Permit No. P9 2 of 2

WATER RESOURCES DEPT

SALEM, OREGON

Name Col Stockhoff
Address 27990 Seltby Rd
Salem Oregon 97374

(2) TYPE OF WORK (check):
New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:
Rotary [ ] Driven [ ]
Cable [ ] Jetted [ ]
Dug [ ] Bored [ ]
(4) PROPOSED USE (check):
Domestic [ ] Industrial [ ] Municipal [ ]
Irrigation [x] Test Well [ ] Other [ ]

CASING INSTALLED:
Threaded [ ] Welded [x]
14" Diam. from 0 ft. to 20 1/2 ft. Gage 250.

PERFORATIONS:
Parforated? [ ] Yes [x] No.
Type of perforator used
Size of perforations in. by in.

(7) SCREENS:
Well screen installed? [ ] Yes [x] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:
Drawdown is amount water level is lowered below static level
Was a pump test made? [ ] Yes [x] No
Yield: gal./min. with ft. drawdown after hrs.

(9) CONSTRUCTION:
Well seal—Material used cement
Well sealed from land surface to 18 1/2 ft.
Diameter of well bore to bottom of seal 2 1/2 in.

Was a drive shoe used? [ ] Yes [x] No
Did any strata contain unusable water? [ ] Yes [x] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [ ] Yes [x] No
Gravel placed from ft. to

(10) LOCATION OF WELL:
County Lake Driller's well number 50
SE 1/4 SW 1/4 Section 35 T.24S R.18E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
Depth at which water was first found ft.
Static level 81 ft. below land surface. Date May 30
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:
Diameter of well below casing 12" 8"
Depth drilled 462 ft. Depth of completed well 460 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated.

Table with columns: MATERIAL, From, To, SWL. Rows include: Black sand, Green claystone, hard rock, crems with dark sand, hard gray sand, broken, gray hard lava, brown soft claystone, very hard gray sand.

Work started May 26 19 79 Completed May 31 19 79
Date well drilling machine moved off of well May 31 19 79

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision.
Materials used and information reported above are true to my best knowledge and belief.
[Signed] Stan Adams Date June 1, 1979
Drilling Machine Operator's License No. 1302

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Lyle P. Adams
Address Rt. 3 Box 122 X Hillside Ave. 97123
[Signed] Lyle P. Adams
Contractor's License No. 690 Date June 1, 1979

(USE ADDITIONAL SHEETS IF NECESSARY)

APR 22 2013

SP-4500-110

T011581

WATER RESOURCES DEPT SALEM, OREGON

**WATER WELL REPORT**  
STATE OF OREGON

**RECEIVED RECEIVED**

JUL 17 1984

MAY 28 1984

State Well No. 345/18E-356

State Permit No. abstract

WATER RESOURCES DEPT  
SALEM, OREGON

WATER RESOURCES DEPT  
SALEM, OREGON

**1) OWNER:**

Name Robert L Stock #077  
Address 3790 Gulley Rd  
City SC 10 State OR

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon

If abandonment, describe material and procedure in Item 13.

**(3) TYPE OF WELL:**

Rotary Air  Driven   
Rotary Mud  Dug   
Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other   
Thermal  Withdrawal  ReInjection

**(5) CASING INSTALLED:**

Steel  Plastic   
Threaded  Welded   
1 1/2" Diam. from 14 ft. to 19 ft. Gauge 2.5

**LINER INSTALLED:**

" Diam. from ..... ft. to ..... ft. Gauge .....

**(6) PERFORATIONS:**

Perforated?  Yes  No  
Type of perforator used .....  
Size of perforations ..... in. by ..... in.  
perforations from ..... ft. to ..... ft.  
perforations from ..... ft. to ..... ft.  
perforations from ..... ft. to ..... ft.

**(7) SCREENS:**

Well screen installed?  Yes  No  
Manufacturer's Name .....  
Type .....  
Diam. ..... Slot Size ..... Set from ..... ft. to ..... ft.  
Diam. ..... Slot Size ..... Set from ..... ft. to ..... ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? .....  
gal/min. with ..... ft. drawdown after ..... hrs.  
Air test ..... gal/min. with drill stem at ..... ft. ..... hrs.  
Bailer test ..... gal/min. with ..... ft. drawdown after ..... hrs.  
Artesian flow ..... g.p.m.  
Temperature of water ..... Depth artesian flow encountered ..... ft.

**(9) CONSTRUCTION:**

Special standards: Yes  No   
Well seal—Material used Cement  
Well sealed from land surface to 19 ft.  
Diameter of well bore to bottom of seal 1 1/2 in.  
Diameter of well bore below seal 1 1/2 in.  
Number of sacks of cement used in well seal 10 sacks  
How was cement grout placed? compressed grout  
Was pump installed? No Type ..... HP ..... Depth ..... ft.  
Was a drive shoe used?  Yes  No Plug ..... Size: location ..... ft.  
Did any strata contain unusable water?  Yes  No  
Type of Water? ..... depth of strata .....  
Method of sealing strata off .....  
Was well gravel packed?  Yes  No Size of gravel: .....  
Gravel placed from ..... ft. to ..... ft.

**(10) LOCATION OF WELL:**

County LAKE Driller's well number 2  
Twp NW 35 R 18E W.M. ....  
Tax Lot # ..... Lot # ..... Subdivision .....  
Address at well location: Christine Gulley Rd

**(11) WATER LEVEL:** Completed well. tech alt

Depth at which water was first found Don't remember  
Static level Don't remember below land surface  
Artesian pressure ..... lbs. per square inch. Date .....

**(12) WELL LOG:**

Diameter of well below casing 1 1/2 ft.  
Depth drilled 280 ft. Depth of completed well 280 ft.  
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	BWL
<u>SP. &amp; BROWN SAND</u>	<u>0</u>	<u>1 1/2</u>	
<u>GRAY LAVA ROCK</u>	<u>1 1/2</u>	<u>19</u>	
<u>BROWN CINDER</u>	<u>19</u>	<u>26</u>	
<u>BROWN LAVA ROCK</u>	<u>26</u>	<u>40</u>	

*No cutting came out  
I saw 70 ft down on dump  
to 280 ft. I saw in the other  
well log, telling you about  
the well around the casing  
I just kept the casing  
and drilled to 280 ft. I saw  
14 in. hole in the fall. I saw  
already 280 ft deep*

Work started 4/19 1984 Completed 4/26 1984  
Date well drilling machine moved off of well 4/26 1984

**(unbonded) Water Well Constructor Certification (if applicable):**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] Mel Search Date 5/16, 1984

**Bonded Water Well Constructor Certification:**

Bond 11,111.00 Issued by: NW BONDING CO  
(number) (Name of Company)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name MEL SEARCH WELL DRILLING  
Address 2010 S. Spillman Hwy. LEBANON, OR  
[Signed] Mel Search Water Well Constructor  
Date 5/16, 1984

NOTICE TO WATER WELL CONSTRUCTOR  
The original and first copy of this report  
are to be filed with the

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97110  
within 30 days from the date of well completion.

SP-45292-090

APR 22 2013

T011581

WATER RESOURCES DEPT  
SALEM, OREGON

APR 22 2013

SP-45282-890

NOTICE TO WATER WELL CONSTRUCTOR  
The original and first copy of this report are to be filed with the  
WATER RESOURCES DEPARTMENT  
SALEM, OREGON 97310  
within 30 days from the date of well completion.

**(10) LOCATION OF WELL:**  
County: W.M. Tax Lot #: 33 Section: 18E W.M. 33  
City: NE of Knappa, OR Subdivision: NE of Knappa, OR  
Address at well location: NE of Knappa, OR

**(11) WATER LEVEL: Completed well.**  
Depth at which water was first found:      ft.  
State level:      ft. below land surface. Date:       
Artesian pressure:      lbs. per square inch. Date:     

**(12) WELL LOG:**  
Diameter of well below casing:      ft.  
Depth drilled: 180 ft.  
Depth of completed well:      ft.

Formation: Describe color, texture, grain size and structure of materials and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
SAND BROWN	0	4	
GRAY LAVA ROCK	4	19	
BROWN BROWN CLAY	19	26	
BROWN LAVA ROCK	26	27	
BROWN CINDERS	27	44	
GRAY LAVA ROCK	44	70	

**(7) SCREENS:**  
Manufacturer's Name:       
Model No.:       
Well screen installed?  Yes  No

**(8) WELL TESTS:**  
Drawdown is amount water level is lowered below static level.  
Drawdown test made?  Yes  No  
If Yes, by whom?       
Air test: gal/min. with drill stem at      ft. drawdown after      hrs.  
Ball test: gal/min. with      ft. drawdown after      hrs.

**(1) OWNER:**  
Name: L. Stackhoff  
Address: 13790 Albany Rd  
City: SEAS  
State: OR

**(2) TYPE OF WORK (check):**  
New Well  Deepening  Record/Refracting  Abandon

**(3) TYPE OF WELL:**  
Rough Air  Drawn  Dog  Bored   
Domestic  Industrial  Tug Well  Other   
Municipal

**(4) PROPOSED USE (check):**  
If abandonment, describe material and procedure in Item 12  
New Well  Deepening  Record/Refracting  Abandon

**(5) CASING INSTALLED:**  
Steel  Plastic  Welded  Threaded   
Diagram from:      ft. to      ft.  
Diagram from:      ft. to      ft.

**(6) PERFORATIONS:**  
Type of perforator used:       
Size of perforations:      in. by      in.  
perforations from      ft. to      ft.  
perforations from      ft. to      ft.  
perforations from      ft. to      ft.

**(7) SCREENS:**  
Well screen installed?  Yes  No

**(8) WELL TESTS:**  
Drawdown is amount water level is lowered below static level.  
Drawdown test made?  Yes  No  
If Yes, by whom?       
Air test: gal/min. with drill stem at      ft. drawdown after      hrs.  
Ball test: gal/min. with      ft. drawdown after      hrs.

**(9) CONSTRUCTION:**  
Special standards:  Yes  No  
Well seal: Material used:       
Diameter of well bore to bottom of seal:      ft.  
Diameter of well bore below seal:      ft.  
Number of sacks of cement used in well seal:       
How was cement grout placed:       
Was pump installed?  Yes  No  
Type:      HP      Depth:      ft.  
Did any struts contain unmixable water?  Yes  No  
Flugs:      No      Yes  
Size of gravel:      ft. to      ft.  
Gravel placed from:      ft. to      ft.

3/5/18E-35B

RECEIVED  
MAY 23 1984  
WATER RESOURCES DEPT SALEM, OREGON  
APR 16 1984

STATE OF OREGON  
WATER WELL REPORT  
MAY 16 1984

RECEIVED  
WATER RESOURCES DEPT SALEM, OREGON  
APR 22 2013  
1011581

POA 3

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

12 LAKE 4550

To

RECEIVED RECEIVED 27S/15E/10ca

FEB 22 1995 APR 12 1995

(START CARD) # 71263

(1) OWNER: Name HAROLD A. MILES Well Number SALEM, OREGON

LOCATION OF WELL by legal description: County LAKE Latitude Longitude Township 27S N or S Range 10E E or W. WM. Section 10 1/4 SW 1/4 Tax Lot 1300 Lot Block Subdivision Street Address of Well (or nearest address) 518 off County RD

(2) TYPE OF WORK: [X] New Well [ ] Deepen [ ] Recondition [ ] Abandon

(3) DRILL METHOD: [X] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Other

(4) PROPOSED USE: [ ] Domestic [ ] Community [ ] Industrial [X] Irrigation [ ] Thermal [ ] Injection [ ] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [ ] Yes [X] No Depth of Completed Well 415 ft. Explosives used [ ] Yes [X] No Type Amount

Table with columns: HOLE Diameter, From, To, SEAL Material, From, To, Amount sacks or pounds. Includes entries for 18" diameter hole with cement seal from 0 to 69 ft.

How was seal placed: Method [ ] A [ ] B [X] C [ ] D [ ] E [ ] Other Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Includes entry for 14" casing from 1+ to 69 ft.

Final location of shoe(s)

(7) PERFORATIONS/SCREENS: [ ] Perforations [ ] Screens Method Type Material

Table for perforations/screens with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Includes a diagonal line across the table.

(8) WELL TESTS: Minimum testing time is 1 hour

Table for well tests with columns: Pump/Bailer/Air/Flowing Artesian, Yield gal/min, Drawdown, Drill stem at, Time. Includes entry for 900 gal/min yield at 415 ft depth with 1 hr time.

Temperature of Water 54 Depth Artesian Flow Found Was a water analysis done? [ ] Yes [ ] No By whom Did any strata contain water not suitable for intended use? [ ] Too little [ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other Depth of strata:

(10) STATIC WATER LEVEL: 141 1/2 ft. below land surface. Date 1-26-95 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found

Table for water bearing zones with columns: From, To, Estimated Flow Rate, SWL. Includes entry for zone from 161 to 162 ft with flow rate of 7 gpm and SWL of 141 1/2.

(12) WELL LOG: Ground elevation

Table for well log with columns: Material, From, To, SWL. Lists materials like BROWN CLAY, RED STONE, BROWNSTONE, RED LAVA ROCK, BROWN BASALT, GRAY Basalt, BROWN LAVA ROCK, GRAY BASALT, CINDERS BROWN, BROWN/GRAY BASALT, BROWN CINDERS, BLACK CINDERS, GRAY BASALT, BROWN/BLACK CINDERS, GRAY BASALT, BROWN CINDERS, GRAY BASALT, BROWN LAVA ROCK, GRAY BASALT.

Date started 12-30 Completed 1-26-95

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed \_\_\_\_\_ WWC Number \_\_\_\_\_ Date \_\_\_\_\_

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

Signed Mel Search WWC Number 567 Date 1-26-95

ORIGINAL & FIRST COPY - WATER RESOURCES DEPARTMENT SECOND COPY - CONSTRUCTOR THIRD COPY - CUSTOMER 9809C 10/91

RECEIVED

APR 22 2013

T011581

WATER RESOURCES DEPT SALEM, OREGON