STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

DESC 57330 04-13-2006

Page	1	of 2	

WELL LABEL # L	81810	_
START CARD#	181704	

(1) LAND OWNER Owner Well I.D.	(9) LOCATION OF WELL (legal description)
First Name BARBARA Last Name BURKE	County Deschutes Twp 15.00 S N/S Range 10.00 E E/W WM
Company	Sec 26 NE 1/4 of the SE 1/4 Tax Lot 601
Address 16829 GREENBRIER RD	Tax Map Number Lot
City LAKE OSWEGO State OR Zip 97034	Lat ' ' or 44.24079000 DMS or DD Long ' or -121.49432000 DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion	
Alteration (repair/recondition) Abandonment	Street address of well Nearest address
(3) DRILL METHOD	67380 HARRINGTON LOOP RD; PARCEL 2
Rotary Air Rotary Mud Cable Auger Cable Mud	(10) STATIC WATER LEVEL
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening
Industrial/Commercial Livestock Dewatering	Completed Well 04-12-2006 323
Thermal Injection Other	Flowing Artesian?
	WATER BEARING ZONES Depth water was first found
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy) Denth of Completed Well 430.00 ft.	SWL Date From To Est Flow SWL(psi) + SWL(ft) 04-11-2006 390 430 75 323
Depth of Completed Well 430.00 ft. BORE HOLE SEAL sacks/	370 73
Dia From To Material From To Amt Ibs	
12 0 78.5 Cement 0 78.5 66 S	
8 78.5 430	
 - - - - - - - - 	(11) WELL LOG Ground Flavation
How was seal placed: Method A B C D E	Ciound Elevation
Other	Material From To Gravels Medium Large 0 9
Restrict name of to the Material	Gravel Clay Medium Brown 9 33
Backfill placed fromft. toft. Material	Clay Conglomerate 33 72
Explosives used: Yes Type Amount	Lava Gray Hard 72 155
	Crevice 155 157 Lava Hard Fractured 157 172
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Lava Hard Fractured 157 172 Cinders Red 172 182
	Sandstone Brown 182 220
	Basalt Clay Seams Purple 220 235
	Basalt Fractured Layers 235 265
	Lava Hard Fractured 265 360 Cinders Red 360 372
	Lag Broken (MAC Senns V OWRD 372 430
Shoe Inside Outside Other Location of shoe(s)	
Temp casing Yes Dia From To	
(7) PERFORATIONS/SCREENS	MAY 2 2 2013 — — — — — — — — — — — — — — — — — — —
Perforations Method Machine	
Screens Type Material	DAI THE CON
Perf/ Casing/Screen Scrn/slot Slot # of Tele/	Date Started 04-07-2006 Completed 04-12-2006
Screen Liner Día From To width length slots pipe size	
Perf Liner 6 410 430 .125 3 228	(unbonded) Water Well Constructor Certification
 	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
(8) WELL TESTS: Minimum testing time is 1 hour	License Number 758 Date 04-13-2006
Pump Bailer Air Flowing Artesian	Electronically Filed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed THOMAS R PECK (E-filed)
75 420 1	(bonded) Water Well Constructor Certification
	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
Temperature 52 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) From To Description Amount Units	
The Description Amount Office	License Number 1720 Date 04-13-2006 Electronically Filed
	Signed JACK ABBAS (E-filed)
	Contact Info (optional)