

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON, within 30 days from the date of well completion.

RECEIVED BY OWNER
WATER WELL REPORT
STATE OF OREGON
(Please type or print)
Do not write above this line

Lake 1245

10ccc
28/14-15
State Well No. 28/14-15
State Permit No. 5762

RECEIVED
OCT 30 1970
STATE ENGINEER
SALEM, OREGON

SALEM, OR 5762

(1) OWNER:

Name CAMERON CLIFF
Address LA PINE ORE

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
18" Diam. from 0 ft. to 20 ft. Gage 5/8 IN.
14" Diam. from 0 ft. to 20 ft. Gage 1/2 IN.
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used CUTTING TORCH
Size of perforations 3/8 in. by 3 in.
perforations from 10.0 ft. to 12.0 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 30 ft. below land surface Date 9-30-70
Piezometric pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.

air blow test

Bailer test 1000 gal./min. with 0 ft. drawdown after 3 hrs.
Artesian flow g.p.m. Date
Temperature of water 50 Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used CEMENT + BENTONITE
Depth of seal 30 ft.
Diameter of well bore to bottom of seal 12 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County LAKE Driller's well number
NE 1/4 NW 1/4 Section 15 T. 28 S. R. 14 E W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 14 IN.
Depth drilled 405 ft. Depth of completed well 405 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
SOFT SANDY LOAM	0	5	
HARD BROWN CLAY	5	69	
DRY BLACK SAND	69	71	
SOFT BROWN CLAY	71	90	
HARD BROWN CLAY	90	95	
COARSE BLACK SAND	95	98	
BLUE CLAY SOFT	98	110	
COARSE BLACK SAND	110	114	
SOFT GREY CLAY	114	138	
SOFT BLUE CLAY	138	160	
BLACK SAND COARSE	160	164	
HARD BROWN CLAY	164	198	
COARSE BROWN SAND	198	201	
SOFT BROWN CLAY	201	230	
FINE RED SANDERS	230	234	
HARD RED CLAY	234	251	
HARD BROWN CLAY	251	267	
FINE BROWN SAND	267	269	
HARD BLUE CLAY STONE	269	285	
COARSE BLUE SAND	285	288	
HARD BROWN CLAY	288	321	
FINE BLACK GRAVEL	321	325	

Work started 4-9 1970 Completed 9-30 1970
Date well drilling machine moved off of well 9-30 1970

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Silas Blaylock Date 10-28, 1970
(Drilling Machine Operator)

Drilling Machine Operator's License No. 383

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME SILAS BLAYLOCK
(Person, firm or corporation) (Type or print)

Address SILVER LAKE OREGON

[Signed] Silas Blaylock
(Water Well Contractor)

Contractor's License No. 425 Date 10-28, 1970

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

RECEIVED OCT 30 1970 STATE ENGINEER SALEM, OREGON

WATER WELL REPORT STATE OF OREGON (Please type or print) (Do not write above this line)

JUN 28 2013

State Well No.

SALEM, OREGON

10ccc 28/14-150A

(1) OWNER:

Name Address

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

Threaded [] Welded []

Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? [] Yes [] No.

Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level ft. below land surface Date Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Baller test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [] No

(10) CONSTRUCTION:

Well seal—Material used Depth of seal ft. Diameter of well bore to bottom of seal in. Were any loose strata cemented off? [] Yes [] No Depth Was a drive shoe used? [] Yes [] No Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Driller's well number 1/4 1/4 Section T. R. W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Entries include HARD GREY CLAY, FINE GREY GRAVEL, COARSE GREY SAND.

Work started 19 Completed 19 Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] (Drilling Machine Operator) Date 19

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date 19

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON
within 30 days from the date
of well completion.

RECEIVED BY OR
WATER WELL REPORT
AUG 14 1972
STATE OF OREGON
SALEM, OREGON
State Well No. Lake 1317
28/14-73 AA
State Permit No. 6-89/5

(1) OWNER:

Name Cliff Cameron
Address Shiloh Road 97739

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug
Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

1 1/4" Diam. from 2 ft. to 9.5 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Type of perforator used Touch Perforated? Yes No.
Size of perforations 1/2 in. by 6 in.
40 perforations from 9.0 ft. to 9.3 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
flowing approx. 1000 gallons min.
Baller test gal./min. with 0 ft. drawdown after 2 hrs.
Artesian flow g.p.m.
Temperature of water 50 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement & drill cuttings
Well sealed from land surface to 28 ft.
Diameter of well bore to bottom of seal 1.8 in.
Diameter of well bore below seal 1.6 in.
Number of sacks of cement used in well seal 11 sacks
Number of sacks of bentonite used in well seal 0 sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lake Driller's well number
NE 1/4 NE 1/4 Section 23 T. 28 R. 14E W.M.
Bearing and distance from section or subdivision corner 1920 ft. south & 1320 ft. south of the NE corner of sec. 23

(11) WATER LEVEL: Completed well.

Depth at which water was first found 36 ft.
Static level 35 ft. below land surface. Date 6-1-72
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 335 ft. Depth of completed well 335 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
BROWN SANDY SOIL	0	5	
BROWN CONGLOMERATE	5	22	
HARD YELLOW CLAY STONE	22	36	
BLUE CLAY & BLACK SAND	36	88	
GRAVEL WITH WATER			
BLACK HARD ROCK - STRIPS IF	88	160	
YELLOW CLAY			
RED CINDER ROCK	160	169	
BLACK HARD ROCK - STRIPS	169	217	
OF YELLOW CLAY			
BROWN BROKEN HARD ROCK	217	252	
YELLOW CLAY & GRAVEL	252	257	
BROWN BROKEN ROCK	257	295	
COURSE SAND & MULTI-COLOR	295	335	35
GRAVEL - WATER BEARING			

Work started 5-21 1972 Completed 6-1 1972
Date well drilling machine moved off of well 6-1 1972

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Rab Crawford Date 6-5 1972
(Drilling Machine Operator)

Drilling Machine Operator's License No. 440

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name CRAWFORD WELL DRILLING
(Person, firm or corporation) (Type or print)

Address Box 17 TERREBASSE ORE

[Signed] Rab Crawford
(Water Well Contractor)

Contractor's License No. 451 Date 6-5 1972