

JACK 54796
JACK 54796

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

GRIBBLE WELL DRILLING INC.

(START CARD) # 137177

(1) OWNER: Well Number 1-48678
Name George White
Address 556 McDough Rd
City Gold Hill State Or Zip 97525

(2) TYPE OF WORK:
☐ New Well ☒ Deepen ☐ Recondition ☐ Abandon

(3) DRILL METHOD:
☒ Rotary Air ☐ Rotary Mud ☐ Cable
☐ Other

(4) PROPOSED USE:
☒ Domestic ☐ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☒ No Depth of Completed Well 300 ft.
Explosives used ☐ Yes ☒ No Type _____ Amount _____

HOLE		SEAL		Amount sacks or pounds
Diameter	From To	Material	From To	
8"	140	300	seal was not disturbed	

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E
☐ Other

Backfill placed from _____ ft. to _____ ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:				☐	☐	☐	☐
				☐	☐	☐	☐
				☐	☐	☐	☐
				☐	☐	☐	☐
				☐	☐	☐	☐
Liner:				☐	☐	☐	☐
				☐	☐	☐	☐
				☐	☐	☐	☐

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:
☐ Perforations Method _____
☐ Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
						☐	☐
						☐	☐
						☐	☐
						☐	☐
						☐	☐
						☐	☐
						☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Time
120+		300	1 hr.

Temperature of Water 55 Depth Artesian Flow Found _____
Was a water analysis done? ☐ Yes By whom _____
Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____
Depth of strata: _____

(9) LOCATION OF WELL by legal description:
County Jackson Latitude 42° 29' 822 Longitude 122° 58' 55
Township 35s N or S. Range 2w E or W. WM.
Section 29 SW 1/4 SE 1/4
Tax Lot 3605 Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) Same

(10) STATIC WATER LEVEL:
40 ft. below land surface. Date 7-2-01
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:
Depth at which water was first found 173

From	To	Estimated Flow Rate	SWL
173	176	14	40
203	205	23	40
239	241	23	40
258	260	25	40
278	279	25	40

(12) WELL LOG: Ground elevation _____

Material	From	To	SWL
dry to start	140'		
sandstone	gray	140	173
claystone	gray	173	187
claystone	black	187	191
claystone	gray	191	214
sandstone	gray	214	238
claystone	gray	238	300

RECEIVED BY OWRD

RECEIVED

JUN 1 2014

AUG 10 2001

SALEM, OR

WATER RESOURCES DEPT
SALEM, OREGON

Date started 7-2-01 Completed 7-2-01

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Material used and information reported above are true to my best knowledge and belief.

WWC Number _____
Signed _____ Date _____

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 705
Signed Jim M. M. M. Date 7-22-01

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 355/2W-29bc

State Permit No. _____

(1) OWNER:

Name Roy L. CarverAddress 622 McDonough Rd.Gold Hill, Ore.

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 13.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Jetted ☐
Bored ☐

(4) PROPOSED USE (check):

Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

6 " Diam. from 0 ft. to 20 ft. Gage See #12
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used _____

Size of perforations in. by in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Is a pump test made? ☐ Yes ☒ No If yes, by whom?

Field: _____ gal./min. with _____ ft. drawdown after _____ hrs.

" " " " " " " "

" " " " " " " "

Artesian flow _____ g.p.m.

Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used CementWell sealed from land surface to 19 ft.Diameter of well bore to bottom of seal 10 in.Diameter of well bore below seal 6 in.Number of sacks of cement used in well seal 6 sacksHow was cement grout placed? pressure grouted

Was a drive shoe used? ☐ Yes ☒ No Size: location _____ ft.Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? _____ Depth of strata _____

Method of sealing strata off _____

Was well gravel packed? ☐ Yes ☒ No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Jackson Driller's well number _____SW 36 1/4 NW 1/4 Section 29T. 35S.R. 2W W.M.

Bearing and distance from section or subdivision corner _____

Tax lot--3605 Permit--328-80W

(11) WATER LEVEL: Completed well.

Depth at which water was first found 91 ft.Static level 20 ft. below land surface. Date 8/22/80

Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6Depth drilled 145 ft. Depth of completed well 145 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil--brown	0	4	
Sandstone--brown	4	10	
Sandstone--gray	10	130	
Sandstone--pink	130	140	
Sandstone--gray	140	145	20

SDR26 (class 160) PSI PVC NSF type 1120
ASTM 2241

RECEIVED

SEP 05 1980

JUN 11 2014

WATER RESOURCES DEPT
SALEM, OREGON

SALEM, OR

Work started 8/22 19 80 Completed 8/22 19 80Date well drilling machine moved off of well 8/22 19 80

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Jimmy Quinn Date 8/25, 19 80

(Drilling Machine Operator)

Drilling Machine Operator's License No. 1242

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Virgle Gribble Well Drilling

(Person, firm or corporation)

(Type or print)

Address 8380 Ramsey Rd., Gold Hill, Or.[Signed] Virgle Gribble

(Water Well Contractor)

Contractor's License No. 705 Date 8/25, 19 80

(USE ADDITIONAL SHEETS IF NECESSARY)

OW-44666-119