NOTICE TO WATER WELL CONTRACTOR


The original and first copy of this report

are to be filed with the

WATER WELL REPORT

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from the date of well completion. 950 RECENTED int)

Operate write above this line)



MATLOCATION OF WELL: (1) OWNER: LISTER REPOUNDED County Deschutes Driller's well number Name Harold Dunagan NW 14 SE 14 Section 1 T. 14S R. 11E Address Rt. 1 Box 245 W.M. Terrebonne. Ore. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning Abandon If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven 🗆 Rotary ft. below land surface. Date 8-14-78 Domestic 🔲 Industrial 🗋 Municipal 🗇 Static level Cable Jetted Irrigation 🔁 Test Well 🗆 Other Bored | Dus Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded [] Welded [] (12) WELL LOG: Diameter of well below casing ... 12" 16 - Diam from 2 n to -18 n Gage +250 Depth drilled 396 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; ft to " Diam. from ... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? Yes ONo. MATERIAL pe of perforator used Size of perforations in. by brown sandy soil brown sandstone 3 10 ... perforations from grev hard rock 10 18 perforations from brown hard rock 18 37 perforations from ft. to ... 89 brown broken hard rock 37 (7) SCREENS: Well screen installed? [] Yes 🔁 No brown sandstone conglomerate 89 30 Manufacturer's Name ... grev hard broken rock 130 260 260 346 342 brown hard broken rock Set from black broken rock WB 346 391 Diam. Slot size Set from ft. to 391 brown hard rock 396 Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? ☐ Yes ∑ No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test gal./min. with NO ft. drawdown after hrs. Artesian flow g.p.m. 10 78 Depth artesian flow encountered 1978 Completed 8-16 perature of water Work started 19 78 8-16 Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used coment Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to 20 Diameter of well bore to bottom of seal . best knowledge and belief. 12 (Signed) Tary K. Date 8-17 19 78 Diameter of well bore below seal Number of sacks of cement used in well seal Drilling Machine Operator's License No.678..... How was cement grout placed? gravity flow Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Crawford Well Drilling, Inc.
(Type or print) Was a drive shoe used? 🗖 Yes 🝊 No Plugs Did any strata contain unusable water? 🗆 Yes 💆 No Address1245 NW Lower Bridge Terrebonne, Ore. Type of water? depth of strata Method of sealing strata off Was well gravel packed? Yes No Size of gravel: ... Contractor's License No. 570 Date 19... Gravel placed from

WATER WELL KEPORT STATE OF OREGON

PESC FIECEIVED TO 155 10E-20 15

WATER RESOURCES DEPRiate Permit No. SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:	
Name DALA GEORGES	County 1) 25 Chu TYS Driller's well number	
Address John JAN	1. w x1. w x Section 20 T/5.5 R/OF W.M.	_
City 5:5746 StateOff	Tax Lot # Lot Blk Subdivision	
(2) TYPE OF WORK (check):	Address at well location:	
New Well Deepening Career Reconditioning Career Abandon Career	(44) MARKET TRAVERT CO	•
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 2 7 0 ft	<u>.</u> .
(4)	Static level 250 ft. below land surface. Date 3-3/-	:3
Rotary Mud Dug Domestic (Industrial Municipal : Rotary Mud Dug Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date	
Bored Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below casing	
(5) CASING INSTALLED: Steel Plastic Threaded Welded D. Welded D. Threaded Threaded Threaded Threaded D. Welded D. Threaded Thread	Depth drilled 3/5 ft. Depth of completed well 3/0 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and squifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.	- , ,
LINER INSTALLED:	MATERIAL From To SWL	•
Diam. from	overbusten 04	. –
	RHSALT 4 /5	•
(6) PERFORATIONS: Perforated? ☐ Yes print No Type of perforator used	SANDSFORM Rt. 1535	
Size of perforations in. by in.	CONG. Tray med. 35 57	
	BASALT 57 121	
perforations from	Chmy L Zong. Rh 121 188	
perforations from	BASALT 188 243	
	SANDSTONY BL 243 270 250	Ł.
(7) SCREENS: Well screen installed? Yes 10 No	WATER DUNKING BASKET 270 20	•
Manufacturer's Name Type Model No.		•
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		. —
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		-
Was a pump test made? EYes No If yes, by whom? Dr. LLY		
: 3/ gal/min. with 6 ft. drawdown after 4 hrs.		
" "		
Air test 95 gal/min. with drill stem at 300 ft. / hrs.		
Bailer test gal/min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
perature of water	Work started 3-24 19 83 Completed 3-3/1985	3
(9) CONSTRUCTION: Special standards: Yes 🗆 No 🗗	Date well drilling machine moved off of well 2 - 3/ 19 K	3
Well seal—Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used	i
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and belief.	>
Diameter of well bore below seal in.	[Signed 7. Date 7.7., 19.8.]	•
Number of sacks of cement used in well seal Secks How was coment grout placed?	Drilling Machine Operator's License No	_
***************************************	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is true to	3
Was pump installed?	the best of my knowledge and belief. Name DAUISON-SMITH Dritting	_
Was a drive shoe used? ☐ Yes DNo Plugs	(Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? Yes No	Address 68743 Junifing hw R. dmond O	74
Type of Water? depth of strata	Signed & sordon Davide 917	26
Mathod of sealing strata off Was well gravel packed? □ Yes □ Yes □ Size of gravel:	(Water Well Contractor)	•
Gravel placed from	Contractor's License No. 5.4. S. Date	3

DESC 3127 WELL IDENTIFICATION FORM

Owner's Well Number: Wests #

CURRENT WELL OWNER:	Phone:	MEGEIAED
Name: DAVE and BARBA	ra GRIFFIT	
Mailing Address: POBVX 63	}	WATER RESOURCES DEPT SALEM, OREGON
City: Sisters	State: UR Zip:	97759
WELL LOCATION:		
County: Deschutes Lat	itude: <u>44° 15'</u> Lo	ngitude: 121° 33
Township: 15 N or Range: 10 E	or W Section: 20	SW 1/4 NW 1/4
Tax Lot Number: 15-10-20	-00-0500	
Street Address of Well (if different from above	67844	Peterson Bain
Rd, Sisten or		
If a well report is available for this well, please not necessary for you to complete the remain well report is not available, please complete the	nder of the form if the we	ell report is attached. If a
WELL INFORMATION:		
Start Card Number:Ap	prox. Construction Date:	
Well Constructor:		
Name of Owner at Time of Construction:		
Well Depth (in feet):Sta	tic Water Level (in feet):	
Diameter of Exposed Well Casing (in inches)	:	
Does this well have a formal water right asso	ciated with it? Yes:	No: If yes:
Application #: Permi	t #:Certi	ficate #:
	Oregon Water Resource 158 12th Street NE Salem, OR 97310	
(08	on use only)	The state of the s

(Office use only)

207065