



Water Solutions, Inc.

8019 W. Quinault Avenue, Suite 201, Kennewick, Washington 99336
Ph: 509.735.7135 Fax: 509.735.7067

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

March 14, 2016

ATTN: Transfer Section
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301

RE: Historical POD Transfer Application for Stateline Ranch

To Whom It May Concern:

Enclosed please find an Historical POD Transfer Application with supporting documents submitted on behalf of my client, Stateline Ranch. A check in the amount of \$3,250 for application fees also accompanies this packet.

Should you have any questions regarding this application packet, please do not hesitate to contact me.

Sincerely,

Molly Reid
Senior Water Resources Consultant
(509) 378-3284 Direct Line
(541) 310-7264 Cell
mreid@gsiws.com

Cc: Stateline Ranch
File

Enclosures: Transfer Application
Supporting Documents

T 12312



State of Oregon
 Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900

Application for Historic Change in Point of Diversion/Appropriation

Part 1 of 5 – Minimum Requirements Checklist

This historic change in point of diversion/appropriation application will be returned if Parts 1 through 5 and all required attachments are not completed and included.
 For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED BY OWRD

Check all items included with this application. (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about the Transferred Water Rights: **How many water rights are to be transferred? 6 List them here: 5526, 14551, 24511, 24512, 83914, 84152 – Attachment #2**
Please include a separate Part 5 for each water right. (See instructions on page 5)

MAR 14 2016

SALEM, OR

Attachments:

- Completed Application Map (Does not have to be prepared by a Certified Water Right Examiner). **Attachment #1**
- Completed Evidence of Use Affidavit and supporting documentation showing that water has been used on the land for five years prior to transfer filing AND diverted at the actual, current point of diversion/appropriation for more than 10 years. **Attachment #3 & 4**
- Statement from the local Watermaster, based upon the Watermaster's knowledge and Department records, that no complaint of injury has been made due to the use of water at the actual, current point of diversion/appropriation. **Attachment #5**
- Land Use Information Form with approval and signature (or signed land use form receipt stub). **Attachment #6**
- N/A Affidavit(s) of Consent from Landowner (if the applicant does not own the land the water right is on.)
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

<input type="checkbox"/> Application fee not enclosed/insufficient	<input type="checkbox"/> Map not included or incomplete
<input type="checkbox"/> Land Use Form not enclosed or incomplete	<input type="checkbox"/> Additional signature(s) required
<input type="checkbox"/> Other/Explanation _____	<input type="checkbox"/> Part _____ is incomplete

Staff: _____ 503-986-0 _____ Date: ____/____/____

T 12312

Part 2 of 5 – Historic Change in Point of Diversion/Appropriation Application Map Checklist

Your historic change in point of diversion/appropriation application will be returned if any of the map requirements listed below are not met.

Please be sure that the historic change in point of diversion/appropriation application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- Permanent quality printed with dark ink on white or clear paper or film.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, three (3) paper copies and an electronic copy in a .pdf, .tiff or .jpg format are required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) and county tax lot numbers are required.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Authorized point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate.
- Actual, current point of diversion/appropriation. Show the location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32’15.5”) or degrees-decimal with five or more digits after the decimal (example – 42.53764°).
- Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- N/A If for more than one actual, current point of diversion/appropriation. separate hachuring is needed for each place of use served by each point of diversion/appropriation, including the number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.

RECEIVED BY OWRD

MAR 14 2016

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? Yes No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

At this time, are the lands in this application in the process of being sold? Yes No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

<http://www.oregon.gov/owrd/docs/transfer-propertytransactions.pdf>

RECEIVING LANDOWNER NAME N/A		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS			FAX NO.
CITY	STATE	ZIP	E-MAIL

RECEIVED BY OWRD

Describe any special ownership circumstances here: _____

MAR 14 2016

Check here if water for any of the rights supplied under a water service agreement ~~SAPM Contract~~ for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME UMATILLA COUNTY PLANNING DEPARTMENT	ADDRESS 216 SE 4 TH STREET	
CITY PENDLETON	STATE OR	ZIP 97801

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

Explain in your own words what you propose to accomplish with this transfer application; and why: Applying for historic point of diversion on surface water rights from Pine Creek and Schwartz Spring Branch at current, historically used location (50+ years). Updating the water rights of record to correctly list the actual point of diversion.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 5, to copy and paste additional Part 5s, or to add additional rows to tables

CERTIFICATE # 5526

Description of Water Delivery System

System capacity: 0.82 cubic feet per second (cfs) for Schwartz Spring Branch; 186.6 acre feet from Pine Creek

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. Water is pumped at the creek with a 75 hp lift pump through a weed screen up to a 40 hp pump then distributed through 8 inch mainline that feeds 3 inch hand lines and circles with 5 gpm sprinkler heads.

RECEIVED BY OWRD

MAR 14 2016

Table 1. Location of Authorized and Current Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it the Current POD/POA that has been used for more than 10 years?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Pine Creek	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Current		6	N	34	E	21	SW	NE		1,530 feet S and 270 feet E from the N1/4 corner of Section 21
Swartz Creek	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Current		6	N	34	E	17	NE	SE		Approximate location. Certificate does not provide description.
Historic POD	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Current		6	N	34	E	17	NW	SE		2,335 feet N and 2,575 feet W from the SE corner of Section 17
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current										

Check all type(s) of historic change(s) proposed below (change "CODES" are provided in parentheses):

- Point of Diversion (POD) Additional Point of Diversion (APOD)
 Point of Appropriation/Well (POA) Additional Point of Appropriation (APOA)

Will the historic change in point of diversion/appropriation affect the entire water right?

- Yes Complete only the proposed section of Table 2 on the next page.
 No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed. Do you have questions about how to fill-out the tables? See page 5 for instructions, or contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 5526

List only the part of the right that will be changed. For the acreage in each 1/4 1/4, list the change proposed. If more than one actual, current POD/POA, specify the acreage associated with each actual, current POD/POA.

Authorized ("from" lands) as they appear before the changes										Proposed Change (POD, POA, APOD, or APOA)	Current (in use for more than ten years) POD(s)/POA(s) to be used (from Table 1)	Priority Date	
Twp	Rng	Sec	1/4 1/4		Tax Lot	Gvt Lot or DLC	Acreage (if applicable)	POD(s) or POA(s) (name or number from Table 1)					
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2	POD	POD #5	1897
"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	"
6	N	34	E	17	NE	SE	500		10.4	PINE CREEK	POD	HISTORIC POD	1874
6	N	34	E	17	NW	SE	500		6.4	PINE CREEK	POD	HISTORIC POD	1874
6	N	34	E	17	SW	SE	500		12.0	PINE CREEK	POD	HISTORIC POD	1874
6	N	34	E	17	SE	SE	500		33.4	PINE CREEK	POD	HISTORIC POD	1874
6	N	34	E	17	SW	NE	500		7.9	SWARTZ CREEK	POD	HISTORIC POD	1874
6	N	34	E	17	SE	NE	500		13.7	SWARTZ CREEK	POD	HISTORIC POD	1874
6	N	34	E	17	NE	SE	500		24.3	SWARTZ CREEK	POD	HISTORIC POD	1874
6	N	34	E	17	NW	SE	500		19.7	SWARTZ CREEK	POD	HISTORIC POD	1874

Additional remarks: _____

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 5, to copy and paste additional Part 5s, or to add additional rows to tables

CERTIFICATE # 14551

Description of Water Delivery System

System capacity: 0.35 cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. Water is pumped at the creek with a 7.5 hp lift pump through a weed screen up to a 40 hp pump then distributed through 8 inch mainline that feeds 3 inch hand lines and circles with 5 gpm sprinkler heads.

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

Table 1. Location of Authorized and Current Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it the Current POD/POA that has been used for more than 10 years?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Young Ditch	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Current		6 N	34 E	16	SE SE		Approximate location as Certificate does not provide metes and bounds description
Historic POD	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Current		6 N	34 E	17	NW SE		2,335 feet N and 2,575 feet W from the SE corner of Section 17
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							

Check all type(s) of historic change(s) proposed below (change “CODES” are provided in parentheses):

- Point of Diversion (POD) Additional Point of Diversion (APOD)
 Point of Appropriation/Well (POA) Additional Point of Appropriation (APOA)

Will the historic change in point of diversion/appropriation affect the entire water right?

- Yes Complete only the proposed section of Table 2 on the next page.
 No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed. Do you have questions about how to fill-out the tables? See page 5 for instructions, or contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 14551

List only the part of the right that will be changed. For the acreage in each 1/4 1/4, list the change proposed. If more than one actual, current POD/POA, specify the acreage associated with each actual, current POD/POA.

Authorized ("from" lands) as they appear before the changes										Proposed Change (POD, POA, APOD, or APOA)	Current (in use for more than ten years) POD(s)/POA(s) to be used (from Table 1)	Priority Date	
Twp	Rng	Sec	1/4 1/4		Tax Lot	Gvt Lot or DLC	Acreage (if applicable)	POD(s) or POA(s) (name or number from Table 1)					
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2	POD	POD #5	1897
"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	"
6	N	34	E	17	SW	NE	500		15.0	YOUNG DITCH	POD	HISTORIC POD	1942
6	N	34	E	17	SE	NE	500/501		9.0	YOUNG DITCH	POD	HISTORIC POD	1942
6	N	34	E	17	NE	SE	501		4.0	YOUNG DITCH	POD	HISTORIC POD	1942

Additional remarks: _____

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 5, to copy and paste additional Part 5s, or to add additional rows to tables

CERTIFICATE # 24511

Description of Water Delivery System

System capacity: 2.01 cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. Water is pumped at the creek with a 7.5 hp lift pump through a weed screen up to a 46 hp pump then distributed through 8 inch mainline that feeds 3 inch hand lines and circles with 5 gpm sprinkler heads.

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

Table 1. Location of Authorized and Current Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it the Current POD/POA that has been used for more than 10 years?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Pine Creek	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Current		6 N	34 E	21	SW NE		1,530 feet S and 270 feet E from the N1/4 corner of Section 21
Historic POD	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Current		6 N	34 E	17	NW SE		2,335 feet N and 2,575 feet W from the SE corner of Section 17
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							

Check all type(s) of historic change(s) proposed below (change “CODES” are provided in parentheses):

- Point of Diversion (POD) Additional Point of Diversion (APOD)
 Point of Appropriation/Well (POA) Additional Point of Appropriation (APOA)

Will the historic change in point of diversion/appropriation affect the entire water right?

- Yes Complete only the proposed section of Table 2 on the next page.
 No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed. Do you have questions about how to fill-out the tables? See page 5 for instructions, or contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 24511

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one actual, current POD/POA, specify the acreage associated with each actual, current POD/POA.

Authorized ("from" lands) as they appear before the changes								Proposed Change (POD, POA, APOD, or APOA)	Current (in use for more than ten years) POD(s)/POA(s) to be used (from Table 1)	Priority Date
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)			
6	N	34	E 17 SE NW	502		27.8	PINE CREEK	POD	HISTORIC POD	1942
6	N	34	E 17 SW NW	502		25.7	PINE CREEK	POD	HISTORIC POD	1942
6	N	34	E 17 NE SW	502		40.6	PINE CREEK	POD	HISTORIC POD	1942
6	N	34	E 17 NW SW	502		37.5	PINE CREEK	POD	HISTORIC POD	1942
6	N	34	E 17 SW SW	502		1.0	PINE CREEK	POD	HISTORIC POD	1942
6	N	34	E 17 SE SW	502		9.7	PINE CREEK	POD	HISTORIC POD	1942
6	N	34	E 17 NW SE	502		12.4	PINE CREEK	POD	HISTORIC POD	1942
6	N	34	E 17 SW SE	502		8.3	PINE CREEK	POD	HISTORIC POD	1942

Additional remarks: Acreage in the SWNW and SENW listed above correctly identifies the actual quarter-quarter where the water rights are located. Certificate incorrectly locates these acres in the NENW and NWNW.

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

T 12312 T 12312

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 5, to copy and paste additional Part 5s, or to add additional rows to tables

CERTIFICATE # 24512 RECEIVED BY OWRD

Description of Water Delivery System

MAR 14 2016

System capacity: 0.86 cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

SALEM, OR

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. Water is pumped at the creek with a 7.5 hp lift pump through a weed screen up to a 40 hp pump then distributed through 8 inch mainline that feeds 3 inch hand lines and circles with 5 gpm sprinkler heads.

Table 1. Location of Authorized and Current Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it the Current POD/POA that has been used for more than 10 years?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Swartz Creek	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Current	N/A	6 N	34 E	17	NE SE		Approximate location. Certificate does not provide metes and bounds description.
Historic POD	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Current	N/A	6 N	34 E	17	NW SE		2,335 feet N and 2,575 feet W from the SE corner of Section 17
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							

Check all type(s) of historic change(s) proposed below (change "CODES" are provided in parentheses):

- Point of Diversion (POD) Additional Point of Diversion (APOD)
 Point of Appropriation/Well (POA) Additional Point of Appropriation (APOA)

Will the historic change in point of diversion/appropriation affect the entire water right?

- Yes Complete only the proposed section of Table 2 on the next page.
 No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed. Do you have questions about how to fill-out the tables? See page 5 for instructions, or contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 24512

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one actual, current POD/POA, specify the acreage associated with each actual, current POD/POA.

Authorized ("from" lands) as they appear before the changes								Proposed Change (POD, POA, APOD, or APOA)	Current (in use for more than ten years) POD(s)/POA(s) to be used (from Table 1)	Priority Date
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)			
6 N	34 E	17	SE NW	502		12.5	SWARTZ CREEK	POD	HISTORIC POD	1945
6 N	34 E	17	NE SW	502		8.1	SWARTZ CREEK	POD	HISTORIC POD	1945
6 N	34 E	17	NE SE	502		5.5	SWARTZ CREEK	POD	HISTORIC POD	1945
6 N	34 E	17	NW SE	502		19.1	SWARTZ CREEK	POD	HISTORIC POD	1945
6 N	34 E	17	SW SE	502		15.5	SWARTZ CREEK	POD	HISTORIC POD	1945
6 N	34 E	17	SE SE	502		7.7	SWARTZ CREEK	POD	HISTORIC POD	1945

Additional remarks: _____

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 5, to copy and paste additional Part 5s, or to add additional rows to tables

CERTIFICATE # 83914

Description of Water Delivery System

System capacity: 0.42 cubic feet per second (cfs) **OR**
 gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. Water is pumped at the creek with a 7.5 hp lift pump through a weed screen up to a 4 hp pump then distributed through 8 inch mainline that feeds 3 inch hand lines and circles with 5 gpm sprinkler heads.

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

Table 1. Location of Authorized and Current Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it the Current POD/POA that has been used for more than 10 years?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Pine Creek	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Current	N/A	6 N	34 E	21	SW NE		1,530 feet S and 270 feet E from the N1/4 corner of Section 21
Historic POD	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Current	N/A	6 N	34 E	17	NW SE		2,335 feet N and 2,575 feet W from the SE corner of Section 17
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							

Check all type(s) of historic change(s) proposed below (change “CODES” are provided in parentheses):

- Point of Diversion (POD) Additional Point of Diversion (APOD)
 Point of Appropriation/Well (POA) Additional Point of Appropriation (APOA)

Will the historic change in point of diversion/appropriation affect the entire water right?

- Yes Complete only the proposed section of Table 2 on the next page.
 No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed. Do you have questions about how to fill-out the tables? See page 5 for instructions, or contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 83914

List only the part of the right that will be changed. For the acreage in each 1/4 1/4, list the change proposed. If more than one actual, current POD/POA, specify the acreage associated with each actual, current POD/POA.

Authorized ("from" lands) as they appear before the changes										Proposed Change (POD, POA, APOD, or APOA)	Current (in use for more than ten years) POD(s)/POA(s) to be used (from Table 1)	Priority Date	
Twp	Rng	Sec	1/4 1/4		Tax Lot	Gvt Lot or DLC	Acreage (if applicable)	POD(s) or POA(s) (name or number from Table 1)					
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2	POD	POD #5	1897
"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	"
6	N	34	E	17	SW	SE	502		19.1	PINE CREEK	POD	HISTORIC POD	1950
6	N	34	E	17	SE	SE	502		6.5	PINE CREEK	POD	HISTORIC POD	1950

Additional remarks: _____

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR

T 12312

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 5, to copy and paste additional Part 5s, or to add additional rows to tables

CERTIFICATE # 84152

Description of Water Delivery System

System capacity: 0.40 cubic feet per second (cfs) **OR**
 gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. Water is pumped at the creek with a 7.5hp lift pump through a weed screen up to a 40 hp pump then distributed through 8 inch mainline that feeds 3 inch hand lines and circles with 5 gpm sprinkler heads.

Table 1. Location of Authorized and Current Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it the Current POD/POA that has been used for more than 10 years?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Pine Creek	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Current		6 N	34 E	21	SW NE		1,530 feet S and 270 feet E from the N1/4 corner of Section 21
Historic POD	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Current		6 N	34 E	17	NW SE		2,335 feet N and 2,575 feet W from the SE corner of Section 17
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Current							

Check all type(s) of historic change(s) proposed below (change “CODES” are provided in parentheses):

- Point of Diversion (POD) Additional Point of Diversion (APOD)
- Point of Appropriation/Well (POA) Additional Point of Appropriation (APOA)

Will the historic change in point of diversion/appropriation affect the entire water right?

- Yes Complete only the proposed section of Table 2 on the next page.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

MAR 14 2016

SALEM, OR
 Revised 7/1/2013

T 12312

Please use and attach additional pages of Table 2 as needed. Do you have questions about how to fill-out the tables? See page 5 for instructions, or contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 84152

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one actual, current POD/POA, specify the acreage associated with each actual, current POD/POA.

Authorized ("from" lands) as they appear before the changes										Proposed Change (POD, POA, APOD, or APOA)	Current (in use for more than ten years) POD(s)/POA(s) to be used (from Table 1)	Priority Date	
Twp	Rng	Sec	¼ ¼		Tax Lot	Gvt Lot or DLC	Acreage (if applicable)	POD(s) or POA(s) (name or number from Table 1)					
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2	POD	POD #5	1897
"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	"
6	N	34	E	20	NE	NE	502		23.2	PINE CREEK	POD	HISTORIC POD	1950
6	N	34	E	20	NW	NE	502		0.8	PINE CREEK	POD	HISTORIC POD	1950

Additional remarks: _____

RECEIVED BY OWRD
 MAR 14 2016
 SALEM, OR

T 12312