



State of Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 Application for

Allocation of Conserved Water

Part 1 of 4 - Minimum Requirements Checklist

	This application will be returned if Parts 1 through 4 and all required attachments are not completed and included. For questions, please call (503) 986-0900, and ask for Allocation of Conserved Water Section EIVED BY C	OWRD
Check all items i	included with this application. (N/A = Not Applicable)	
	Part 1 – Completed Minimum Requirements Checklist. JAN 11 201	7
\boxtimes \checkmark	Part 2 – Completed Applicant Information and Signature.	3
	Part 3 – Completed Water Right Information and Conservation Measures. Please include a separate Part 3 for each water right. List all water right certificates involved in this application here: <u>91450</u> .	on
\boxtimes \checkmark	Part 4 - Completed Mitigation, Proposed Use, Project Schedule, Funding, and Fee Calculation	n.
Attachments		
\boxtimes \checkmark	Fees – Amount enclosed: \$ 1,000 (From last page of application).	
	Application Map. Must have sufficient detail to locate and describe the facilities and areas involved in the conservation measures. Must show the place of use where water is being used the rate or duty are changing.	d if
\boxtimes	Land Use Information Form with approval and signature. (Not required if 100% of Conserve Water is being transferred instream.) or	d
	Land Use Notice - Notice of the intent to create an instream water right must be provided to e affected county, city, municipal corporation, or tribal government along the proposed instream reach.	
	Completed Evidence of Use Affidavit and Supporting Documentation.	
□ 🛛 N/A	Affidavit(s) of Consent.	
□ ⊠ N/A	Letter of approval from Irrigation or Water Control District. For water rights served by or iss in the name of a District, this must be provided when the transfer applicant is <u>not</u> the District.	
□ 🛛 N/A	Irrigation or Water Control District's adopted policy on allocation of conserved water.	
□ ⊠ N/A	If construction of the project has begun or been completed <u>and</u> if more than 25 percent of the project costs have been expended before applying for allocation of conserved water, evidence that you have attempted to identify and resolve the concerns of water right holders in the area governmental entities or other organizations who have asked to be consulted regarding the allocation of conserved water.	e
□ 🛛 N/A	Evidence for Fee Waiver.	
	Notice of Completion.	
🛛 🗌 N/A 🗸	Request for Finalization. (Entire project listed on the application must be complete. No partial finalization will be recognized.)	al

Part 2 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS	NAME		PHONE NO.	ADDITIONAL CONTACT NO.			
EGM, LLC c/o Greg	g Fries, member	503-710-1263 (CELL)					
ADDRESS				FAX NO.			
PO Box 429				NA			
СПТҮ	STATE	ZIP	E-MAIL				
DUNDEE	OR	97115	GREG@DUCKPONDCELLARS.COM				

The applicant is an irrigation district organized under ORS Chapter 545 or a water control district organized under ORS Chapter 553. The District's OAR 690-018-0025 allocation of conserved water policy was adopted: ____/ 20____.

OR

The applicant is the sole owner of the land on which the water right, or portion thereof, proposed for conservation measures is located? \boxtimes Yes \square No

If NO, include signatures of all landowners (and mailing address if different than the applicant's) or attach affidavits of consent (and mailing addresses) from all landowners or individuals/entities to which the water right(s) has been conveyed.

LANDOWNER NAME			PHONE NO.
ADDRESS			· · · · · · · · · · · · · · · · · · ·
СІТҮ	STATE	ZIP	E-MAIL

Representative Information – The person(s) listed below is/are authorized to represent the applicant in all matters relating to this application.

REPRESENTATIVE/E	BUSINESS NAME		PHONE NO.	ADDITIONAL CONTACT NO.			
NATHAN R. REED			541-784-7191	NA			
ADDRESS				FAX NO.			
1113 SE CASS AV				NA			
CITY	STATE	ZIP	E-MAIL				
ROSEBURG	OR	97470	NREED68@HOTMA	NREED68@HOTMAIL.COM			

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

I understand that I will be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: <u>News Review</u>.

I (we) affirm that the information contained in this application is true and accurate.

Applicant signature

Print Name (and Title if applicable)

<u>1-9-</u>/+ Date

Date

Applicant signature

Print Name (and Title if applicable)

RECEIVED BY OWRD

JAN 1 1 2017

In your own words tell us what conservations measures you have made or propose to make and the reason for the change(s): Surface water certificate 91450 (Permit # S-24008) was changed from two pivot irrigation systems for pasture use to at plant drip irrigation of a vineyard.

To meet State Land Use Consistency Requirements, you must list <u>all</u> local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction the conservation project and/or proposed instream reach will be located.

ENTITY NAME	ADDRESS					
DOUGLAS COUNTY	1036 SE DOUGLAS AVE					
CITY	STATE	ZIP				
Roseburg	OR	97470				
ENTITY NAME	ADDRESS					
СІТҮ	STATE	ZIP				
ENTITY NAME	ADDRESS					
CITY	STATE	ZIP				

ENTITY NAME	ADDRESS	
СПТҮ	STATE	ZIP

ENTITY NAME	ADDRESS	
СІТҮ	STATE	ZIP

RECEIVED BY OWRD

JAN 1 1 2017

Part 3 of 4 - Water Right Information and **Conservation Measures**

Please use a separate Part 3 for each water right involved in the proposed allocation of conserved water.

WATER RIGHT INFORMATION:

Water Right Subject to Transfer (check and complete ONE of the following):

Certificated Right	91450	S-24008
Certificated Right	Certificate Number	Permit Number or Decree Name
Adjudicated, Un-certificated Right		
Aujudicated, On-certificated Night	Name of Decree	Page Number
Permit for which Proof has been		
Approved	Permit Number	Special Order Volume, Page
Transferred Right for which Proof has		
been Filed	Previous Certificate / Transfer Number	Date Claim of Beneficial Use Submitted

County: Douglas

Describe the pre-project water delivery system. Include information on the diversion structure, pumps, and conveyance facilities (including canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use). Provide sufficient detail for the Department to determine the system capacity. The intake is screened with a fish screen. A removable, 75 hp pump at the diversion conveys water through an 8inch diameter buried pipeline to the top of the bank, approximately 30 feet above the intake. The buried 8-inch main runs southwest to a tee within a 5 foot easement. It continues southwest to Iverson Road within the 5 foot easement. The line crosses Iverson Road and runs west to supply the westerly fields. Another 8-inch line runs southeast from the tee on the 8-inch line, then south to serve the southerly field. Two Pivot systems 6-5/8" pipe, one eight tower and an eleven tower where used to irrigate.

Table 1: Pre-Project Description

List: A) the maximum rate and annual duty (volume) of water that may be diverted as stated on the water right of record; and B) the maximum amount of water that can be diverted using the pre-project facilities ("system capacity"). If there are multiple priority dates on the water right, list the rate and duty associated with each priority date. (If the water right is only limited by rate, do not list a duty, and conversely, if the water is only limited by duty, do not list a rate.)

			PF	RE-PROJE	CT DESCR	IPTION				
			v	Colui Vater Righ	mn A t of Record			Colui System (
			Rate		Duty		Rate		Duty	
Originating Water Right # Pi	Priority	Acres	Maximum	CFS/AC	Maximum	AF/AC	Maximum	CFS/AC	Maximum	AF/AC
	12/21/55	131.3	1.64	0.01	328.25	2.5	1.64	0.01	328.25	2.5
Totals		131.3	1.64		328.25	2.5	1.64		328.25	2.5
Note: 1	miner's inch	$= 1/40 c_{\rm c}$	fs; 1 c)	$f_{s} = 448.8 g$	p m	1 cfs = 1	.983471 ac-fi	/day		

CONSERVATION MEASURES:

Describe the type of conservation measures, check all that apply:

RECEIVED BY OWRD

JAN 1 1 2017

Revised 8/5/2013

Allocation of Conserved Water

Page 4 of 11



On-Farm efficiency project

Distribution project, such as a ditch piping or lining project

Other: _____

RECEIVED BY OWRD

JAN 1 1 2017

Describe the proposed changes to the physical system, operations and application methods that will result in the conservation of water. If these proposed changes will change the point of diversion, you must meet the ODFW fish screen and bypass requirements pursuant to ORS 540.525. *Please include a description and details of how the estimate of water conserved was determined. Please provide sufficient detail for the Department to provide notice of the project.* The intake is screened with a self-cleaning fish screen. A removable, 75 hp pump at the diversion conveys water through an 8-inch diameter buried pipeline to the top of the bank, approximately 30 feet above the intake. It flows into three sand filtration tanks. Out of the tanks, a 4-inch line transitions to an 8-inch buried main through a series of couplings and elbows. The water is metered after the filtration tanks on the 8-inch main.

The buried 8-inch main runs southwest to a tee within a 5 foot easement shown on Partition Plat 2008-68. It continues southwest to Iverson Road within the 5 foot easement. The line crosses Iverson Road and runs west to supply the westerly fields. Another 8-inch line runs southeast from the tee on the 8-inch line, then south to serve the southerly field. This is also within a 5 foot easement on the Partition Plat. 6-inch pipelines serve the individual fields. Buried pipelines of decreasing diameter (5", 4", 3" & 2") cross the vineyards and supply the lines to the irrigation heads. Application is by drip irrigation along each line of grape stock. The drip lines come off the mainlines through a manifold with a pressure reducer which causes the pressure to be 5 psi in the flat areas of the middle and west fields and 10 psi in the hilly area of the southeast field. Emitters are spaced at 24-inches on center. Grape rows are 7.5 feet apart.

Place of Use Involved in Conservation Measures

List only the part of the right that will be affected. If the entire right is being affected, just state "entire Certificate."

T	wp	Rr	g	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of Use listed On Certificate	Priority Date
2	S	9	Е	15	NE	NW	153.0	100		EXAMPLE	1 1 1865
Entire	Certif	icate							Ar (118) - Bri		
			1				L	Total			

Are there other water right certificates, water use permits, ground water registrations, or uncertificated decreed rights associated with the above lands? Yes No. If YES, list the certificates, water use permits, ground water registrations, or uncertificated decreed numbers:

Is the project within the boundaries of an irrigation district or water control district? \Box Yes \boxtimes No If YES, and applicant is <u>not</u> a District, you must provide a letter of approval from the District.

Table 2: Conserved Water

In Column A, list the smaller of A or B from Table 1 (Pre-Project Description). In Column B, list the amount of water that will be needed for the existing, authorized use(s) after implementing the conservation measures. In Column C, subtract Column B from Column A and enter the results (e.g., A - B = C). (If the water right is only limited by rate, do not list a duty; and conversely, if the water is only limited by duty, do not list a rate.)

Tabl	Colur le 1 – Sma				Colu	nn B		6	Column C	
Tabl	le 1 – Sma	ller of A or	_			·	ar * (
		ILL OLA UL	B		Nee	ded	Conserved Water			
Rate		Dut	ty	Rate		Duty		Rate	Dut	y
Maximum CFS	CFS/AC	Maximum AF	AF/AC	Maximum CFS	CFS/AC	Maximum AF	AF/AC	Maximum CFS	Maximum AF	AF/AC
1.64	0.01	328.25	2.5	0.63	0.005	126.05	0.96	1.01	202.2	1.54
1.64	0.01	328.25	2.5	0.63	0.005	126.05	0.96	1.01	202.2	
M	aximum CFS 1.64	aximum CFS CFS/AC 1.64 0.01	aximum CFS CFS/AC AF 1.64 0.01 328.25	aximum CFS CFS/AC AF AF/AC 1.64 0.01 328.25 2.5	aximum CFS CFS/AC AF AF/AC CFS 1.64 0.01 328.25 2.5 0.63	aximum CFS CFS/AC Maximum AF AF/AC CFS CFS/AC 1.64 0.01 328.25 2.5 0.63 0.005	aximum CFS CFS/AC Maximum AF AF/AC Maximum CFS Maximum CFS Maximum CFS/AC Maximum AF 1.64 0.01 328.25 2.5 0.63 0.005 126.05 1.64 0.01 328.25 2.5 0.63 0.005 126.05 1.64 0.01 328.25 2.5 0.63 0.005 126.05	aximum CFS CFS/AC Maximum AF AF/AC Maximum CFS CFS/AC Maximum AF AF/AC 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96	aximum CFS CFS/AC Maximum AF AF/AC Maximum CFS CFS/AC Maximum AF AF/AC Maximum CFS 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.01 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.01 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.01	aximum CFS CFS/AC Maximum AF AF/AC Maximum CFS CFS/AC Maximum AF AF/AC Maximum CFS Maximum AF 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.01 202.2 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.01 202.2 1.64 0.01 328.25 2.5 0.63 0.005 126.05 0.96 1.01 202.2

RECEIVED BY OWRD

JAN 1 1 2017

Revised 8/5/2013

Allocation of Conserved Water

Table 3: Allocation of Conserved Water

List the portions of the conserved water that will be allocated to the state and applicant. Note: Column A plus Column B should total Column C (e.g., A + B = C).

			Conser	ved Water All	ocation			1
	Column A			Column B		Column C		
State's Portion			Ар	plicant's Portic)II	Conserved Water		
Percentage*	Maximum Rate	Maximum Duty (Volume)	Percentage	Maximum Rate	Maximum Duty (Volume)	Percentage	Maximum Rate	Maximum Duty (Volume)
25%	0.25	50.55	75%	0.76	151.65	100%	1.01	202.2

* must be at least 25%

The priority for the conserved water is requested to be:

 \boxtimes The same as the original right, or

One minute junior to the original right.

RECEIVED BY OWRD

JAN 1 1 2017



JAN 11 2017

Part 4 of 4 – Mitigation, Proposed Use, Project Schedule, Funding, and Fee Calculation

MITIGATION:

SALEM, OR

Describe any expected effects from the proposed allocation of conserved water on other water rights. Describe what currently happens to the water that is proposed to be conserved. No effects on other water rights should occur in using less water. The proposed conserved shall remain in-stream under the protection of the state until the applicant's portion of conserved water is proposed to be used out-of-stream for irrigation. The state's portion of the conserved water is proposed to create an Instream water right.

Describe any mitigation or other measures that are planned to avoid harm to other water rights. <u>No mitigation</u> measures will be required. There are no users relying on the return of water, therefore no harm of injury.

PROPOSED USE:

- N/A For new out-of-stream uses, describe the intended use and boundaries of the expected area within which the diversion structures and places of use of the applicants' conserved water right will be located. This is land other than that to which this water right is appurtenant. Intended Use: _; Boundaries: _____.
- For instream uses to be created:

Originating Water Right (as identified in Part 3)	Priority Date	Source	Proposed Instream Period	Rate (cfs)*	Volume (ac-ft)**
91450	12-21-1955	Umpqua River	Mar. 1 to Oct. 31	0.25	50.55
			TOTAL V	OLUME	50.55

*Tip: To calculate rate (if other than the rate allowed by the right), divide the volume by the number of days in the period and then divide by 1.983471; or

To calculate volume, multiply the rate by the number of days in the instream period and then multiply by 1.983471.

Note: The instream rate may not exceed the maximum rate conserved and the total volume may not exceed to maximum volume or duty conserved (Table 3, Column C)

Location of the proposed instream water right.

- Water is requested to be protected within a reach. Location of the proposed reach (identify the extent of the reach): From POD at RM 103 to head of tide at RM 27.2.
- OR
- Water is requested to be protected at a point at the following location (i.e. legal description of the point of diversion (POD))

Public Use for which conserved water right should be managed under an instream right (check at least one box):

Conservation, maintenance and enhancement of aquatic and fish life, wildlife, fish and wildlife habitat, and other ecological values.

_]

Recreation. Pollution Abatement.

RECEIVED BY OWRD

JAN 1 1 2017

List any existing instream water rights at the same point or within the same requested reach(es):

None.

 \boxtimes

Instream Water Right Certificates: 59801, 59965, 81501

Is it your intent to have the proposed instream water right transfer be additive to any instream water right established under ORS 537.348 (instream transfer application process) and ORS 537.470 (allocation of conserved water) and replace a portion of any instream water right established under ORS 537.341 (state agency application process) and ORS 537.346 (conversion of minimum perennial streamflows) with an earlier priority date?

X Yes

No. If no, please explain your intent below:

Is the requested instream flow <u>intended</u> to exceed the estimated average natural flow or natural lake level occurring from the drainage system?

imes	N

R

Yes (Provide supporting documentation that demonstrates why additional flows are significant for the public use requested.); **OR**

- Yes, and it is presumed that flows that exceed the estimated average natural flow or natural lake levels are significant because:
 - The requested flow does not exceed the maximum amount of any instream water right applied for under ORS 537.338 (state agency instream water right application process); the requested public use is for the same public use; and the requested reach covers a portion or same reach as the state agency instream water right; and

The stream is in an ODFW flow restoration priority watershed during the requested instream period; or

The stream is listed as water quality limited by DEQ.

PROJECT SCHEDULE:

N/A For a project that has **not** been completed, please provide the dates on which the applicant intends to do the following:

Begin Construction	Complete Construction and File Notice of Completion	Request that Entire Conserved Water Allocation be Finalized
Date:	Date:	*Date:

* Must be within 5 years from the date of filing the Notice of Completion.

Note: If construction of the project has begun or has been completed, and if more than 25 percent of the project costs have been expended before submitting this application, you must submit evidence that you have attempted to identify and resolve the concerns of water right holders in the area, governmental entities or other organization who have asked to be consulted regarding the allocation of conserved water.

N/A For a project that has been completed, provide the dates when the conservation measures were implemented and the date by which the applicant intends to request the allocation be finalized. Complete and attach Notice of Completion form.

Conservation Measures	Request that Entire Conserved Water		
Were Implemented	Allocation be Finalized		
*Date: 10-1-2013	**Date: 10-1-2017		

* Must be within 5 years prior to the date of filing this application.

** Must be within 5 years from the date of filing this Application and Notice of Completion.

JAN 11 2017

RECEIVED BY OWRD

FUNDING

	ederal or state public funds that <u>are not</u> subject to repayment are to be used for the project. <i>Refer</i> OAR 690-018-0040(18)(a)-(d) for further information in completing this section.
	Source of Funding: Federal: State:
	Total cost for project engineering \$ Total cost for construction \$
	The present value of any incremental changes in the cost of operations and maintenance that are directly attributable to the project that would not be incurred or realized in the absences of the project is \$
	The amount of funding and the value of any in-kind contributions for project engineering and construction and for any incremental changes in the costs of operations and maintenance to be provided from federal or state public funds that are not subject to repayment is \$
	The amount of funding and the value of any in-kind contributions for project engineering and construction and for any incremental change since costs of operations and maintenance to be provided from other funds is \$
🗌 🖾 N/A	Enter the percentage from Table 3, Column B (Applicant's Portion of Conserved Water) %. If this is more than 25%, what portion of project funds (expressed as a percentage) come from federal or state public sources?%
N/A	The Oregon Watershed Enhancement Board (OWEB) have a contractual interest in this project. The OWEB project number is

FEE CALCULATION

Fee Schedule - ORS 536.050 http://	/www.oregon.gov/owrd/pubs/docs/forms/fee_schedule_4_2012.pdf
\$1,000.00 - Base (1 st Water Right)	Add \$350.00 for each additional right
\$1,00	0 + (0x \$350) = Total Fee \$1,000

· · ·	alify for a waiver of up to 50%, you must provide evidence to establish your application me ving criteria:	ets the	
	(a) Will be converted to an instream right pursuant to ORS 537.348; or		
	(b) Is necessary to complete a project funded under ORS 541.375 (OWEB); or		
	(c) Is approved by the Oregon Department of Fish and Wildlife as a project that will result benefit to fish and wildlife habitat. See OAR 690-018-0040(25).	ılt in a net	
If the	project meets one of the above standards, use the following formula to calculate the fees:	RECEIVED	
	(d) Enter Percentage from Table 3, Column A = 25%	NEOEIVED	BY OWR
	(e) Deduct 25% from percentage in (d) above = 0%	JAN 11	2017
	(f) Enter the lesser of (e) above or $50\% \underline{0}$		2011
	(g) Total Fee x % waived (f) = Fee Waiver \$ <u>0</u> *	SALEN	OR
	<i>Example:</i> (d) = $100\% - 25\%$ (e) = 75% (max 50% waived) = Fee x 50% = Fee Waiver		