

## NOTICE TO WATER WELL CONTRACTOR

The original and first copy  
of this report are to be  
filed with the

**RECEIVED**  
MAY 1 - 1972

## WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date  
of well completion.

STATE ENGINEER  
SALEM, OREGON

(Please type or print)

(Do not write above this line)

State Well No.

16/17-29

State Permit No.

## (1) OWNER:

Name Bruce Miller  
Address Box 15 Granite Falls, Wash.

## (2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

## (3) TYPE OF WELL:

Rotary ☐ Driven ☐  
Cable ☒ Jetted ☐  
Dug ☐ Bored ☐

## (4) PROPOSED USE (check):

Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐

## CASING INSTALLED:

Threaded ☐ Welded ☒  
6" Diam. from 0 ft. to 100 ft. Gage 1250  
" Diam. from ft. to ft. Gage  
" Diam. from ft. to ft. Gage

## PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used cutting torch  
Size of perforations 1/16 in. by 6 in.  
33 perforations from 30 ft. to 100 ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

## (7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name W. O. M.  
Type W. O. M. Model No. W. O. M.  
Diam. Slot size Set from ft. to ft.  
Diam. Slot size Set from ft. to ft.

## (8) WELL TESTS:

Drawdown is amount water level is  
lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.  
" " " " " "

Bailer test 10 gal./min. with 30 ft. drawdown after 1 hrs.

Artesian flow none g.p.m.

perature of water Depth artesian flow encountered none ft.

## (9) CONSTRUCTION:

Well seal—Material used Bentonite  
Well sealed from land surface to 18 ft.  
Diameter of well bore to bottom of seal 9 in.  
Diameter of well bore below seal 6 in.  
Number of sacks of cement used in well seal 0 sacks  
Number of sacks of bentonite used in well seal 2 sacks  
Brand name of bentonite Central Oregon Bentonite  
Number of pounds of bentonite per 100 gallons  
of water Dry lbs./100 gals.  
Was a drive shoe used? ☐ Yes ☒ No Plugs 40 Size: location ft.  
Did any strata contain unusable water? ☐ Yes ☒ No  
Type of water? depth of strata  
Method of sealing strata off  
Was well gravel packed? ☐ Yes ☒ No Size of gravel:  
Gravel placed from ft. to ft.

## (10) LOCATION OF WELL:

County Clark Driller's well number 161  
Section 28 T. 16 S. R. 17 E. W.M.  
Bearing and distance from section or subdivision corner

## (11) WATER LEVEL: Completed well.

Depth at which water was first found 35 ft.  
Static level 30 ft. below land surface. Date 4/14/22  
Artesian pressure none lbs. per square inch. Date

## (12) WELL LOG:

Diameter of well below casing 6"  
Depth drilled 110 ft. Depth of completed well 110 ft.

Formation: Describe color, texture, grain size and structure of materials;  
and show thickness and nature of each stratum and aquifer penetrated,  
with at least one entry for each change of formation. Report each change in  
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
top soil	0	14	
brown clay	14	17	
red clay	17	25	
yellow clay	25	35	
sand & gravel (water bearing)	35	55	30
green clay	55	100	30
green rock	100	110	30

**RECEIVED**

AUG 03 2018

OWRD

Work started 4/13 1922 Completed 4/14 1922  
Date well drilling machine moved off of well 4/14 1922

## Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.  
Materials used and information reported above are true to my  
best knowledge and belief.

[Signed] Archie Fox Date 4/13, 1922  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 389

## Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is  
true to the best of my knowledge and belief.

Name Archie Fox Well Drilling  
(Person, firm or corporation) (Type or print)

Address Rt. 1 Box 449 Prineville Ore 97754

[Signed] Archie Fox  
(Water Well Contractor)

Contractor's License No. 444 Date 4/23/22, 1922

RECEIVED

CROO well 51820

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

MAR 08 2002

WELL I.D. # L 53350  
START CARD # 104070

104074

Instructions for completing this report are on the last page of the form.  
WATER RESOURCES DEPT.  
SALEM, OREGON

(1) LAND OWNER  
Name Edleyway Improvement Dist.  
Address 11268 SE Loafer  
City Prineville State OR Zip 97754

(2) TYPE OF WORK  
☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:  
☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger  
☐ Other  
APR 12 2002

(4) PROPOSED USE:  
☐ Domestic ☒ Community ☐ Industrial ☐ Irrigation  
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval ☐ Yes ☒ No Depth of Completed Well 605 ft.  
Explosives used ☐ Yes ☒ No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE SEAL  
Diameter From To Material From To Sacks or pounds  
12" 0 58 1/2 Barbwire 0 38 1/2 78  
8" 38 1/2 585  
6" 585 605

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E  
☒ Other Poured in Dry  
Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:  
Diameter From To Gauge Steel Plastic Welded Threaded  
Casing: 8" 16" 38 1/2 250 ☒ ☐ ☒ ☐  
Liner: 6" 15 585 ☒ ☐ ☒ ☐  
Drive Shoe used ☐ Inside ☐ Outside ☐ None  
Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS:  
☒ Perforations Method Factory  
☐ Screens Type \_\_\_\_\_ Material \_\_\_\_\_  
From To Slot size Number Diameter Tele/pipe Casing Liner  
145 165 3x1/8 220 6" ☐ ☒  
525 585 3x1/8 660 6" ☐ ☒

(8) WELL TESTS: Minimum testing time is 1 hour  
☐ Pump ☐ Bailer ☒ Air ☐ Flowing  
Yield gal/min Drawdown Drill stem at Time  
50 unknown 605 1 hr.

Temperature of water 56° Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done? ☐ Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use? ☐ Too little  
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

## (9) LOCATION OF WELL by legal description:

County CROOK Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 16 N on S Range 17 E or W. WM.  
Section 29 NE 1/4 SW 1/4  
Tax Lot 2900 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_

Street Address of Well (or nearest address)

Golden Eagle Drive

## (10) STATIC WATER LEVEL:

60 ft. below land surface. Date 3/4/02  
Artesian pressure \_\_\_\_\_ lb. per square inch Date \_\_\_\_\_

## (11) WATER BEARING ZONES:

Depth at which water was first found 25

From	To	Estimated Flow Rate	SWL
<u>25</u>	<u>142</u>	<u>5</u>	<u>60</u>
<u>560</u>	<u>588</u>	<u>45</u>	<u>60</u>

## (12) WELL LOG:

Ground Elevation \_\_\_\_\_

Material	From	To	SWL
<u>Top Soil</u>	<u>0</u>	<u>2</u>	
<u>Hard Brown Clay Stone</u>	<u>2</u>	<u>5</u>	
<u>Loose Cong.</u>	<u>5</u>	<u>26</u>	
<u>Hard Tan Clay Stone</u>	<u>26</u>	<u>57</u>	
<u>Hard Black Green clay Stone</u>	<u>57</u>	<u>68</u>	
<u>Hard Red Clay Stone</u>	<u>68</u>	<u>75</u>	
<u>Hard Black Green clay Stone</u>	<u>75</u>	<u>142</u>	<u>60</u>
<u>Hard Red Clay Stone</u>	<u>142</u>	<u>154</u>	
<u>Hard Brown Tan clay Stone</u>	<u>154</u>	<u>165</u>	
<u>Hard Black Green clay Stone</u>	<u>165</u>	<u>206</u>	
<u>Hard Red &amp; Grey clay Stone</u>	<u>206</u>	<u>270</u>	
<u>Hard lavender clay Stone</u>	<u>270</u>	<u>325</u>	
<u>Hard lavender &amp; Grey clay Stone</u>	<u>325</u>	<u>510</u>	
<u>Hard Brown &amp; Red clay Stone</u>	<u>510</u>	<u>588</u>	
<u>Soft Grey &amp; Green Basalt</u>	<u>588</u>	<u>605</u>	

Date started 3/1/02 Completed 3/4/02

## (unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed David A. Schlichting WWC Number 1583  
Date 3/4/02

## (bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed Daniel M. Hall WWC Number 587  
Date 3-5-02

AUG 03 2018

OWRD



STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

WELL ID. # L 71800

START CARD # 167245

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER WELL NUMBER  
Name IDEALWAY IMPROVEMENT DIST.  
Address 913649 LOAFER AVE  
City PRINEVILLE State OR Zip 97754

(2) TYPE OF WORK ☒ New Well  
☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment ☐ Conversion

(3) DRILL METHOD  
☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud  
☐ Other

(4) PROPOSED USE  
☒ Domestic ☐ Community ☐ Industrial ☐ Irrigation  
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION Special Construction: ☐ Yes ☒ No  
Depth of Completed Well 350 ft.  
Explosives used: ☐ Yes ☒ No Type \_\_\_\_\_ Amount \_\_\_\_\_

BORE HOLE				SEAL			
Diameter	From	To	Material	From	To	Sacks or Pounds	
12	0	40	BE	0	40	19 Sacks	
8	40	350					

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E  
☒ Other Poured Dry

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 8	+1.5	38.5	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 6	-10	340	.188	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Drive Shoe used ☐ Inside ☐ Outside ☒ None  
Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS  
☒ Perforations Method Machined  
☐ Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot Size	Number	Diameter	Tele/pipe size	Casing	Liner
90	110	1/8x4	256	6		<input type="checkbox"/>	<input checked="" type="checkbox"/>
190	210	1/8x4	256	6		<input type="checkbox"/>	<input checked="" type="checkbox"/>
290	350	1/8x4	756	6		<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour  
☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
30	unknown	340	1 hour

Temperature of water 74 Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done? ☐ Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use? ☐ Too little  
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL (legal description)  
County Crook

Tax Lot 1500 Lot \_\_\_\_\_  
Township 16 S Range 17 E WM  
Section 29c NE 1/4 SW 1/4

Lat \_\_\_\_\_ " or \_\_\_\_\_ (degrees or decimal)  
Long \_\_\_\_\_ " or \_\_\_\_\_ (degrees or decimal)

Street Address of Well (or nearest address)  
16753 SE Antelope Creek

(10) STATIC WATER LEVEL  
277 ft. below land surface. Date 7-2-04  
\_\_\_\_\_ ft. below land surface. Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lb. per square inch Date \_\_\_\_\_

(11) WATER BEARING ZONES  
Depth at which water was first found 287

From	To	Estimated Flow Rate	SWL
287	342	30	277

(12) WELL LOG Ground Elevation

Material	From	To	SWL
TOP SOIL	0	6	
BROWN CLAY	6	25	
GRAVELS	25	32	
YELLOW CLAYSTONE	32	75	
BLUE CLAYSTONE	75	151	
BROWN CLAYSTONE	151	162	
YELLOW CLAYSTONE	162	169	
BLUE CLAYSTONE	169	190	
BROWN CLAYSTONE	190	201	
BLUE CLAYSTONE	201	242	
BROWN CLAYSTONE	242	287	
BLUE CLAYSTONE	287	350	277

Date Started 7-1-04 Completed 7-2-04

(unbonded) Water Well Constructor Certification  
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number \_\_\_\_\_ Date 7-2-04  
Signed \_\_\_\_\_

(bonded) Water Well Constructor Certification  
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1822 Date 7-2-04  
Signed \_\_\_\_\_

ORIGINAL - WATER RESOURCES DEPARTMENT

FIRST COPY - CONSTRUCTOR

SECOND COPY - CUSTOMER 06/16/2004

RECEIVED

AUG 03 2018

OWRD

RECEIVED

JUL 26 2004

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

AUG 26 2004

WATER RESOURCES DEPT  
SALEM, OREGON

T 12998