NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report

are to be filed with the

water resources department,
Salem, Oregon 97310
within 30 days from the date

WATER WEIL REPORT

STATE OF OREGON

AUG 0 6 2018 State Well No. Zlas/18 = -30 dd

(Please type or print)

(Do not write above this line)

State Permit No.

of well completion.	OWRD			
(1) OWNER:	(10) LOCATION OF WELL:			,
Name Larry Grassman	County CO Driller's well no	umber 9	[7]	
Address P.G. Box 240 Dosert Ing Mole	SE 14 SE4 Section 30 T. 265	R. 18	5	W.M.
Christmass Valley, Ore 97638	Bearing and distance from section or subdivisi			and the state of t
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivisi	on corner		
New Well Deepening □ Reconditioning □ Abandon □				
*			~	***********
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	102		ft.
Rotary Driven Domestic Industrial Municipal	Static level 18 ft. below land s	surface. I	ate Ma	V8 8
Cable Jetted J				7
Dug Bored I Irrigation V Test Well Other	Artesian pressure lbs. per squar	e inch. I	1	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well by		1	0"
" Diam. from 0 ft. to 102 ft. Gage .250	(11)		ng	7
	Depth drilled \(\mathcal{U}\) ft. Depth of compl	eted well	41	ft.
	Formation: Describe color, texture, grain size			
Diani. Itolii It. Io III. It. Gage	and show thickness and nature of each stratu with at least one entry for each change of forma			
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin			
	MATERIAL	From	To	SWL
of perforator used				SWL .
Size of perforations in. by in.	Sand soil Brown	0	2	
perforations from ft. to ft.	Brown Sandy, Clay	2	22	
perforations from ft. to ft.	Black sand		49	
perforations from ft. to ft.	Grean clay	49	60	
(7) SCREENS.	light gray clay	60	76	
(7) SCREENS: Well screen installed? Yes No	To Greek Clay	1	391	
Manufacturer's Name	Punus -white 1/8		400	18
Type Model No	Green Clay	400	402	
Diam Slot size Set from ft. to ft.	pumus - white MB	402	409	18
Diam. Slot size Set from ft, to ft.	Green clay	409	411	To
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	4 45 . 1	+		
Yield: gal./min. with ft. drawdown after hrs.		\vdash		
" " " "	Wight to Square of Delt	-		
air test "	So to UnEGON			-
Bailer test 1200 gal./min. with ft. drawdown after hrs.		\vdash		
Artesian flow g.p.m.	1			
Temperature of water Depth artesian flow encounteredft.	Work started May 5 19 Fo Complete	ed Ma	v >	19 80
NONCEPTION	Date well drilling machine moved off of well	MAN		19 80
CONSTRUCTION:		14 ay		10 80
Well seal-Material used cement grout	Drilling Machine Operator's Certification:			2 9
Well sealed from land surface to ft.	This well was constructed under my Materials used and information reported			
Diameter of well bore to bottom of sealin.	best knowledge and belief.	above a	ic muc	to my
Diameter of well bore below seal	[Signed] Ston & Adors	Date Ma	W 8	19 80
Number of sacks of cement used in well sealsacks .	(Drilling Machine Operator)	12 -	_	20.90
How was cement grout placed? Pressure grounded	Drilling Machine Operator's License No.	150	<u></u>	• • • • • • • • • • • • • • • • • • • •
	Water Well Contractor's Certification:			
A CONTRACTOR OF THE PARTY OF TH	This well was drilled under my jurisdi		d this re	port is
Was a drive shoe used? ☐ Yes (No Plugs Size: location ft.	true to the best of my knowledge and bel	ief.		5003
Did any strata contain unusable water? Yes Vo	Name Tyle allane	······································		
	(Berson, firm or corporation)	11.4	e or prin	2
Type of water? depth of strata	Address 727 A	The state of the s	4	7777
Method of sealing strata off	[Signed] Tyle Chame			
Was well gravel packed? Tes No Size of gravel:	(Water Well Contr	10	•	
Gravel placed fromft. toft.	Contractor's License No. 690 Date	roy 7		, 1980

1-12999

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line) RECEIVED

AUG 06 20 State Well No. 265/18E-31bb

State	Permit	No.	***************************************

	1
A N N I	

	UWRU		
(1) OWNER:	(10) LOCATION OF WELL:		
Name Morvin Marks	County Take Driller's well n	umber 93	
Address PD Box 240 blecer them motel	NW 1/4 7 W/4 Section 3/ T.265	R. BE W.I	M.
Christmas Velley Ovegon 47138	Bearing and distance from section or subdivis	ion corner	
(2) TYPE OF WORK (check):			_
New Well Deepening Reconditioning Abandon	-	7 38 38 55 55 55	-
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w		
(3) TYPE OF WELL: (4) PROPOSED USE (check):		- 1	
	Depth at which water was first found	.51	ft.
Rotary Driven Domestic Dindustrial Municipal Domestic Andustrial	Static level 2.3 ft. below land	surface. Date apr. Z	3 -8
Oug	Artesian pressure lbs. per squa	re inch. Date	
CASING INSTALLED: Threaded Welded December 10 to 10 ft. to 10 ft. Gage 1250	(12) WELL LOG: Diameter of well	below casing 10"	
	Depth drilled 361 ft. Depth of comp	leted well 360	ft.
" Diam, from ft. to ft. Gage	Formation: Describe color, texture, grain size	and structure of material	ls;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratu		
PERFORATIONS: Perforated? Yes Pro.	with at least one entry for each change of format position of Static Water Level and indicate printing		
	MATERIAL	From To SWL	
of perforator used	<u> </u>		
Size of perforations in. by in.	Brown sandy top soil	2 25	_
perforations from ft. to ft.	Brown sandy clay		_
perforations from ft. to ft.	Orgen clay	25 250	
perforations fromft. toft.	white pumus up	250 231	-
(7) SCREENS: Well screen installed? Yes Yes	Green clay	25/306	
Manufacturer's Name	unite pumos 40	311 334	
Type Model No.	white pomus w/A	37/ 2/12	_
Diam. Slot size Set from ft. to ft.		300 2032	
Diam. Slot size Set from ft. to ft.	white numes w/s	355 333	
	Green Clay	358 361 23	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	- Oracin Diay		- 98
Was a pump test made? Yes Vo If yes, by whom?	กากราชาก		2
Yield: gal./min. with ft. drawdown after hrs.	L. C7 A W L. LV	1. 16	7
" " " "		RCES	DE
		CA CAS CHEGO	N
Birtin an	WATER RESOURCES DEPT	****	_
Bailer test [100 gal./min] with ft. drawdown after I hrs.	SALEM, OPEGON		
Artesian flow g.p.m.			-
Temperature of water Depth artesian flow encountered ft.	Work started Cars 22 1980 Complete	ed april 23 186	0
CONSTRUCTION:	Date well drilling machine moved off of well	april 24198	2
Well seal—Material used	Drilling Machine Operator's Certification	:	
Well sealed from land surface to 100 ft.	This well was constructed under my		
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief.	above are true to m	ly
Diameter of well bore below seal 10 in _	[Signed] Aton L alons	Date april 23 1980	0
Number of sacks of cement used in well seal 55 sacks	(Drilling Machine Operator)	17'	•••
How was cement grout placed?	Drilling Machine Operator's License No.	1301	
	Water Well Contractor's Certification:		
	This well was drilled under my jurisd		is
Was a drive shoe used? ☐ Yes IP No Plugs Size: location ft.	true to the best of my knowledge and be	uef.	
Did any strata contain unusable water? Yes No	Name (Person, firm or corporation)	(Type or print)	
Type of water? depth of strata	Address Rt3Box 122 X HillsOro		
Method of sealing strata off	40 00		
	[Signed] Water Well Cont	ractor)	
	,		2
Gravel placed fromft. toft.	Contractor's License No. 690 Date	, 1930	

The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL, REPORT STATE OF OREGON

(Please type or print) (Do not write above this line)

RECEINSTANDEL No. 2	7/17-37
	1077
JUL 1 4 1995 -	

	WATER RESUURCE
(1) OWNER:	(10) LOCATION OF WELL CHI.
Name JOC OXCIPTORA	County Driller's well number
Address 26065 Johns Kd Venita Orc 97487	NW 14 5W 14 Section 32 T. 275 R. 17E W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.
Potent D Deiton D	Depth at which water was first found 79
Cable Jetted Domestic Industrial Municipal	Static level // ft. below land surface. Date 5 /2/
Dug	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded S	(12) WELL LOG: Diameter of well below casing
	Depth drilled 190 ft. Depth of completed well 192 ft
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials
Jan. Bott	and show thickness and nature of each stratum and aquifer penetrated with at least one entry for each change of formation. Report each change is
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	52111 Soil C 2
perforations from	Mellow Mauriller C RECEIVED 35
perforations from ft. to ft.	他さりかんで
perforations fromft. toft.	Alle of total
(7) SCREENS: Well screen installed? Yes No	AUG V 0 4010
Manufacturer's Name	$\frac{-1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
TypeModel No.	OWRD
Diam Slot size	
Diam. Slot size Set from ft. to ft.	DECEIVED
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	RECEIVED
Was a pump test made? Yes No If yes, by whom?	FEB 2 1979
Wold.	WATER RESOURCES DEPT.
rieid: gai./min. with ft. drawdown after hrs.	SALEM, OREGON
mestal ruleir 1st. 1000+ such	
Addition to the second	
reperature of water Depth artesian flow encountered ft.	Work started 3/11/78 19 Completed 3-/3-78 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 3-73-78 19
Well seal-Material used Coindint	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] / Date 3/8/78 19
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator) Drilling Machine Operator's License No. 156
How was cement grout placed? FOUNA	Drilling Machine Operator's License No
	Water Well Contractor's Certification:
1	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Seri COLS
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 34414 Santiam 4. 7 4 Danch 40
Method of sealing strata off	resimual to t KOINO
Was well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed from ft. 10 ft.	Contractor's License No. 5/1/ Date, 19
	EETS IF NECESSARVI

	Owner's Well Number: -#/	
CURRENT WELL OWNER:	Phone <u>541-576-2639</u>	
Name: Buck CHURCH		
Mailing Address: PO. Box 787	SALEN SALEN	CE CE
City: CHRIST MAS VAILEY State: OR	Zip: 9764/ \$ 50 1	٥
WELL LOCATION:	EGON	200
County: LAKE 682 Latitude:	Longitude:	
Township: 26 Nor Range: 18 Eor W Section	on: <u>30 NE-NW</u> 1/4 <u>SE</u> 1/4	
Tax Lot Number: 14-02 Acct 26/83/	5 (4900) Ret 1886	
Street Address of Well (if different from above): 3 mi	on Millican Rd. Right	
Side of Road		
If a well report is available for this well, please attach a copnot necessary for you to complete the remainder of the form		
well report <u>is not</u> available, please complete the remainder of	f the form to the best of your ability.	
well report is not available, please complete the remainder of WELL INFORMATION:	f the form to the best of your ability. RECEIVI	ED
	RECEIVI	
WELL INFORMATION: Start Card Number: Approx. Construction	RECEIVI)18
WELL INFORMATION: Start Card Number: Approx. Construction: Approx.	RECEIVI)18
WELL INFORMATION: Start Card Number: Approx. Construction:	RECEIVICATION Date: 1980 AUG 0 6 20 OWRD ORASS MAN)18
WELL INFORMATION: Start Card Number: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Static Water Level Well Depth (in feet): Static Water Level	RECEIVICATION Date:)18
WELL INFORMATION: Start Card Number: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Starting Construction: Start	RECEIVICATION Date: 1980 AUG 0 6 20 OWRD OWRD CRASS MAN)18
WELL INFORMATION: Start Card Number: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Approx. Construction: Starting Construction: Start	RECEIVI)18
WELL INFORMATION: Start Card Number: Approx. Construction:	RECEIVICATION Date:)18
WELL INFORMATION: Start Card Number: Approx. Construction: Well Constructor: Approx. Construction: Name of Owner at Time of Construction: Apery Great Well Depth (in feet): Static Water Level Diameter of Exposed Well Casing (in inches): Does this well have a formal water right associated with it? Yellow Application #: Permit #: G - Go/Please Return Completed Form to: Oregon Water 158 12th Street	RECEIVING AUG 0 6 20 OWRD ORASS MAN el (in feet): Yes: No: If yes: Certificate #: Vol 5/2 55703 Resources Department to NE)18

1-12999