



State of Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

# Application for

### Allocation of Conserved Water Part 1 of 4 – Minimum Requirements Checklist

# This application will be returned if Parts 1 through 4 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Allocation of Conserved Water Section.

Check all items in	ncluded with this application. (N/A = Not Applicable)
$\boxtimes$	Part 1 – Completed Minimum Requirements Checklist.
$\boxtimes$	Part 2 – Completed Applicant Information and Signature.
	Part 3 – Completed Water Right Information and Conservation Measures. Please include a separate Part 3 for each water right. List all water right certificates involved in this application here: <u>92518</u> ; <u>92480</u> .
$\boxtimes$	Part 4 - Completed Mitigation, Proposed Use, Project Schedule, Funding, and Fee Calculation.
Attachments:	
	Fees – Amount enclosed: \$ 785.00 (From last page of application).
	Application Map. Must have sufficient detail to locate and describe the facilities and areas involved in the conservation measures. Must show the place of use where water is being used if the rate or duty are changing.
	Land Use Information Form with approval and signature. (Not required if 100% of Conserved Water is being transferred instream.) or
	Land Use Notice - Notice of the intent to create an instream water right must be provided to each affected county, city, municipal corporation, or tribal government along the proposed instream reach.
N/A	Completed Evidence of Use Affidavit and Supporting Documentation.
□ N/A	Affidavit(s) of Consent.
N/A □ N/A	Letter of approval from Irrigation or Water Control District. For water rights served by or issued in the name of a District, this must be provided when the transfer applicant is <u>not</u> the District.
N/A	Irrigation or Water Control District's adopted policy on allocation of conserved water.
□ ⊠ N/A	If construction of the project has begun or been completed <u>and</u> if more than 25 percent of the project costs have been expended before applying for allocation of conserved water, evidence that you have attempted to identify and resolve the concerns of water right holders in the area, governmental entities or other organizations who have asked to be consulted regarding the allocation of conserved water.
⊠ □ N/A	Evidence for Fee Waiver. OCT 3 0 2018
□ N/A	Notice of Completion.  WATER RESOURCES DEPT SALEM, OREGON
□ ⊠ N/A	Request for Finalization. (Entire project listed on the application must be complete. No partial finalization will be recognized.)



					Part 2 of	4 – App	licant I	nformati	on and Signature
APPLIC	ant Information ANT/BUSINESS NAME				PHONE NO. (509) 520-245		ADDITIONA	L CONTAC	T NO.
	F.FARMS				1 (307) 320 230		FAX NO.		
ADDRE	SS RADLEY ST,				2.00				
CITY	RADLET ST.	STATE	ZIP		E-MAIL				
	A WALLA	WA	99362		JEMTMAN@C	HARTER.NE	<u> </u>		1 the state of the
	The applicant is ar organized under O policy was adopte	RS Chapte	er 553. Th	e Distri	l under ORS ct's OAR 690	Chapter 5 0-018-002	545 or a v 25 alloca	water con tion of co	ntrol district onserved water
OR									(8)
$\boxtimes$	The applicant is the conservation means of the sign affidavits of conservight(s) has been conserved.	sures is loc atures of all at (and mail	ated?	Yes ∐	No	s if differe	nt than th	e applica	nt's) or attach
	LANDOWNER NAME	The state of the s		<del></del>	PHO	NE NO.			
	LANDOWNER WINE								
	ADDRESS	3.44						- 4	
			STATE	ZIP	E-N	1AIL			
	CITY		SIAID	i Zii					
REPI	resentative Information Resentative/Business	rela	e person(s)	listed be s applica	. I	horized to PHONE NO. (541)429-72			cant in all matters
	RESS							Thurston.	
-	1 TIMINE WAY	STATE	- inflamma i a	ZIP		E-MAIL			
CITY	DLETON	OR		978	301	ANTONCHIC	NO@CTUI	R.ORG	- annihitation and the state of
I und	Check this box if this Federal stimulus do derstand that I will be ral circulation in the ifying newspaper is a	required to	submit pa	yment to	the Departme	nt for pub	lication o	f a notice secutive v	
	ifying newspaper is a		n contai	ned in t	his application	on is true		curate.	RECEIVED
7	plicant signature	RA			resident, Rolo le if applicable) ember, Ku <sup>2</sup> ule le if applicable)		Date 16 13	6	OCT 3 0 2013
Aj	oplicant signature	- X 1	Print Na	me (and Tit	le if applicable)		Date	W	ATER RESOURCES DEP SALEM, OREGON



# Part 2 of 4 - Applicant Information and Signature

	cant Information				PHONE NO.		ADDITION	IAL CONTACT NO.
	lei Orchards, LLC	_					EAVNO	
DR	ESS						FAX NO.	
_	CHUCKHOLE LANE	STATE	ZIP		E-MAIL			
TY LTO	ON-FREEWATER	OR	97862					
₹	organized unde policy was adop	r ORS Chapte pted:/	er 553. T / 20 her of the	he Distri ) land on	which the v	90-018-0	1023 anoc	water control district eation of conserved water ion thereof, proposed for
	conservation m	easures is loca	ated? 🔲	Yes 🔲	No			
		ignatures of all sent (and maili	1 1	(and m	nailing addre all landown	lers or ma	rent than thin the control of the co	he applicant's) or attach attities to which the water
	LANDOWNER NA	ME .			PH	HONE NO.	i	
	ADDRESS							
	CITY		STATE	ZIP	E-	-MAIL		
(EP	RESENTATIVE/BUSINE	relat	ting to thi	s applicat	ion.	PHONE NO 541-429-	).	at the applicant in all matters  ADDITIONAL CONTACT NO.
	TON CHIONO				,	341-427	7000	FAX NO.
	ORESS 11 TIMINIE WAY		~					
CITY		STATE	10	ZIP 978	01	E-MAIL	IONO@CTU	IIR.ORG
7 (	Check this box if (Federal stimulus	this project is dollars)	fully or 1					overy and Reinvestment A
gene one	derstand that I will eral circulation in the qualifying newspal	ne area where tl per is available,	he water r , I suggest	t publishi	ng the notice	e in the fol	llowing pa	of a notice in a newspaper wasecutive weeks. If more that per:
1							Date	RECEIVE
	Applicant signature			(*)	l Title if applicab			OCT 3 0 2018
	Applicant signature		— Pri	nt Name (and	d Title if applicab	ole)	Date	WATER RESOURCES D



In your own words tell us what conservations measures you have made or propose to make and the reason for the change(s): Converted 109.37 acres of orchard land from flood irrigation to sprinkler irrigation.



To meet State Land Use Consistency Requirements, you must list <u>all</u> local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction the conservation project and/or proposed instream reach will be located.

ENTITY NAME	ADDRESS 216 SE 4 <sup>TH</sup> ST.	Value Sala Sala Sala Sala Sala Sala Sala Sal
JMATILLA COUNTY  CITY  PENDLETON	STATE OR	97801
ENTITY NAME	ADDRESS	
CITY	STATE	ZIP
ENTITY NAME	ADDRESS	
CITY	STATE	ZIP
ENTITY NAME	ADDRESS	
ĊſŢŢ	STATE	ZIP
ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

# RECEIVED

OCT 30 2018



### Part 3 of 4 - Water Right Information and **Conservation Measures**

Please use a separate Part 3 for each water right involved in the proposed allocation of conserved water.

WATER RIGHT INFORMATION:

	Truck Trigger own	ransfer (check and complete ONE 92518	yyana yyana
$\boxtimes$	Certificated Right	Certificate Number	Permit Number or Decree Name
]	Adjudicated, Un-certificated Right	Name of Decree	Page Number
]	Permit for which Proof has been Approved	Permit Number	Special Order Volume, Page
]	Transferred Right for which Proof has been Filed	Previous Certificate / Transfer Number	Date Claim of Beneficial Use Submitted

### County: Umatilla

Describe the pre-project water delivery system. Include information on the diversion structure, pumps, and conveyance facilities (including canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use). Provide sufficient detail for the Department to determine the system capacity. The pre-project water delivery system consisted of the following: (1) the on-farm delivery system was flood irrigation; (2) the water was delivered from the East Crocket Ditch via a turnout to the head ditch and was metered on the canal mainstem; (3) no pumping was required, as the system was gravity fed; (4) the system capacity was 0.0375 cfs per acre, and this typically was applied from May 1st through October 1st

OCT 30 2018

### **Table 1: Pre-Project Description**

### WATER RESOURCES DEPT

List: A) the maximum rate and annual duty (volume) of water that may be diverted as stated one that water right of record; and B) the maximum amount of water that can be diverted using the pre-project facilities ("system capacity"). If there are multiple priority dates on the water right, list the rate and duty associated with each priority date. (If the water right is only limited by rate, do not list a duty, and conversely, if the water is only limited by duty, do not list a rate.)

Originating Water Right #         Priority         Acres         Maximum         CFS/AC         Maximum         AF/AC         Maximum         CFS/AC         Maximum           92518         1881         7.00         0.263         0.0375         0.118         0.0375           92518         1885         3.14         0.118         0.0375         0.111         0.0375           92518         1885         2.95         0.111         0.0375         0.011         0.0375           92518         1885         0.29         0.011         0.0375         0.113         0.0375           92518         1887         3.00         0.113         0.0375         0.094         0.0375           92518         1889         2.50         0.094         0.0375         0.0447         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129		£ 3			Colun	CT DESCRI nn A t of Record	PTION		Colum System C	apacity	
Water Right #         Priority         Acres         Maximum         CFS/AC         Idealment         Acres         O.263         0.0375           92518         1881         7.00         0.263         0.0375         0.118         0.0375           92518         1885         3.14         0.118         0.0375         0.111         0.0375           92518         1885         2.95         0.111         0.0375         0.011         0.0375           92518         1885         0.29         0.011         0.0375         0.113         0.0375           92518         1887         3.00         0.113         0.0375         0.094         0.0375           92518         1889         2.50         0.094         0.0375         0.0447         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375				The same of the sa					e	Duty	
Water Right #         Flority         Roles         Access to 100 (118)         0.0375         0.263         0.0375           92518         1885         3.14         0.118         0.0375         0.111         0.0375           92518         1885         2.95         0.111         0.0375         0.011         0.0375           92518         1885         0.29         0.011         0.0375         0.113         0.0375           92518         1887         3.00         0.113         0.0375         0.094         0.0375           92518         1889         2.50         0.094         0.0375         0.0447         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375		Deiority	Acres	Maximum	CFS/AC	Maximum	AF/AC	Maximum	Control of the second second second	Maximum	AF/AC
92518         1881         7.00         0.118         0.0375           92518         1885         3.14         0.118         0.0375         0.111         0.0375           92518         1885         2.95         0.111         0.0375         0.011         0.0375           92518         1885         0.29         0.011         0.0375         0.113         0.0375           92518         1887         3.00         0.113         0.0375         0.094         0.0375           92518         1889         2.50         0.094         0.0375         0.0447         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375		-		the same of the sa	The state of the s			0.263			
92518         1885         2.95         0.111         0.0375           92518         1885         0.29         0.011         0.0375         0.011         0.0375           92518         1887         3.00         0.113         0.0375         0.113         0.0375           92518         1889         2.50         0.094         0.0375         0.094         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375			-					0.118			
92518         1863         2.59         0.011         0.0375         0.011         0.0375           92518         1885         0.29°         0.011         0.0375         0.113         0.0375           92518         1887         3.00         0.113         0.0375         0.094         0.0375           92518         1889         2.50         0.094         0.0375         0.447         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375								0.111	0.0375		
92518         1887         3.00         0.113         0.0375         0.113         0.0375           92518         1889         2.50         0.094         0.0375         0.094         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375	92518	The second secon						0.011	0.0375		
92518         1887         3.00         0.113         0.0375           92518         1889         2.50         0.094         0.0375           92518         1890         11.92         0.447         0.0375         0.447         0.0375           92518         1890         1.88         0.071         0.0375         0.071         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375	92518	1885						0.113	0.0375		
92518         1889         2.50         0.094         0.0375         0.447         0.0375           92518         1890         11.92         0.447         0.0375         0.071         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375	92518	1887	3.00								10.7
92518         1890         11.92         0.447         0.0375         0.71         0.0375           92518         1890         1.88         0.071         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.144         0.0375           92518         1890         3.85         0.144         0.0375         0.129         0.0375	92518	1889	2.50							77	
92518         1890         1.88         0.071         0.0375         0.071         0.0375           92518         1890         3.85         0.144         0.0375         0.144         0.0375           92518         0.000         0.000         0.000         0.000         0.000         0.000		1890	11.92	0.447						-	
92518 1890 3.85 0.144 0.0375 0.129 0.0375	- I - I - I - I - I - I - I - I - I - I		1.88	0.071	0.0375					-	
92318 1870 3.03 0.120 0.275 0.129 0.0375			1	0.144	0.0375						,
			3.43	0.129	0.0375			0.129			
92518         1890         3.43         0.129         0.0375         0.030         0.0375           92518         1890         0.80         0.030         0.0375         0.030         0.0375					111			0.030	0.0375		



Totals	¥0		100.34	3.763	C 1100			983471 ac-ft	//		
	92518	1908	0.77	0.029	0.0375		-	3.763	0.0313		
	92518	1904	11.00	0.413	0.0375			0.029	0.0375		-
	92518	1901	9.47		The second secon	<u> </u>		0.413	0.0375		
	92518			0.355	0.0375			0.355	0.0375		
	-	1900	9.45	0.354	0.0375			0.354	0.0375		
	92518	1900	12.19	0.457	0.0375			0.457	0.0375	<u> </u>	- i
	92518	1893	2.00	0.075	0.0375		- Company	0.075	0.0375	·_ · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	92518	1893	8.40	0.315	0.0375						
	92518	1892	2.55	0.096	0.0375	W		0.315	0.0375		<u> </u>
	92518	1892	3.75	0.141	0.0375			0.096	0.0375	pp	
					0.0000		p =	0.141	0.0375		

Note: 1 miner's inch = 1/40 cfs;

1 cfs = 448.8 gpm

1 cfs = 1.983471 ac-ft/day

### CONSERVATION MEASURES:

Describe the type of conservation measures, check all that apply:

On-Farm efficiency project

Distribution project, such as a ditch piping or lining project

Other: \_\_\_\_

RECEIVED

OCT 3.0 2018



Describe the proposed changes to the physical system, operations and application methods that will result in the conservation of water. If these proposed changes will change the point of diversion, you must meet the ODFW fish screen and bypass requirements pursuant to ORS 540.525. Please include a description and details of how the estimate of water conserved was determined. Please provide sufficient detail for the Department to provide notice of the project. The changes that have resulted in the conservation of water are as follows: (1) flood irrigation was converted to sprinkler irrigation; (2) open head ditches were converted to pipes; and (3) pumps were installed to pressurize the irrigation system, which will allow for a more uniform application of water across the irrigated area. The amount of conserved water was determined by comparing original rates of water usage to the current per-acre delivery rate.

# Place of Use Involved in Conservation Measures

List only the part of the right that will be affected. If the entire right is being affected, just state "entire Certificate."

				Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of Use listed On Certificate	Priority Date
Ty		Rn	The state of the s	15	NF	-NW	133.0	1()()		EXAMPLE	7 1 1 1863
2.	- 5	33		* 1	SE	SE	2900		7.00	IR	1881
6	N	35	E	35		NE	3801		3.14	IR	1885
6	N	35	Е	35	SE	NE	4100		2.95	IR	1885
6	N	35	Е	35	SE	NE	4200		0.29	IR	1885
6	N.	35	Е	35	SE	NE	4200		3.00	IR	1887
6	N	35	Е	35	SE		1800		2.50	IR, D, S	1889
6	N	35	E	35	SE	NW	400	-	11.92	IR	1890
6	N	35	E :	35	NE	NE	3801		1.88	IR.	1890
6	N	35	E	35	SE	NE			3.85	IR	1890
6	N	35	Е .	35	SE	NE	4300		3.43	IR	1890
6	N.	35	Ε.	35	SE	NE	4401		0.80	IR, D, S	1890
6	N	35	E	35	SE	SE	2900	6 2	3.75	IR	1892
6	N	35	E	35	SE	. NE	4200		2.55	IR	1892
6	N	35	Е	35	SE	NE	4200	1	8.40	IR	1893
6	N	35	E	35	NE	NE	700		2.00	IR	1893
6	N	35	Е	35	SE	SE	2900		12.19	IR	1900
6	N	35	E	36	SW	NW	800		9.45	IR	1900
.6	.N.	35	Е	36	NW	SW	800		9.43	IR	1901
6	N	35	E	36	SW	NW	701			IR	1904
6	N	35	E	36	NW	SW	800		11.00	IR	1908
6	N	35	Е	35	NE	NE	400		0.77	IK.	
					110			Total	100.34	_	

Are there other water right certificates, water use permits, ground water registrations, or uncertificated decreed rights associated with the above lands? X Yes No. If YES, list the certificates, water use permits, ground water registrations, or uncertificated decreed numbers: 92900; 92662; 92899; 92661; 92660; 92901; GR 15612; GR 2102; 92898.

Is the project within the boundaries of an irrigation district or water control district? X Yes No If YES, and applicant is not a District, you must provide a letter of approval from the District.



OCT 30 2018



Table 2: Conserved Water

In Column A, list the smaller of A or B from Table 1 (Pre-Project Description). In Column B, list the amount of water that will be needed for the existing, authorized use(s) after implementing the conservation measures. In Column C, subtract Column B from Column A and enter the results (e.g., A - B = C). (If the water right is only limited by rate, do not list a duty; and conversely, if the water is only limited by duty, do not list a rate.)

,				Cons	erved Wate	r Descript	ion			,	manage 1
		Colum	ın A	and the state of t		Colun				Column C	
in the seperate	Tahl	le 1 – Smal		В	THEY THE	Need	led		Conserved Water		
	Ra		Dut		Ra	te	Dut	y	Rate	Dut	y
Priority	Maximum CFS	CFS/AC	Maximum AF	AF/AC	Maximum CFS	CFS/AC	Maximum AF	AF/AC	Maximum CFS	Maximum AF	AF/AC
1881	0.263	0.0375			0.175	0.025			0.088		
1885	0.118	0.0375			0.079	0.025	non-Market	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.039		ļ
1885	0.111	0.0375			0.074	0.025			0.037		
1885	0.011	0.0375		** . s. * . * L	0.007	0.025			0.004		
1887	0.113	0.0375		1	0.075	0.025			0.038		
1889	0.094	0.0375	2		0.063	0.025			0.031		
1890	0.447	0.0375		1	0.298	0.025			0.149		<u> </u>
1890	0.071	0.0375			0.047	0.025			0.024		. <u> </u>
1890	0.144	0.0375	·	-	0.096	0.025			0.048	2	
1890	0.144	0.0375			0.086	0.025		en instanti 70	0.043		
1890	0.030	0.0375			0,020	0.025	and the second second		0.010		
1892	0.141	0.0375			0.094	0.025			0.047		
1892	0.096	0.0375		1	0.064	0.025	1.4	100000000000000000000000000000000000000	0.032		
1893	0.030	0.0375	The second secon	-	0.210	0.025		W. W. St.	0.105		
1893	0.075	0.0375	-		0.050	0.025			0.025		
1900	0.073	0.0375	-	1	0.305	0.025	HOLDER STA	la Maria	0.152		-
	0.457	0.0375	and the same of th	1	0.236		) Section		0.118		
1900	0.355	0.0375		v (+ n/2	0.237	0.025			0.118		
	0.333	0.0375			0.275	0.025			0.138		
1904	0.029				0.019		- 1	3557	0.010		
1908 Totals	3.763	0.0513			2.509				1.254	1	

Table 3: Allocation of Conserved Water

List the portions of the conserved water that will be allocated to the state and applicant. Note: Column A plus Column B should total Column C (e.g., A + B = C).

			Conser	ved Water All	ocation		The state of the s	7. 7.15
	Column A			Column B			Column C	
State's Portion			Apı	olicant's Portio	n	Conserved Water		
Percentage*	Maximum Rate	Maximum Duty (Volume)	Percentage	Maximum Rate	Maximum Duty (Volume)	Percentage	Maximum Rate	Maximum Duty (Volume)
83%	1.041	Y	17%	0.213		100%	1.254	and the state of the second

<sup>\*</sup> must be at least 25%

The priority for the conserved water is requested to be:

The same as the original right, or

☐ One minute junior to the original right.

# RECEIVED

OCT 30 2018



### Part 3 of 4 - Water Right Information and **Conservation Measures**

Please use a separate Part 3 for each water right involved in the proposed allocation of conserved water.

WATER RIGHT IN	FORMATION:
----------------	------------

		ransfer (check and complete ONE 92480	Walla Walla
$\boxtimes$	Certificated Right	Certificate Number	Permit Number or Decree Name
	Adjudicated, Un-certificated Right	Name of Decree	Page Number
П	Permit for which Proof has been Approved	Permit Number	Special Order Volume, Page
	Transferred Right for which Proof has been Filed	Previous Certificate / Transfer Number	Date Claim of Beneficial Use Submitted

### County: Umatilla

Describe the pre-project water delivery system. Include information on the diversion structure, pumps, and conveyance facilities (including canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use). Provide sufficient detail for the Department to determine the system capacity. The pre-project water delivery system consisted of the following: (1) the on-farm delivery system was flood irrigation; (2) the water was delivered from the East Crocket Ditch via a turnout to the head ditch and was metered on the canal mainstem; (3) no pumping was required, as the system was gravity fed; (4) the system capacity was 0.0375 cfs per acre, and this typically was applied from May 1st through October 1st.

## Table 1: Pre-Project Description

List: A) the maximum rate and annual duty (volume) of water that may be diverted as stated on the water right of record; and B) the maximum amount of water that can be diverted using the pre-project facilities ("system capacity"). If there are multiple priority dates on the water right, list the rate and duty associated with each priority date. (If the water right is only limited by rate, do not list a duty, and conversely, if the water is only limited by duty, do not list a rate.)

in the second se			PR	E-PROJE	CT DESCRI	PTION		<u> </u>	· · · · · · · · · · · · · · · · · · ·		
A second desired to the second desired to th		- July and Committee	V	Column A Water Right of Record				Colur System C	Capacity		
			Rat		Dut	у	Rate			Duty	
Originating Water Right #	Priority	Acres	Maximum	CFS/AC	Maximum	AF/AC	Maximum	CFS/AC	Maximum	AF/AC	
92480	1878	2.5	0.09	0.0375		1	0.09	0.0375			
	1888	0.53	0.02	0.0375			0.02	0.0375			
92480			0.13	0.0375			0.13	0.0375			
92480	1889	3.5					0.09	0.0375			
92480	1902	2.5	0.09	0.0375							
Totals		9.03	0.33				0.33				

Note: 1 miner's inch = 1/40 cfs;

1 cfs = 448.8 gpm

OCT 30 2018



CONSERVA	TION	MEA	SUR	ES:
----------	------	-----	-----	-----

Describe the type of conservation measures, check all that apply:
On-Farm efficiency project
Distribution project, such as a ditch piping or lining project
Other:

Describe the proposed changes to the physical system, operations and application methods that will result in the conservation of water. If these proposed changes will change the point of diversion, you must meet the ODFW fish screen and bypass requirements pursuant to ORS 540.525. Please include a description and details of how the estimate of water conserved was determined. Please provide sufficient detail for the Department to provide notice of the project. The changes that have resulted in the conservation of water are as follows: (1) flood irrigation was converted to sprinkler irrigation; (2) open head ditches were converted to pipes; and (3) pumps were installed to pressurize the irrigation system, which will allow for a more uniform application of water across the irrigated area. The amount of conserved water was determined by comparing original rates of water usage to the current per-acre delivery rate.

### Place of Use Involved in Conservation Measures

List only the part of the right that will be affected. If the entire right is being affected, just state "entire Certificate."

т	wp	R	ng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of Use listed On Certificate	Priority Date
99 <sup>15</sup>	P	. 0		113	I NI	NW	153.0	(00		EXAMPLE	1/1/1805
<i>C</i>	N	35	E	35	SE	NW	1700		2.5	IR	1878
0	- N	35	E	35	NE	SW	300		0.53	IR	1888
0 :	N			35.	NE	SW	300		3.5	IR	1889
6	N	35	E	35	SE	NW	1700		2.5	IR	1902
.6	IN	] 33	L	.]			1 170.0	Total	9.03		

Are there other water right certificates, water use permits, ground water registrations, or uncertificated decreed rights associated with the above lands? 

Yes No. If YES, list the certificates, water use permits, ground water registrations, or uncertificated decreed numbers:

Is the project within the boundaries of an irrigation district or water control district?  $\boxtimes$  Yes  $\square$  No If YES, and applicant is <u>not</u> a District, you must provide a letter of approval from the District.



OCT 30 2018



Table 2: Conserved Water

In Column A, list the smaller of A or B from Table 1 (Pre-Project Description). In Column B, list the amount of water that will be needed for the existing, authorized use(s) after implementing the conservation measures. In Column C, subtract Column B from Column A and enter the results (e.g., A - B = C). (If the water right is only limited by rate, do not list a duty; and conversely, if the water is only limited by duty, do not list a rate.)

, "		V		Cons	erved Wate	Colun		F19-00-71		Column C	
		Column A  Table 1 – Smaller of A or B							Conserved Water		
	Tab					Needed Duty		Rate Duty		3000	
	Ra	ite	Dut	у	Ra	ite		NOTES SERVE	Maximum	Maximum	ľ
	Maximum	org/AG	Maximum AF	AF/AC	Maximum CFS.	CFS/AC	Maximum AF	AF/AC	CFS	, AF	AF/AC
Priority	CFS	CFS/AC	A1.		0.063	0.025		No. Very	0.031		
1878	0.094	0.0375			0.013	0.025		Land Control	0.007	i.	
1888	0.020	0.0375			0.013	0.025	TO AN INCIDENT	THE REAL PROPERTY.	0.043		
1889	0.131	0.0375				0.025	A STATE OF THE STA		0.032		
1902	0.094	0.0375			0.062	0.023		CORNEY!	0.113		1
Totals	0.339	:			0.226				0.113	1	

Table 3: Allocation of Conserved Water

List the portions of the conserved water that will be allocated to the state and applicant. Note: Column A plus Column B should total Column C (e.g., A + B = C).

The state of the s			Conser	ved Water All	ocation			
			100	Column B			Column C	
Column A State's Portion			Applicant's Portion			Conserved Water		
	Maximum	Maximum Duty (Volume)	Percentage	Maximum Rate	Maximum Duty (Volume)	Percentage	Maximum Rate	Maximur Duty (Volume
Percentage*	0.094	(volume)	17%	0.019		100%	0.113	

<sup>\*</sup> must be at least 25%

The priority for	the conserved	water i	s requested	to	be:
------------------	---------------	---------	-------------	----	-----

The same as t	the original	right, or
---------------	--------------	-----------

П	One minute	junior	to	the	original	right.



OCT 30 2018



### Part 4 of 4 — Mitigation, Proposed Use, Project Schedule, Funding, and Fee Calculation

#### **MITIGATION:**

Describe any expected effects from the proposed allocation of conserved water on other water rights. Describe what currently happens to the water that is proposed to be conserved.

No harmful effects are expected. The water that is proposed to be conserved currently is lost to the high rates of evaporation and seepage that occur with flood irrigation.

Describe any mitigation or other measures that are planned to avoid harm to other water rights. N/A

<b>PROPOSED</b>	USE:
-----------------	------

	which the diversion stru	actures and places of use of the a	and boundaries of the expected area within applicants' conserved water right will be right is appured to the conserved water right will be
Intended Use	e:		OCT 30 2018
Irrigation  Boundaries:			WATER RESOURCES DEPT SALEM, OREGON

The applicants propose that their portion of the water conserved be allocated for an out-of-stream use within sections 25, 35, and 36 of Township 6 North, 35 East, W.M.

### For instream uses to be created:

Originating Water Right (as identified in Part 3)	Priority Date	Source	Proposed Instream Period	Rate (cfs)*	Volume (ac-ft)**	
92518	1881-1904	Walla Walla River	4/1 through 10/31	1.041	441.87	
92480	1878-1902	Walla Walla River	4/1 through 10/31	0.094	39.9	
and the second s	1		TOTAL	VOLUME	481.77	

<sup>\*</sup>Tip To calculate rate (if other than the rate allowed by the right), divide the volume by the number of days in the period and then divide by 1.983471; or

To calculate volume, multiply the rate by the number of days in the instream period and then multiply by 1.983471.

Note: The instream rate may not exceed the maximum rate conserved and the total volume may not exceed to maximum volume or duty conserved (Table 3, Column C)



Loca	tion of th	e proposed instream water right.	1 (11 116 110
		Water is requested to be protected within a reach. Lo extent of the reach) (e.g., from the upstream POD located a mouth at RM 45.4: The water created for instream use w from the Little Walla Walla diversion at RM 40 to the	will be protected in the Walla Walla River
	OR	Water is requested to be protected at a point at the forpoint of diversion (POD))	ollowing location (i.e. legal description of the
Puh	dic Use fo	or which conserved water right should be managed und	der an instream right (check at least one box):
1 40		Conservation, maintenance and enhancement of aqu habitat, and other ecological values.	atic and fish life, wildlife, fish and wildlife  RECEIVED
		Recreation.	
		Pollution Abatement.	OCT 30 2018
Lis	t any exis	ting instream water rights at the same point or within	the same requested FEER RESOURCES DEPT SALEM, OREGON
		None.	
	$\boxtimes$	Instream Water Right Certificates:	
es	and on the state of the state o	se see approved conserved water applications CW-38, CW-94 for current instream water rights in the request tent to have the proposed instream water right transfer under ORS 537.348 (instream transfer application provater) and replace a portion of any instream water right transfer water) and replace a portion of any instream water right transfer application provater).	be additive to any instream water right cess) and ORS 537.470 (allocation of testablished under ORS 537.341 (state
ag	gency appl ciority date	lication process) and ORS 537.346 (conversion or min	imum perennial streamflows) with an earlier
•		Ves No. If no, please explain your intent belo	ow:
Is	the reque	ested instream flow intended to exceed the estimated arom the drainage system?	verage natural flow or natural lake level
	$\boxtimes$	No; OR	to the sales additional flows are significant
		Yes (Provide supporting documentation that demofor the public use requested.); <b>OR</b>	
		Yes, and it is presumed that flows that exceed the levels are significant because:	
	Na I	The requested flow does not exceed the mapplied for under ORS 537.338 (state ager the requested public use is for the same purportion or same reach as the state agency is	aximum amount of any instream water right ney instream water right application process); ablic use; and the requested reach covers a instream water right; and
		instream period; or	on priority watershed during the requested
		The stream is listed as water quality limite	ed by DEQ.



### PROJECT SCHEDULE:

N/A For a project that has **not** been completed, please provide the dates on which the applicant intends to do the following:

Begin Construction	Complete Construction and File Notice of Completion	Request that Entire Conserved Water Allocation be Finalized
Date: October 2016	Date: April 2019	*Date:

<sup>\*</sup> Must be within 5 years from the date of filing the Notice of Completion.

**Note:** If construction of the project has begun or has been completed, and if more than 25 percent of the project costs have been expended before submitting this application, you must submit evidence that you have attempted to identify and resolve the concerns of water right holders in the area, governmental entities or other organization who have asked to be consulted regarding the allocation of conserved water.

For a project that has been completed, provide the dates when the conservation measures were implemented and the date by which the applicant intends to request the allocation be finalized. Complete and attach Notice of Completion form.

Conservation Measures Were Implemented	Request that Entire Conserved Water Allocation be Finalized
*Date:	**Date:

<sup>\*</sup> Must be within 5 years prior to the date of filing this application.

RECEIVED

OCT 30 2013

<sup>\*\*</sup> Must be within 5 years from the date of filing this Application and Notice of Completion.



### FUNDING

		NUM				
⊠ ∏ N/A	A Fe	deral or state public funds that are not subject to repayment are to be used for the project. Referough $OAR 690-018-0040(18)(a)-(d)$ for further information in completing this section.				
[	$\boxtimes$	Source of Funding:  Federal: \$104,205 (BPA) State: \$40,000 (OWEB)				
(	$\boxtimes$	Total cost for project engineering \$3,935 Total cost for construction \$106,000				
are dire		resent value of any incremental changes in the cost of operations and maintenance that rectly attributable to the project that would not be incurred or realized in the absences of oject is $\$\underline{0}$ .				
	$\boxtimes$	The amount of funding and the value of any in-kind contributions for project engineering and construction and for any incremental changes in the costs of operations and maintenance to be provided from federal or state public funds that are not subject to repayment is \$0.				
	$\boxtimes$	The amount of funding and the value of any in-kind contributions for project engineering and construction and for any incremental change since costs of operations and maintenance to be provided from other funds is \$53,000.				
⊠ □ N	/A	Enter the percentage from Table 3, Column B (Applicant's Portion of Conserved Water) <u>14</u> %. If this is more than 25%, what portion of project funds (expressed as a percentage) come from federal or state public sources?				
	I/A	The Oregon Watershed Enhancement Board (OWEB) has a contractual interest in this project. The OWEB project number is <u>217-6019</u> .				
FEE CALCULATION						
	40. 1 31 110	Fee Schedule – ORS 536.050				
\$	1,160.	00 - Base (1st Water Right) Add \$410.00 for each additional right				
$\$1,160 + (1 \times \$410) = \text{Total Fee } \$1$		$$1,160 + (1 \times $410) = Total Fee $1,570$				
	COE ATTE	Fee Waiver Worksheet				
T	To qualify for a waiver of up to 50%, you must provide evidence to establish your application meets the following criteria:					
<ul> <li>(a) Will be converted to an instream right pursuant to ORS 537.348; or</li> <li>(b) Is necessary to complete a project funded under ORS 541.375 (OWEB); or</li> <li>(c) Is approved by the Oregon Department of Fish and Wildlife as a project that will result in a net benefit to fish and wildlife habitat. See OAR 690-018-0040(25).</li> <li>If the project meets one of the above standards, use the following formula to calculate the fees:</li> </ul>		(a) Will be converted to an instream right pursuant to ORS 537.348; or				
		(b) Is necessary to complete a project funded under ORS 541.375 (OWEB); or				
		benefit to fish and wildlife habitat. See OAR 690-018-0040(23).				
		roject meets one of the above standards, use the following formula to calculate the fees:				
1	(d) Enter Percentage from Table 3, Column A = 84%					
	(f) Enter the lesser of (e) above or 50% 50%					
		(c) Total Fee x % waived (f) = Fee Waiver \$785*				
		Example: $(d) = 100\% - 25\%$ $(e) = 75\%$ $(max 50\% \text{ waived}) = Fee \times 50\% = Fee \text{ waived}$				
		Total Fee \$1,570.00 - Fee Waiver (g) \$785.00 = Amount Due \$785.00				

