MAR 1 4 2019



State of Oregon **Water Resources Department** 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

Application for **Permit Amendment**

Part 1 of 5 – Minimum Requirements Checklist

OWRD

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section. Check all items included with this application. (N/A = Not Applicable) OCT 31 2018 X Part 1 – Completed Minimum Requirements Checklist. X Part 2 – Completed Application Map Checklist. \boxtimes Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd fee calculator. If you have questions, call Customer Service at (503) 986-0801. X Part 4 – Completed Applicant Information and Signature. \boxtimes Part 5 – Information about Permits to be Amended: Number of permits to be amended: 1 List them here: G-17506 Please include a separate Part 5 for each permit. (See instructions on page 6) \boxtimes Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; or the landowner of the proposed place of use is not the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at http://www.oregon.gov/owrd/pubs/docs/forms). Assignment is not needed if the applicant is the permit holder of record. N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants. \boxtimes N/A Land Use Information Form with approval and signature (or signed land use form receipt stub). Land use form is not required if any of the following apply: Water is to be diverted, conveyed, and/or used only on federal lands. All of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. The proposed changes are all located on the property reviewed in Land Use form enclosed in Water Right Application Folder # \boxtimes N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. (For Staff Use Only) WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): Application fee not enclosed/insufficient ___ Map not included or incomplete Land Use Form not enclosed or incomplete Assignment Form and fee not enclosed/insufficient Additional signature(s) required Part is incomplete Other/Explanation Expired C-date Staff: Crey 503-986-0 **825** 2018 Date: [1 /

Part 2 of 5 - Permit Amendment Map Checklist RECEIVED Your permit amendment application will be returned if any of the map requirements MAR 1 4 2019 listed below are not met. OWRD Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply. DCT 31 2018 N/A If more than three permits are involved, separate maps for each permit. \boxtimes Permanent quality printed with dark ink on good quality paper. OWRD \boxtimes The size of the map can be $8\frac{1}{2} \times 11$ inches, $8\frac{1}{2} \times 14$ inches, 11×17 inches, or up to 30×30 inches. For 30 x 30 inch maps, one extra copy is required. \boxtimes A north arrow, a legend, and scale. \boxtimes The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been preapproved by the Department. \boxtimes Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines. \boxtimes Tax lot boundaries (property lines) are required. Tax lot numbers are recommended. \boxtimes Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads. \boxtimes Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches. \boxtimes Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged. If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.

 \bowtie If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example -42.53764°).

Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.

X

	FEE WORKSHEET for PERMIT AMENDMENT		
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,160
1	Types of change proposed:	RF	CEIVED
	Place of Use MAR 1 4 2019	II II dance V	
	Point of Diversion/Appropriation	OCT	3 1 2018
	Number of above boxes checked = 1 (2a) OWRD	00.	
	Subtract 1 from the number in line $2a = 0$ (2b) If only one change, this will be 0		WRD
	Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » »		VALLE
2	T 3	2	0
	Number of permits included in Permit Amendment <u>1 (3a)</u>		
	Subtract 1 from the number in 3a: <u>0 (3b)</u> If only one permit this will be 0		
3	Multiply line 3b by \$520 and enter » » » » » » » » » » » » » »	3	0
	Do you propose to add or change a well, or change from a surface water POD		
	to a well?		
	No: enter 0 »» » » » » » » » » » » » » » » » »		
4		4	\$410
	Do you propose to change the place of use?		
	No: enter 0 on line 5 » » » » » » » » » » » » » » » » » »		
	Yes: enter the cfs for the portions of the permits to be amended (see		
	example below*): (5a)		
	Subtract 1.0 from the number in 5a above: (5b)		
	If 5b is 0, enter 0 on line 5 » » » » » » » » » » » » » » » » » »		
5	If 5b is greater than 0, round up to the nearest whole number: (5c)	_	0
6	and multiply 5c by \$350, then enter on line 5 » » » » » » » » » »	5	\$1,570
0	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal: Is this permit amendment:	0	\$1,570
	necessary to complete a project funded by the Oregon Watershed		
	Enhancement Board (OWEB) under ORS 541.932?		
	endorsed in writing by ODFW as a change that will result in a net		
	benefit to fish and wildlife habitat?		
	If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »		
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » Permit Amendment Fee:	8	\$1,570

- *Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:
- 1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (for S-12345, 1.25 cfs \div 100 ac); then multiply by the number of acres to be changed to get the application cfs (x 45 ac= 0.56 cfs).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
- 2. Add cfs for the portions of permits on all the land included in the application; however **do not count** cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land. The fee should be assessed only once for each "on the ground" acre included in the application. (In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

Applicant	Information

FF					
APPLICANT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTA	CT NO.
Wood River District Improv	ement Co	ompany and	541-821-5848	RECEIVED	RECEIVED
Agri-Water LLC / Roger Ni	cholson				
ADDRESS				FAXINO1 4 2019	OCT 3 1 2018
c/o 409 Pine Street, Suite 31	11				
CITY	STATE	ZIP	E-MAIL	OWRD	
Klamath Falls	OR	97601	hcannon@waterrig	htsolutions.com	OWRD
BY PROVIDING AN E-MAIL A					
DEPARTMENT ELECTRONIC	ALLY. CO	PIES OF THE FINAL	L ORDER DOCUMENTS	S WILL ALSO BE MA	AILED.

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

Agent information – The ag				
AGENT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTACT NO.
Hollie Cannon / Water Righ	541-821-5848	- No.		
ADDRESS				FAX NO.
3246 Hammer Street				
CITY	STATE	ZIP	E-MAIL	
Klamath Falls	OR	97603	hcannon@waterri	ghtsolutions.com
BY PROVIDING AN E-MAIL AI DEPARTMENT ELECTRONICA	,			
Explain in your own words We propose to add additionate from the river/streams so that	al points of the Dis	of appropriation b	by drilling wells that ailable when the other	t are more than one mile her District wells have been

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".	
Check this box if this project is fully or partially funded by the American Recovery and Reinvestn Act. (Federal stimulus dollars)	ent
Is the applicant the permit holder of record? 🖂 Yes 🗌 No	
If NO, include either:	
A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR	
An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.	
I understand that prior to Department approval of the permit amendment, I may be required to submit payment the Department for publication of a notice in a newspaper with general circulation in the area where the permit located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I sugge publishing the notice in the following newspaper: Herald and News	is



I (we) affirm that the information contained in this application is true and accurate.

Applicant Signature	Lee Traynham, Board Presider Print Name (and Title if applicable)	ent 16-19-18
Applicant Signature	Print Name (and Title if applicable)	Date

Check one of the following:		
☐ The applicant is responsible for complete continue to be sent to the applicant.	tion of change(s). Notices and	d correspondence should
The permit holder(s) of record will be refinal order is issued. Copies of notices a of record.		
Check the appropriate box, if applicable:		
Check here if any of the permits proposed by an irrigation or other water district.	l for amendment are or will b	e located within or served
IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP
Check here if water for any of the permits s contract for stored water with a federal ager	* *	e agreement or other
ENTITY NAME	ADDRESS	
CITY	STATE	ZIP
To meet State Land Use Consistency Requirement, municipal corporation, or tribal government conveyed or used. ENTITY NAME	nt) within whose jurisdiction ADDRESS	
Klamath County CITY	305 Main Street STATE	ZIP
Klamath Falls	OR	97601
ENTITY NAME	ADDRESS	
CITY	STATE	ZIP
		RECEIVED

RECEIVED OCT 31 2018 MAR 1 4 2019 **OWRD** OWRD

INSTRUCTIONS for editing the Application Form

To add additional lines to tables within the forms or to copy and paste additional Part 5 pages, please save the application form to your computer. Unlock the document by using one of the following instructions for

your Microsoft Word software version:

Microsoft Word 2003

Unlock the document by one of the following:

- Using the **Tools** menu => click **Unprotect Document**; OR
- Using the Forms toolbar => click on the Protect/Unprotect icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the **Tools** menu => click **Protect Document**; OR
- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

Once the application has been unlocked, you may:

- add additional rows to tables using the Table tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

Microsoft Word 2007

- Unlock the document by clicking the Review tab, then click Protect Document, then click **Stop Protect**
- To relock the document, click Editing Restrictions, then click Allow Only This Type of Editing, select Filling In Forms from the drop-down menu, then check Yes, Start Enforcing Protection.

Microsoft Word 2010

- Unlock the document by clicking the **Review** tab, toggle the **Restrict Editing icon** at the upper right, then click Stop Protect at the bottom right. Then uncheck the "Allow only this type of editing in the document: Filling in forms" in the "Editing restrictions" section on the right-hand list of options.
- To relock the document, check the Editing Restrictions/Allow Only This Type of Editing/Filling In Forms box from the drop-down menu, then check Yes, Start Enforcing Protection. You do not need to assign a password for the editing restrictions.

Other Alternatives:

- Photocopy pages or tables in Part 5, mark-through any non-applicable information, insert/attach photocopied pages to document in the appropriate location, and manually amend page numbers as necessary (e.g. Page 5 6 of 9 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc. You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

RECEIVED RECEIVED MAR 1 4 2019 OCT 31 2018

OWRD

OWRD

TACS

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

PERMIT # G-17506

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Tv	wp	Rn	g	Sec	1/4	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well #1		KLAM 58286	33	S	7.5	Е	16	NW	NE	2600	270' South and 1900' West from the NE Corner of Sec 16
Well #1A		KLAM 59974	33	S	7.5	E	16	NW	sw	1200	2856' South and 122' East from the NW Corner of Sec 16
Well #2		KLAM 59916	33	S	7.5	Е	16	SE	NW	2600	1700' South and 2800' West from the NE Corner of Sec 16
Well #3		KLAM 59319	33	S	7.5	E	16	SE	NW	2600	2450' South and 3760' West from the NE Corner of Sec 16
Well #4		KLAM 59741	33	S	7.5	E	20	NE	NE	4200	60' South and 670' West from NE Corner of Sec 20
Well #5		KLAM 57662	33	S	7.5	E	19	NW	NE	3800	20' South and 200' East from the N1/4 Corner of Sec 19
Well #6	☐ Authorized ☐ Proposed		33	S	7.5	E	7	sw	NE	1200	2637' West and 1375' South of the NE Corner of Section 7
Well #7	☐ Authorized ☐ Proposed		33	S	7.5	E	8	NE	sw	1200	2807' South and 1528' East of the NW Corner of Section 8
Well #1A	☐ Authorized ☐ Proposed(Corrected)	KLAM 59974	33	S	7.5	E	16	NW	sw	1200	3053' South and 188' East from the NW Corner of Section 16
Well #8	☐ Authorized ☐ Proposed		33	s	7.5	E	33	NW	NW	6400	78' South and 1319' East of the NW Corner of Section 33

RECEIVED

RECEIVED

OCT 3.1 2018

MAR 1 4 2019

OWRD

OWRD

13152

<i>~</i> .	••		•	(CODEC)
Check			hange	e "CODES" are provided in parentheses):
	Place	e of Use (POU)		Point of Appropriation/Well (POA)
	Poin	t of Diversion (POD)	\boxtimes	Additional Points of Appropriation (APOA's)
	Addi	tional Point of Diversion (APOD)		Surface water POD to Ground Water POA (SW/GW)
Will all	l of the	e proposed changes affect the entire	wate	r use permit?
	Yes	Complete only the proposed ("to" la "CODES" listed above to describe the		ection of Table 2 on the next page. Use the posed changes.
	No	Complete all of Table 2 to describe t	he po	rtion of the permit to be changed.
For a change	e in pla	ace of use: (N/A)		
Does the per ☐ Yes ☐ No		older of record own or control the la	and T	O which the place of use is being moved?
as a permi	t holde			s being moved must be assigned to the permit quest for Assignment form and the required
Is the propos	sed pla	ace of use contiguous to the authoriz	zed pl	ace of use? Yes No
unless the of for the purp 496.192 or listing agen	change coses of the fed acy. Co	to non-contiguous lands is in furthers f benefiting a species listed as sensiti- leral Endangered Species Act of 1973	ance ove, this (16 U	re contiguous to the authorized place of use of mitigation or conservation efforts undertaken reatened, or endangered under ORS 496.171 to J.S.C. 1531 to 1544), as determined by the r land separated from the land to which a hes or publicly owned rights of way.
				RECEIVED
				MAR 1 4 2019
				OWRD
				RECEIVED
				OCT 3.1 2018
				OWRD

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Use Permit # G-17506

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.					Proposed Changes (see	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.																	
Twp	R	ng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous page)	Tv	vp	Rı	ng	Sec	,	í ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date
											EXAMI	LE											
2 S	9	E	15	NE	NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E	15	NW	NW	100	1	10.0	POD #5	
" "	"	"	"	66	"	"	"	EXAMPLE	"		"	2	S	9	E	15	SW	NW	200		5.0	POD #6	
																						MAR 1 4 2 OWRI CEIVER T 3 1 2018	019
				Т	TOTAL	L ACR	ES											TOT	AL ACF	RES			

Additional remarks: SEE ATTACHED TABLE 2 SHEETS (one set for WRDIC and another set for Nicholson/Agri-Water)(as in Permit)

RECEIVED

040	1 20	MADT									HIER LLC		NICHOLSON /											
UIS	. 1 20	WAR 1		s)	o" or "on" land	OSED (the "to	PROP												ZED (the "from					
		014	GES	ED CHANG		uld appear AF	isting as it wo	The li							S					t appears on th		1		
	/RD	OW			de.	are mad							Proposed Changes (see			hanged.	t will be cl	ter right tha	rtion of the wa	that part or por	List only t			
Date	Priority Da	POD(s) or POA(s) to be used (from Table 1)	Acres (if applicable)	Gvt Lot or DLC	Tax Lot	14	14	Sec	ıg	Rn	wp	Т	"CODES" from previous page)	Priority Date	POD(s) or POA(s) (name or number from Table 1)	Acres (if applicabl e)	Gvt Lot or DLC	Tax Lot	1/4	1/4	Sec	tng		Twp
02	9/5/2002	WELLS 4 & 5	40			NE	NE	20	E	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS	40			NE	NE	20	E	7.	3
02	9/5/2002	WELLS 4 & 5	40	CT 6		NE C	NW	20	E	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS	40			NE	NW	20	E	7.	3
02	9/5/2002	WELLS 4 & 5	40	1 2/	/Dr	NE	sw	20	E	7.5	s	33	POA	9/5/2002	ALL AUTHORIZED WELLS	40			NE	sw	20	Е	7.	3
02	9/5/2002	WELLS 4 & 5	40	<u>-</u>	010	NE	SE	20	E	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS	40			NE	SE	20	Е	7.	3
02	9/5/2002	WELLS 4 & 5	39.3			sw	sw	20	E	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS	39.3			sw	sw	20	E	7.	3
02	9/5/2002	WELLS 4 & 5	39.3			sw	SE	20	E	7.5	s	33	POA	9/5/2002	ALL AUTHORIZED WELLS	39.3			sw	SE	20	E	7.	3
02	9/5/2002	WELLS 4 & 5	40			SE	NE	20	Е	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS	40			SE	NE	20	E	7	3
02	9/5/2002	WELLS 4 & 5	40			SE	NW	20	E	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS ALL	40			SE	NW	20	E	7	3
02	9/5/2002	WELLS 4 & 5	40			SE	SW	20	Е	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS ALL	40			SE	sw	20	E	7	3
02	9/5/2002	WELLS 4 & 5	40			SE	SE	20	Е	7.5	S	33	POA	9/5/2002	ALL AUTHORIZED WELLS ALL	40			SE	SE	20	E	7	13
02	9/5/2002	WELLS 4 & 5	40			NE	NW	29	Е	7.5	s	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			NE	NW	29	E	7	13
02	9/5/2002	WELLS 4 & 5	40			NE	SW	29	Е	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			NE	sw	29	E	7	13
02	9/5/2002	WELLS 4 & 5	40			NW	NE	29	Е	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			NW	NE	29	E	7	33
02	9/5/2002	WELLS 4 & 5	40			NW	NW	29	Е	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			NW	NW	29	E	7	33
02	9/5/2002	WELLS 4 & 5	40			NW	SW	29	E	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			NW	sw	29	E	7	33
)2	9/5/2002	WELLS 4 & 5	40			NW	SE	29	E	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			NW	SE	29	E	7	33
)2	9/5/2002	WELLS 4 & 5	40			SW	NE	29	E	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			SW	NE	29	E	7	33
)2	9/5/2002	WELLS 4 & 5	40			sw	NW	29	Е	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS ALL	40			SW	NW	29	E	7	33
)2	9/5/2002	WELLS 4 & 5	40 758,6		TOTAL ACE	SE	NW	29	Е	7.5	S	33	POA	9/5/2002	AUTHORIZED WELLS	40 758.6		OTAL ACE	SE	NW	29	E	7	33

MAR 1 4 ZO GEIVED

		7000									WOOD	RIVER DISTRIC	TIMPROV	EMENT C	o. F	466	IOF						D 1 4	LUIS	
							om" or "off" l												OPOSED (the				OWRDR 14		
					hat appears on							Proposed					Т	ne listing as it			OSED CHA	ANGES	OWRD		
				List on	y that part or p	ortion of the	water right tha	t will be chai	nged.			Changes (see "CODES"							are	made.			7)441	NU	
Tv	vp	R	ng	Sec	%	1/4	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	from previous page)	T	wp	Rr	ng	Sec	1/4	14	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Da	
3	s	7.5	E	16	NW	NE	1		18.5	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16	NW	NE	1		18.5	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
3	s	7.5	E	16	sw	NE	2		48.5	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16	sw	NE	2		48.5	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
3	s	7.5	E	16	sw	NW			0.1	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16	sw	NW			0.1	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
3	s	7.5	E	16	SE	NW			17	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16	SE	NW			17	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
3	s	7.5	E	16	NE	sw			40.4	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	16	NE	sw			40.4	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
13	s	7.5	E	16	NW	sw			33.2	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	16	NW	sw			33.2	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
13	s	7.5	E	16	sw	sw			38.4	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	16	sw	sw			38.4	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	16	SE	sw			38.4	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	16	SE	sw			38.4	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	16	NW	SE			40.8	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16	NW	SE			40.8	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	16	sw	SE			37.8	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	16	sw	SE			37.8	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	17	NE	SE			14.3	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	17	NE	SE			14.3	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	Е	17	SE	SE		8	23.7	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	17	SE	SE			23.7	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	NE	NE	8	<u> </u>	1 4.5	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	21	NE	NE			4.5	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	NW	NE		1 20	26.8	ALL AUTHORIZED WELLS ALL	9/5/2002	POA	33	s	7.5	Е	21	NW	NE			26.8	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	NE	NW		6	39.6	ALL AUTHORIZED WELLS ALL	9/5/2002	POA	33	s	7.5	Е	21	NE	NW			39.6	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	NW	NW			40	ALL AUTHORIZED WELLS ALL	9/5/2002	POA	33	s	7.5	Е	21	NW	NW			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	sw	NW			40	ALL AUTHORIZED WELLS ALL	9/5/2002	POA	33	s	7.5	Е	21	sw	NW			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	SE	NW	9	6. 1	R 40	ALL AUTHORIZED WELLS ALL	9/5/2002	POA	33	s	7.5	Е	21	SE	NW			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	NE	SW		900	40	ALL AUTHORIZED WELLS ALL	9/5/2002	POA	33	s	7.5	Е	21	NE	sw			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	S	7.5	E	21	NW	sw	7	20	40	AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	21	NW	sw			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	

																					_	CORPORA			
33	s	7.5	Е	21	sw	sw			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	21	sw	sw	2	E.	H 40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	21	SE	sw			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	21	SE	sw	VR	31	40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	1
33	s	7.5	E	29	NE	NE			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	29	NE	NE	J	018	40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	29	SE	NE			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	29	SE	NE NE			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	3
33	s	7.5	E	29	sw	sw			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	29	sw	sw	ED,	2019	40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	7
33	s	7.5	E	29	SE	sw			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	29	SE	sw	EIV	14	X 40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	29	NE	SE			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	29	NE	SE	REC	MAR	O ₄₀	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	E	29	sw	SE			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	29	sw	SE			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	
33	s	7.5	Е	29	SE	SE			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	29	SE	SE			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	1
33	s	7.5	E	30	NE	SE			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	30	NE	SE			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	1
												POA	33	s	7.5	Е	32	NW	NE			36.1	WELLS 1, 1A, 2, 3,	9/5/2002	1
33	s	7.5	E	32	NE	NW			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	32	NE	NW			40	6 & 7 WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	1
33	s	7.5	E	32	NW	NW			40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	32	NW	NW			40	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	1
33	s	7.5	E	32	sw	NW			39.1	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	32	sw	NW		T	39.1	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	1
33	s	7.5	E	32	SE	NW				ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	32	SE	NW			25.3	WELLS 1, 1A, 2, 3, 6 & 7	9/5/2002	1
33	s	7.5	E	9	SE	SE	13		2.6	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	9	SE	SE	13		2.6	WELLS 1, 3, 6 & 7	9/5/2002	1
33	s	7.5	E	10	sw	sw	21		7.5	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	10	sw	sw	20		7.5	WELLS 1, 3	9/5/2002	1
33	s	7.5	E	10	sw	sw		,	33	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	10	sw	sw	20		33	WELLS 1, 3	9/5/2002	1
33	s	7.5	E	10	SE	sw			10.1	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	10	SE	sw	21		10.1	WELLS 1, 3	9/5/2002	1
33	s	7.5	E	15	NE	NW	10		22.7	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	15	NE	NW	10		22.7	WELLS 1, 3	9/5/2002	1
33	s	7.5	E	15	NW	NW	11		40	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	15	NW	NW	11		40	WELLS 1, 3	9/5/2002	1
33	s	7.5	E	15	sw	NW	12		33.8	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	15	sw	NW	12		33.8	WELLS 1, 3	9/5/2002	1
33	s	7.5	E	15	SE	NW	13		1.1	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	15	SE	NW	13		1.1	WELLS 1, 3	9/5/2002	1
33	s	7.5	Е	16	NE	NE	5		34.8	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	16	NE	NE	5		34.8	WELLS 1, 3	9/5/2002	1

TAGE SOFS

33	s	7.5	E	16	SE	NE.	6		31.8	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16	SE	NE	6		31.8	WELLS 1, 3	9/5/2002
33	s	7.5	E	16	NE	SE	7		12	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16	NE	SE	7		11	WELLS 1, 3	9/5/2002
33	s	7.5	E	32	NW	NE			38.9	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	32	NW	NE			2.8	WELLS 1, 3 & 8	9/5/2002
33	s	7.5	E	32	SE	NW			37.8	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	32	SE	NW			12.5	WELLS 1, 3 & 8	9/5/2002
33	s	7.5	Е	32	NW	sw		0	28.4	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	32	NW	sw			28.4	WELLS 1, 3 & 8	9/5/2002
33	s	7.5	Е	32	sw	sw			29.1	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	32	sw	sw			29.1	WELLS 1, 3 & 8	9/5/2002
												POA	33	S	7.5	E	16	NE	SE	7		1	WELLS 1, 1A, 3	9/5/2002
33	s	7.5	E	16			3	,	20.4	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	E	16			3		20.4	WELLS 1, 1A, 3	9/5/2002
33	s	7.5	E	16	SE	SE	4		26.4	ALL AUTHORIZED WELLS	9/5/2002	POA	33	s	7.5	Е	16	SE	SE	4		26.4	WELLS 1, 1A, 3	9/5/2002
							TOTAL AC	RES	1551.5	J										TOTAL ACI	RES	1551.5		

RECEIVED

MAR 1 4 2019

OWRD

RECEIVED

OCT 31 2018

OWRD !!

23

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ⊠ Yes □ No

If YES, list the other certificate, permit, or ground water registration numbers: 1085, 1097, 1107, 1111, 1109, 1104, 76310, 76154, 10915, 1100, PERMIT G-12947.

If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps2.wrd.state.or.us/apps/gw/well log/Default.aspx)

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do \boxtimes not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aguifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well #6	No		650	20" - 30"	+1 – 150'	350'	465 – 600'	3.5	Gray & Black Basalt	4500 gpm
Well #7	No		650	20" - 30"	+1 – 150'	350'	465 – 600'	3.5	Gray & Black Basalt	4500 gpm
Well #8	No		650	24" 16"	2-58 58-650	0-510'			Rock and Basalt	3000 gpm

RECEIVED

RECEIVED

MAR 1 4 2019

OCT 31 2018

OWRD

TACS

RECEIVED

MAR 1 4 2019

RECEIVED

OCT 31 2018

COUNTY OF KLAMATH

OWRD

PERMIT TO APPROPRIATE THE PUBLIC WATERS

OWRD

THIS PERMIT IS HEREBY ISSUED TO:

WOOD RIVER
DISTRICT IMPROVEMENT CO
PO BOX 503
FORT KLAMATH, OREGON 97626
(541) 381-2274

ROGER NICHOLSON / AGRI-WATER LLC PO BOX 458 FORT KLAMATH, OREGON 97626

This superseding permit is issued to describe an amendment for a change in point of appropriation (Well 1A) proposed under Permit Amendment Application T-12010 and approved by Special Order Vol. 103 Page 81-83, entered 12010. This permit supersedes Permit G-16886.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15834

SOURCE OF WATER: SIX WELLS IN ANNA CREEK BASIN

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 2310.1 ACRES

MAXIMUM RATE: 28.88 CUBIC FEET PER SECOND

PERIOD OF USE: APRIL 1 THROUGH OCTOBER 1

DATE OF PRIORITY: SEPTEMBER 5, 2002

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
33 S	7.5 E	WM	16	NW SW	WELL 1A – 2856 FEET SOUTH AND 122 FEET EAST FROM THE NW CORNER OF SECTION 16
33 S	7.5 E	WM	16	NW NE	WELL 1 - 270 FEET SOUTH AND 1900 FEET WEST FROM THE NE CORNER OF SECTION 16
33 S	7.5 E	WM	16	SE NW	WELL 2 - 1700 FEET SOUTH AND 2800 FEET WEST FROM THE NE CORNER OF SECTION 16
33 S	7.5 E	WM	16	SE NW	WELL 3 - 2450 FEET SOUTH AND 3760 FEET WEST FROM THE NE CORNER OF SECTION 16
33 S	7.5 E	WM	20	NE NE	WELL 4 - 60 FEET SOUTH AND 670 FEET WEST FROM NE CORNER OF SECTION 20
33 S	7.5 E	WM	19	NW NE	WELL 5 [KLAM 57662] - 20 FEET SOUTH AND 200 FEET EAST FROM THE N¼ CORNER OF SECTION 19

Application G-15834/1-12010 sah

Water Resources Department

Permit G-1/506

RECEIVED

MAR 1 4 2019

OWRD

PAGE 2

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

		W	OOD F	RIVER DIST	RICT I	MPRO	/EMEN	T CO.	
			S	SUPPLEMEN	NTAL I	RRIGA	TION		
Towr	ship	Rai	nge	Meridian	Sec	1/4	1/4	Lot	Acres
33	S	7.5	Е	W.M.	9	SE	SE	13	2.6
33	S	7.5	Е	W.M.	10	SW	SW	21	7.5
33	S	7.5	Е	W.M.	10	SW	SW		33.0
33	S	7.5	Е	W.M.	10	SE	SW		10.1
33	S	7.5	Е	W.M.	15	NE	NW	10	22.7
33	S	7.5	Е	W.M.	15	NW	NW	11	40.0
33	S	7.5	Е	W.M.	15	SW	NW	12	33.8
33	S	7.5	Е	W.M.	15	SE	NW	13	1.1
33	S	7.5	E	W.M.	16	NE	NE	5	34.8
33	S	7.5	Е	W.M.	16	NW	NE	1	18.5
33	S	7.5	Е	W.M.	16	SW	NE	2	48.5
33	S	7.5	Е	W.M.	16	SE	NE	6	31.8
33	S	7.5	Е	W.M.	16	SW	NW		0.1
33	S	7.5	Е	W.M.	16	SE	NW		17.0
33	S	7.5	Е	W.M.	16	NE	SW		40.4
33	S	7.5	Е	W.M.	16	NW	SW		33.2
33	S	7.5	Е	W.M.	16	SW	SW		38.4
33	S	7.5	Е	W.M.	16	SE	SW		38.4
33	S	7.5	Е	W.M.	16	NE	SE	7	12.0
33	S	7.5	Е	W.M.	16	NE	SE	3	20.4
33	S	7.5	Е	W.M.	16	NW	SE		40.8
33	S	7.5	Е	W.M.	16	SW	SE		37.8
33	S	7.5	Е	W.M.	16	SE	SE	4	26.4
33	S	7.5	Е	W.M.	17	NE	SE		14.3
33	S	7.5	Е	W.M.	17	SE	SE		23.7
33	S	7.5	Е	W.M.	21	NE	NE		4.5
33	S	7.5	Е	W.M.	21	NW	NE		26.8
33	S	7.5	Е	W.M.	21	NE	NW		39.6
33	S	7.5	Е	W.M.	21	NW	NW		40.0
33	S	7.5	Е	W.M.	21	SW	NW		40.0
33	S	7.5	Е	W.M.	21	SE	NW		40.0
33	S	7.5	Е	W.M.	21	NE	SW		40.0

RECEIVED

OCT 31 2018

OWRD

90871-D Hmm94		T-12010.sah Water Resources Department									
0.04		MN	MN	67	.M.W	Е	2.7	S	33		
0.04		MN	NE	67	.M.W	Е	2.7	S	33		
0.04		NE	MS	67	.M.W	Е	Z.T	S	33		
0.04		NE	MN	67	.M.W	Е	2.7	S	33		
0.04		SE	SE	70	.M.W	Е	2.7	S	33		
0.04		SE	MS	50	.M.W	Е	2.7	S	33		
0.04		SE	MN	70	.M.W	Е	2.7	S	33		
0.04		SE	NE	50	.M.W	Е	2.7	S	33		
ε. 6ε		MS	SE	70	.M.W	Е	Z.T	S	33		
€.6€		MS	MS	70	.M.W	Е	Z.T	S	55		
0.04		NE	SE	50	.M.W	Е	2.7	S	33		
0.04		NE	MS	07	.M.W	Е	2.7	S	33		
0.04		NE	MN	70	.M.W	Е	2.7	S	33		
0.04		NE	NE	07	.M.W	Е	2.T	S	55		
sərəA	Township Range Meridian Sec 1/4 1/4 Lot Acres										
	SUPPLEMENTAL IRRIGATION										
	ROGER NICHOLSON / AGRI-WATER LLC										

	SUPPLEMENTAL IRRIGATION										
sərəA	107	1/1	⁵⁄1	Sec	Meridian	ଅନ୍ତ	Rar	qider	nwoT		
0.04		MS	MN	17	.M.W	Е	Z.T	S	33		
0.04		MS	MS	17	.M.W	Е	2.7	S	33		
0.04		MS	SE	17	.M.W	Е	2.7	S	33		
0.04		NE	NE	67	.M.W	Е	2.7	S	33		
0.04		NE	SE	67	.M.W	Е	2.7	S	55		
0.04		MS	MS	67	.M.W	Е	2.7	S	33		
0.04		MS	SE	67	.M.W	Е	Z.T	S	33		
0.04		SE	NE	67	.M.W	Е	2.7	S	33		
0.04		SE	MS	67	.M.W	Е	2.7	S	33		
0.04		SE	SE	67	.M.W	Е	2.7	S	33		
0.04		SE	NE	30	.M.W	Е	2.7	S	33		
6.85		NE	MN	32	.M.W	Е	Z.T	S	33		
0.04		MN	NE	32	.M.W	Е	S.7	S	33		
0.04		MN	MN	32	.M.W	Е	Z.T	S	33		
1.68		MN	MS	35	.M.W	Е	Z.T	S	33		
8.75		MN	SE	32	.M.W	Е	2.7	S	55		
4.82		MS	MN	32	.M.W	Е	2.7	S	33		
1.62		MS	MS	32	.M.W	Е	Z.T	S	33		

MOOD RIVER DISTRICT IMPROVEMENT CO.

OWRD

MAR I 4 2019

BECEINED OMBD

OCT 3.1 2018

BECEINED

byge 3

	ROGER NICHOLSON / AGRI-WATER LLC								
			5	SUPPLEMEN	NTAL I	RRIGA	TION		
Towi	nship	Rai	nge	Meridian	Sec	1/4	1/4	Lot	Acres
33	S	7.5	Е	W.M.	29	SW	NW		40.0
33	S	7.5	Е	W.M.	29	SE	NW		40.0
33	S	7.5	Е	W.M.	29	NE	SW		40.0
33	S	7.5	E	W.M.	29	NW	SW		40.0
33	S	7.5	Е	W.M.	29	NW	SE		40.0

RECEIVED

OCT 31 2018

OWRD

Permit Amendment T-12010 conditions:

The quantity of water diverted at the new point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.

Water shall be acquired from the same aquifer as the original point of appropriation.

MAR 1 4 2019

Original Permit Conditions:

OWRD

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

RECEIVED

MAR 1 4 2019

OWRD

RECEIVED

PAGE 5

OCT 3.1 2018

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

OWRD

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has Begun

Seven Consecutive Annual Measurements

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

Application G-15834/T-11263 pks

Water Resources Department

Permit G-16886

RECEIVED

MAR 1 4 2019

RECEIVED

OCT 31 2018

PAGE 6

OWRD

OWRD

The well(s) shall be continuously cased and continuously sealed to a minimum depth of 400 feet below land surface. However, if during well construction, it becomes apparent that the well(s) can be constructed to eliminate hydraulic connection with surface water in a manner other than specified in the permit, the permittee can contact a Department Hydrogeologist or the Ground Water/Hydrology Section Manager to request a modification of the permit condition. The permittee shall submit, in writing, a rough well log and a proposed construction design for approval by the Department. The new depth of casing and seal will be incorporated into the permit file and any certificate issued for application G-15834.

STANDARD CONDITIONS

If the number, location, or construction of any well deviates from that proposed in the permit application or permit conditions, the conclusions of the Proposed Final Order and Final Order under which this permit was granted may be revised, conditions may be appropriately revised, or this permit may not be valid.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Application G-15834/T-11263.pks

Water Resources Department

Permit G-16886

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water was to be made on or before October 1, 2008, when the permit was originally issued on August 16, 2004. By Extension of Time Final Order dated June 23, 2009, the complete application to the use of the water was extended to on or before October 1, 2018. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued October 7, 2016

RECEIVED

RECEIVED

MAR 1 4 2019

OCT 31 2018

OWRD

OWRD

Dwight/rench, Water Right Services Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966 requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.

Application G-15834/T-11263.pks

Water Resources Department

Permit G-16886

WELL I.D. LABEL# L 105275

START CARD # 1016602

ORIGINAL LOG #

	DIAM.
1/14/2012	ORIGINA

(1) LAND OWNER Owner Well I.D.									
First Name Last Name	(9) LOCATION OF WELL (legal description)								
Company WOOD RIVER IMPROVEMENT DISTRICT	County KLAMATH Twp 33.00 S N/S Range 7.50 E E/W WM								
Address P.O. BOX 503 City FORT KLAMATH State OR Zip 97626	Sec 20 16 DE NW 1/4 of the NE 1/4 Tax Lot 2600								
	Tax Map Number Lot								
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number								
Alteration (complete 2a & 10) Abandonment(complete 5a) (2a) PRE-ALTERATION	Long	or "			DMS or DD				
Dia + From To Gauge Stl Plste Wld Thrd		address of well	(Neares	t address					
Casing:	OFF HIGHWAY 6								
Material From To Amt sacks/lbs									
Seal:	(4.0) 000 100 000			***************************************	***************************************				
(3) DRILL METHOD	(10) STATIC V	VATER LE							
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing Well/	Pre-Alteration	Date	SWL(psi) -	F SWL(ft)				
Reverse Rotary Other	Completed We	11	7/4/2012	1 ×	2.3				
(4) PROPOSED USE Domestic Irrigation Community			esian? X	Dry Hole?	4.3				
Industrial/Commericial Livestock Dewatering	WATER BEARING		Depth water		3.00				
Thermal Injection Other	51 months (1994)		*		***************************************				
		From To	Est Flo	w SWL(psi)	+ SWL(h)				
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	5/10/2012	3	28 25		2				
Depth of Completed Well 546.00 ft.	5/21/2012	90 3	45 200		2				
BORE HOLE SEAL sacks/ Dia From To Material From To Amt Ibs	5/29/2012	465 4	90 1000		2				
Día From To Material From To Amt lbs 32 0 36 Cement 0 36 66 S	6/5/2012	502 6	75 5000	1	×				
27 36 65 Cement 36 502 528 S									
24 65 502			······		~~~~~				
19 502 675	(11) WELL LO	G Grou	nd Elevation						
How was seal placed: Method XA B C D E	Ma	aterial	*****	From	То				
Other	Brown Silty Sandy			0	25				
Backfill placed from ft. to ft. Material	Brown Tuffed Volca		lers	25	85				
Filter pack from ft. to ft. Material Size	Blackish Hard Lava			85	90				
Explosives used: Yes Type Amount	Gray Clay with fine	CONTRACTOR OF THE PROPERTY OF THE PARTY OF T		90	275				
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Gray & Green Clay Cobbles & Volcanic		nses	345	345				
Proposed Amount Actual Amount	Dark Brown Clay	Lizentis		360	388				
	Brown Clay with Br	roken Rock	V-14	388	403				
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	Brown & Green Cla			403	465				
The state of the s	Broken Black & Red	d Rock & Ash		465	490				
	Hard Gray Basalt			490	508				
20 59 502 375 N	Hard Gray Basalt wi		3	508	546				
● 16 342 546 375 ● X	Brown Ash & Rock			546	618				
	Hard Brown & Gray Soft Silty Sand	Basall WB		618	629				
Shoe Inside Outside Other Location of shoe(s)	Volcanic Rubble, Sa	and & Cinders		635	675				
Temp casing Yes Dia From To	Borehole		- Wask		1				
	40 546	1	C. Apple Store W. S. Store L.	546	615				
[7] PERFORATIONS/SCREENS Perforations Method Factory Saw									
Screens Type Material	Date Started 5/10/	2012	Complete	e 7/7/2012					
Perf/ Casing/ Screen Scm/slot Slot # of Tele/	***************************************		A		***************************************				
Screen Liner Dia From To width length slots pipe size	(unbonded) Water								
Perf Liner 16 365 425 .08 2.5 1280	I certify that the wa								
Peri Liner 16 445 465 .08 2.5 1280 Perf Liner 16 505 545 .08 2.5 2560	construction standar								
ren i.mei 10 303 343 .08 2.3 2300	the best of my know			OF LA PETITO	april care a market				
	License Number	0	Date						
8) WELL TESTS: Minimum testing time is 1 hour	nerganor			DEC 22	2014				
Pump Bailer Air Flowing Artesian	Signed								
	(bonded) Water Wo	ell Constructor	Certification	0415	4 00				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 1250 0 0 24	I accept responsibili			SALEN					
3400 11 25 4	work performed on t								
5800 53.5 58	performed during t								
Temperature 45 °F Lab analysis Yes By	construction standar								
Water quality concerns? Yes (describe below) TDS amount	License Number 13	85	Date 1	1/14/2012					
From To Description Amount Units	-		***************************************						
		BUCKNER (E-	*********	PI	CEIVED				
,	Contact Info (option	al)	RECEIV	ED '''					
ORIGINAL - WATER RESOURCES DE	PARTMENT	***************************************		0.0	T 9 1 2019				
THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMI		YS OF COMPI	ETTON DEAN	PREG Form Va	ersion: 1 ZUIO				

WATER SUPPLY WELL REPORT - continuation page

KLAM 58286

WELL I.D. LABEL# L 105275 START CARD # 1016602

11/14/2012

11/	14/2012 ORIGINAL LOG#	
(2a) PRE-ALTERATION	Water Quality Concerns	
Dia + From To Gauge Stl Plste Wld Thrd	From To Description Amount	Units
		T
Matricia		
Material From To Amt sacks/lbs		-
		<u> • </u>
(5) BORE HOLE CONSTRUCTION	(10) STATIC WATER LEVEL	
BODE HOLE SEAL	SWL Date From To Est Flow SWL(psi) +	SWL(ft)
Dia From To Material From To Amt lbs		
Material From 10 Ann 108		
FILTER PACK		
From To Material Size	(11) WELL LOG	
	Material From	To
6) CASING/LINER		
Casing Liner Dia + From To Gauge Stl Plste Wld Thrd		
	RECEIVED	
	OCT 31 2018	
	OWRD	
8 A H H B A H H		
	RECEIVED	

7) PERFORATIONS/SCREENS	MAR 1 4 2019	
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	111111111111111111111111111111111111111	
Screen Liner Dia From To width length slots pipe size	OWRD	
	O TITLE	***************************************
	Comments/Remarks	
(D) NUTL Y TERCOTO MALL TO A CONTROL OF THE CONTROL		
(8) WELL TESTS: Minimum testing time is 1 hour	RECEIVED BY OWRD	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		
	DEC 0.9 2014	
	DEC 2 2 2014	
	SALEM, OR	

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

KLAM 59974

WELL I.D. LABEL# L 122345

START CARD # 1037971

ORIGINAL LOG # KLAMATH 59921

(as required by ORS 537.765 & OAR 690-205-0210)	3/7/2018 ORIGINAL LOG # KLAMATH 59921
(1) LAND OWNER Owner Well I.D.	
First Name Last Name	(9) LOCATION OF WELL (legal description)
Company WOOD RIVER DISTRICT IMPROVEMENT Address PO BOX 503	County KLAMATH Twp 33.00 S N/S Range 7.50 E E/W WM
City FORT KLAMATH State OR Zip 97626	Sec <u>16 NW 1/4 of the SW 1/4 Tax Lot 1200</u>
City FORT KLAMATH State OR Zip 97626 (2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat _ o ' ' or 42.71099900 DMS or DD Long o ' or -122.01562600 DMS or DD
Alteration (complete 2a & 10) Abandonment(complet	Lat ' or 42.71099900 DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address
Casing:	NICHOLSON ROAD, FORT KLAMATH, OREGON
Material From To Amt sacks/lbs	
Seal:	(10) STATIC WATER LEVEL
(3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWI (psi) + SWI (ft)
Reverse Rotary Other	Existing Well / Pre-Alteration 3/1/2018 2.5 X 5.8
	Completed Well 3/5/2018 2.5 X 5.8
(4) PROPOSED USE Domestic Irrigation Community Industrial/ Commercial Livestock Dewatering	Flowing Artesian? X Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found
(5) BORE HOLE CONSTRUCTION Special Standard (Attach	SWL Date From To Est Flow SWL(psi) + SWL(ft)
Depth of Completed Well 722.00 ft.	h copy) 3/5/2018 657 722 5000 2.5
DODE HOLE	sacks/
Dia From To Material From To Amt	lbs
24 0 101 20 101 435 Calculated	
16 435 657	(1) WELLIOG
12.25 657 722 Calculated	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Other NOT DISTURBED Backfill placed from ft. to ft. Material	Existing Well 0 657
Filter pack from ft. to ft. Material Size	Broken Black Basalt & Black Sand 710 722
Explosives used: Yes Type Amount	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	
Proposed Amount Actual Amount	
(6) CASING/LINER	RECEIVED
Casing Liner Dia + From To Gauge Stl Plstc Wld	Thrd RECEIVED
	OCT 31 2018
	MAR 1 4 2019
Shoo I haida Outaida Othar I haadin of tha (s)	U OWRD OWRD
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From + To	
	_
(7) PERFORATIONS/SCREENS Perforations Method	
Screens Type Material	Date Started3/1/2018 Completed 3/5/2018
Perf/ Casing/ Screen Scm/slot Slot # of Te Screen Liner Dia From To width length slots pipe	ele/
Serech Emer Dia 110111 10 within length slots pipe	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number Date
(8) WELL TESTS: Minimum testing time is 1 hour	Signed
Pump Bailer • Air Flowing Artesian	n Signed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
2500 720 1	I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply well
Temperature 42 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) TDS amount 52 mg From To Description Amount Units	<u>g/L</u> License Number 1385 Date 3/7/2018
To Description randuit onto	Signed ROBERT BUCKNER (E-filed)
	Contact Info (optional)
ORIGINAL - WATER RESOUR	CES DEPARTMENT

Page 1 of 3 WELL I.D. LABEL# L 122346 START CARD# 1033050 ORIGINAL LOG#

(as required by ORS 537.765 & OAR 690-205-0210)	11/13	/2017	ORIG	INAL LOG	#		
(1) LAND OWNER Owner Well I.D.							
First Name Last Name		(9) LOCAT	ION OF W	VELL (lega	al descri	iption)	
Company WOOD RIVER DISTRICT IMPROVEMENT CO.						_	E E/W WM
Address PO BOX 503							2400
City FORT KLAMATH State OR Zip 97626 (2) TYPE OF WORK New Well Deepening Conv	varcion	Tax Map Numbe	er			Lot	
Alteration (complete 2a & 10) Abandonment(co	version	Lat	'	" or 42.71427	7140		DMS or DD
(2a) PRE-ALTERATION	ompiete 5a)	Long°	'	" or122.006	33882	-	DMS or DD DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd		Str	eet address of	well (Nearest a	ddress	
Casing:		NICHOLSON	ROAD				
Material From To Amt sacks/lbs Seal:							
(3) DRILL METHOD		(10) STATIO	WATER	LEVEL			
X Rotary Air Rotary Mud Cable Auger Cable Mud		E :	11 / D A 1:		Date S	WL(psi)	+ SWL(ft)
Reverse Rotary Other		Completed	ell / Pre-Altera Well	ation	2016	1.5	X 3.5
(4) PROPOSED USE Domestic Irrigation Community		Completed	Flowin	g Artesian?	Z Dr	v Hole?	X 3.5
Industrial/ Commercial Livestock Dewatering	,	WATER BEARI		_	_		_
Thermal Injection Other		SWL Date					+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (EST FIOW	S W L (psi)	+ SWL(II)
Depth of Completed Well 705.00 ft.	Attach copy)	1	3	173	200		3
BORE HOLE SEAL	sacks/	11/28/2016	243	414	500 1000		3
Dia From To Material From To A		12/2/2016	460	705	5000	1.5	3 X
	122 S	12/1/2010	400	703	3000	1.5	
27 46 115 Calculated 24 115 467 Cement 46 467	462 S					1	
19 467 649 Calculated 29	92.67	(11) WELL I	LOG	Ground Eleva	ation		
How was seal placed: Method A B XC D	Е		Material			From	То
Other		Sand & Pumice				0	41
Backfill placed from ft. to ft. Material		Black Rock	-1 D -1 C' -1	DII C		41	53
Filter pack from ft. to ft. Material Size		BrokenBlack Ro Black Sand	ock, Red Cind	ers, BIK. Sand	1	53 83	83
Explosives used: Yes Type Amount		Red Cinder, Bla	ck Sand, Pum	ice,		143	173
(5a) ABANDONMENT USING UNHYDRATED BENTONI	TE	Gray Clay				173	243
Proposed Amount Actual Amount		Gray Clay, Blac				243	414
(6) CASING/LINER		Fractured Black Red Cinder, Bro				414	443
Casing Liner Dia + From To Gauge Stl Plstc		Hard Black Basa		K		460	496
	× × × ×	Broken Black Re	ock, Red Cind	lers, Blk.Sand		496	552
● 20	DH D	Brn. Ash, Blk. R		der		552	612
20 60 467 .375 0 C	\times	Blk. Rock, Brow Hard Black & R				612	649
		Gray Clay, Blk.I		nder		656	705
Shoe Inside Outside Other Location of shoe(s)							
Temp casing Yes Dia From + To							
(7) PERFORATIONS/SCREENS							-
Perforations Method Factory Saw	_	D . C 1					
Screens Type	Tele/	Date Started 1	1/19/2016	Cc	mpleted	12/16/201	16
Screen Liner Dia From To width length slots		(unbonded) Wa					
Perf Liner 16 490 649 .095 3 2280		I certify that the	e work I perf	ormed on the	construct	ion, deeper	ning, alteration, or water supply—well
	+1	construction star	ndards. Mate	rials used and	l informat	ion reported	d above are true to
		the best of my k				-	
		License Number			Date	00	T 31 2018
(8) WELL TESTS: Minimum testing time is 1 hour		Signed					
Pump Bailer Air • Flowing A	rtesian	Signed				-	OWDD
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	nr)	(bonded) Water				,	JVKD
840 0 0 24							on, or abandonment
							ed above. All work water supply well
Temperature 42 °F Lab analysis Yes By							vledge and belief.
	ppm	License Number	1385		Date 11/	13/2017	
Water quality concerns? Yes (describe below) TDS amount 55 From To Description Amount	Units						
	 			ER (E-filed)			RECEIVE
		Contact Info (op	попат)				
ORIGINAL - WATER RE	SOURCES DE	EPARTMENT		***************************************			MAR 1 4 201

WATER SUPPLY WELL REPORT - continuation page	KLAM	59916		I.D. LABEL# FART CARD#		
communion page	11/13	/2017		GINAL LOG		
(2a) PRE-ALTERATION Dia + From To Gauge Stl. Plate Wild Third		Water Quali				
Dia + From To Gauge Stl Plstc Wld Thrd		From T	o I	Description	Am	ount Unit
Material From To Amt sacks/lbs						
	<u> </u>					
5) BORE HOLE CONSTRUCTION		10) STATI(SWL Date	C WATER From		Flance SWI (ma)) 1 000
BORE HOLE SEAL Dia From To Material From To Am	sacks/ nt lbs	SWE Date	FIOIII	10 Est	Flow SWL(psi) + SWI
15 649 705						
Calculated Calculated	\pm					
Calculated						
Calculated						
FILTER PACK		1) WELL I	000			
From To Material Size	(1	1) WELL I	Material		From	То
	l F					
) CASING/LINER	[R	ECEIVE		
Casing Liner Dia + From To Gauge Stl Plstc Wld	Thrd		M	AR 1 4 201	0	
					J	
				OWRD		
88 1 88 1						
88 A A A	A I			RECEIV	ED	
	_ -			OCT 31 20)18	
) PERFORATIONS/SCREENS						
Perf/ Casing/ Screen Scrn/slot Slot # of Screen Liner Dia From To width length slots	Tele/ pipe size			OWRD		
	$\frac{1}{c}$	omments/R	temarks			
8) WELL TESTS: Minimum testing time is 1 hour	_					

Yield gal/min

Drawdown

Drill stem/Pump depth

Duration (hr)

KLAM 59319 STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

Page 1 of 3 WELL I.D. LABEL# L 118380 START CARD# 1026547 ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	9/13/2015	ORIGINAL LO	G#			
(1) LAND OWNER wner Well I.D						
First Name	(9) LOCATIO	ON OF WELL (leg	al descr	iption)		
Company WOOD RIVER DISTRICT IMPROVEMENT		Twp 33.00 S			Е	E/W W
Address P.O. BOX 503 City FORT KLAMATH State OR Zip 97626	Sec 16 SE	1/4 of the NW	1/4	Tax Lot 2	600	
City FORT KLAMATH State OR Zip 97626 (2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number	" or 42.7120	-	Lot		
Alteration (complete 2a & 10) Abandonment(complete 5	ia) Lat°	" or 42.7120	7400			DMS or DI
(2a) PRE-ALTERATION	Long°	or122.01	072800		!	DMS or DI
Casing: To Gauge Stl Plstc Wld Thrd	(Stree	t address of well (•	Nearest a	ıddress		
Material From To Amt sacks/lbs	13350 NICHOLS	ON RD., FT. KLAMAT	H, OR 976	26		
Seal:						
(3) DRILL METHOD	(10) STATIC	WATER LEVEL				
Rotary Air Rotary Mud Cable Auger Cable Mud	F-:		Date S'	WL(psi)	+ s	SWL(ft)
Reverse Rotary Other	Completed W	/ Pre-Alteration	1.5		;├	
(4) PROPOSED USE Domestic Irrigation Community	- Completed W	Flowing Artesian?	15 Dr	0.5 > Y Hole?	1	1.2
☐ Industrial/ Commericial ☐ Livestock ☐ Dewatering	WATER BEARING	_			1 2 00	
Thermal Injection Other						
	-	From To	Est Flow	SWL(psi)	+	SWL(ft)
5) BORE HOLE CONSTRUCTION Special Standard (Attach co Depth of Completed Well 695.00 ft.	0.20.2010	7 14	10			4
BORE HOLE SEAL sack	5/21/2015 9/22/2015	14 460	500			3
Dia From To Material From To Amt Ib.	712212013	460 501	6000			0.5
35 0 39 Bentonite Chips 0 7 26 S	7/1/2013	501 695	10000		X	1.5
28 39 102 Calculated 24 102 503 Cement 7 500.5 638 S						
19.25 503 650 Calculated 304.51	(11) WELL LC	Ground Elev	ation 420)4.00		
How was seal placed: Method A B X C D E	M	laterial	420	From		То
Other	Silty Sand			0	T	7
Backfill placed from ft. to ft. Material	Cobbles, Silt & Gr			7		14
Filter pack from ft. to ft. Material Size	Black Silty Sand & Black Sand WB	Gray Clay		14	+-	22
Explosives used: Yes Type Amount	Black Silty Sand &	Grav Clav		22	+	92
5a) ABANDONMENT USING UNHYDRATED BENTONITE	Black Silty Sand W			92	+	460
Proposed Amount Actual Amount	Hard Gray Basalt V			460		502
6) CASING/LINER	Black Sand & Sma			502		636
Casing Liner Dia + From To Gauge Stl Plstc Wld Thr	d Hard Gray Basalt V	VB		636	1000	695
					+	
	-	REVISEL)		_	48
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				14.8		
() (•) 16 1 590 654 250 (•) () ×		— 2:49 pm, Mai	08, 20	16	+-	
Shoe Inside Outside Other Location of shoe(s)					+	
Temp casing Yes Dia From To	This report w	as originally e	filed to	the De	nar	tmont.
7) PERFORATIONS/SCREENS		ginal e-filed do				
Perforations Method Factory Saw			Cunion	ir is arre	IGH	/Qa
Screens Type Material Perf/ Casing/ Screen Scm/slot Slot # of Tele/	Date Started 5/18	<u>//2015</u> Co	mpleted	8/7/2015		
Screen Liner Dia From To width length slots pipe size		Well Constructor Cer				
Perf Liner 16 605 655 .07 3 1200	I certify that the w	ork I performed on the	constructi	on, deepeni	ng, al	teration, o
	construction standa	his well is in compliands. Materials used and	ince with	Oregon wa	ater s	upply wel
	the best of my know	vledge and belief.		RECE	IVE	D
	License Number		Date			
WELL TESTS: Minimum testing time is 1 hour	Signed			OCT 31	20	18
● Pump Bailer Air Flowing Artesian				001 02		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		ell Constructor Certifi		4		
6000 31.4 80 24 7000 37.8 80 24	I accept responsibil	ity for the construction	, deepenin	g, alteration	ROD	bandonme
37.0 00 24	work performed on	this well during the consthis time is in compli	struction da	Oregon	abov	e. All wor
Temperature 44 °F Lab analysis Yes By	construction standar	ds. This report is true to	the best o	f my knowle	edge :	and belief.
Water quality concerns? From To Description Description Amount Units	License Number 13		Date 9/13		J	
From To Description Amount Units			7/13	2013	FC	EIVE
		BUCKNER (E-filed)		• •		LIACL
	Contact Info (option	aal)		AA.	AD 1	4 204
ORIGINAL - WATER RESOURCES	DEPARTMENT			IVIE	111	4 201
THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPART	MENT WITHIN 30 DA	YS OF COMPLETION				/RD

WATER SUPPLY WELL REPORT - continuation page

KLAM 59319

9/13/2015

VELL I.D. LABEL# L	118380	
START CARD#	1026547	
ORIGINAL LOG#		

	3/2015 ORIGINAL LOG#	
(2a) PRE-ALTERATION	Water Quality Concerns	,
Dia + From To Gauge Stl Plstc Wld Thrd		Amount Units
Material From To Amt sacks/lbs		
	(10) STATIC WATER LEVEL	
(5) BORE HOLE CONSTRUCTION	l .	(psi) + SWL(ft)
BORE HOLE SEAL sacks/ Dia From To Material From To Amt the	To Estrick Swe(psi) · SWL(II)
Dia From 10 Material From To Amt lbs		
17.5 650 695		
Calculated		-
Calculated		
Calculated		
Calculated		-
Calculated		-H
FILTER PACK	(11) WELL LOG	
From To Material Size		
	Material From	п То
(O CLCN/CA DYP)		
(6) CASING/LINER		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		
	RECEIVED	
	NECEIVED	
	MAR 1 4 2010	
	MAR 1 4 2019	
	OWRD	
	OVARD	
8 A H H		
	RECEIVED	
7) PERFORATIONS/SCREENS		
	OCT 3 1 2018	
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia From To width length slots pipe size	001 02 2010	
	All A dillo are	
	OWRD	
	Comments/Remarks	
(8) WELL TESTS: Minimum testing time is 1 hour		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		
		-

Page 1 of 3 WELL I.D. LABEL# L 98077 START CARD # 1032062

(as required by ORS 537.765 & OAR 690-205-0210)	3/8/2	2017	ORIG	INAL LOG	# KLAN	MATH	56638
(1) LAND OWNER Owner Well I.D.							
First Name ROGER Last Name NICHOLSON		(9) LOCATI	ON OF W	ELL (lega	ıl descr	iption)	
Company WOOD RIVER DISTRICT IMPROVEMENT							0 E E/W WM
Address PO BOX 458		Sec 20 N					
City FORT KLAMATH State OR Zip 97626 (2) TYPE OF WORK New Well Deepening Convers	-	Tax Map Numbe	r			Lot	
(2) TYPE OF WORK New Well Deepening Convers		Lat	,	" or 42.70443	800		DMS or DD
X Alteration (complete 2a & 10) Abandonment(complete 2a	plete 5a)	Tax Map Numbe Lat° Long°	,	" or -122.018	33300		DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd		€ Stre	eet address of	well	Nearest a	ıddress	
Casing:		10300 NICHOL					
Material From To Amt sacks/lbs							
Seal:		(10) 07 177	****				
(3) DRILL METHOD		(10) STATIC	WATER		lota Ci	W. (L CHILLO
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing We	ll / Pre-Altera	ation 9/5/201	ate S'	WL(psi)	+ SWL(ft)
Reverse Rotary Other		Completed V	Vell	10/21/2	016	4.5	X 10.4
(4) PROPOSED USE Domestic Irrigation Community			Flowin	g Artesian?	Dr	y Hole?	
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering		WATER BEARIN	IG ZONES	Depth	water wa	s first four	nd 2.00
Thermal Injection Other		SWL Date	From				i) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Atta	ach com					7(psi	
Depth of Completed Well 695.00 ft.	асп сору)	9/6/2016	2	200	100	-	2
BORE HOLE SEAL	sacks/	9/10/2016	200 495	495	1000	1 17	X 0
Dia From To Material From To Amt		10/10/2010	493	690	10000	4.7	×
34 0 39 Bentonite Chips 0 7 18	S					 	
27 39 110 Calculated 24 110 494 Cement 7 39 88							
24 110 494 Cement 7 39 88 19 494 630 Calculated	S	(11) WELL L	OG	Cround Flour	ti 12:	12.00	
How was seal placed: Method A B X C D E	_	,	Material	Ground Eleva	tion 42		
Other		Silty Sand & Gra				From 0	To 9
Backfill placed from ft. to ft. Material		Gray/Green claye				9	30
Filter pack from ft. to ft. Material Size		Red Cinders, Bro	wn & Black	Silt		30	45
Explosives used: Yes Type Amount		Brown Siltstone				45	52
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	,	Brown Siltstone	to Cand w/ ha			45	52
Proposed Amount Actual Amount	1	Gray & Black Sil Black & Gray Sil		own streaks		52 85	85
		Gray Rock, Brn.		Pumice		100	160
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wlo	d Thed	Black, Gray Brok				160	190
		Green & Gray Cl	ay, Black Bas	salt & Gravel		190	250
● ○ 28 × 1 39 .375 ● ○ ×		Black, Gray Basa				250	280
②		Pumice, Black Sa Hard Gray Basalt		Clays		280	490
○ 16		Black & Reddish		t		502	502
		Red & Brown Fra				532	562
Shoe Inside Outside Other Location of shoe(s)		Gray & Green Ro				562	656
Temp casing Yes Dia From + To		Hard Black Basal	t with Red Ci	nder Zones		656	695
(7) PERFORATIONS/SCREENS							
Perforations Method Factory Saw	. [
Screens Type Material Perf/ Casing/ Screen Scm/slot Slot # of		Date Started 9/5	5/2016	Co	mpleted	10/21/20	116
Perf/ Casing/ Screen Scrm/slot Slot # of Screen Liner Dia From To width length slots pi	Tele/	(unbonded) Wat	er Well Con	structor Cert	ification		
Perf Liner 16 465 545 .08 3 5120	pe size					ion, deepe	ening, alteration, or
Perf Liner 16 585 630 .08 3 3520		abandonment of	this well is	in complia	nce with	Oregon	water supply well
					informati	on reporte	ed above are time to
		the best of my known	owledge and		Data		
9) WELL TECTS, Mission and Control of the Control o		License Number			Date		MAR 1 4 2019
8) WELL TESTS: Minimum testing time is 1 hour	.	Signed					1111 1111
Pump Bailer Air Flowing Artesi							OWRD
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 1200 0 0 24	_	(bonded) Water				_	CANISTS
1200 0 0 24 5400 18 60 8	-	I accept responsib	pulity for the	construction,	deepenin	ig, alterati	ion, or abandonment
00 0	⊣	performed during	this time i	s in complia	ruction da	Oregon	ted above. All work water supply well
Temperature 42 °F Lab analysis Yes By	_	construction stand	ards. This re	port is true to	the best o	of my know	whedge and belief.
		License Number			Date 2/27		RECEIVED
From To Description Amount Un	nits	_			2/2/	72017	LOLIVEL
0 495 PH 7.9	_	Signed ROBER	T BUCKNE	R (E-filed)			OCT OF SOLE
495 690 PH 7.5		Contact Info (option	onal)				ULI 31 2018
CDIGDLY WATER DESCRI	<u> </u>	D. D. D. C. L.	***************************************				

WATER SUPPLY	WELL REPORT -
continuation page	

WELL I.D. LABEL# L START CARD #

L	98077	
#	1032062	
11		

3/8/2017

	3/8/2017 ORIGINAL LOG # KLAMATH 56638
(2a) PRE-ALTERATION	Water Quality Concerns
Dia + From To Gauge Stl Plstc Wld Thrd	From To Description Amount Units
Material From To Amt sacks/lbs	
Material From To Amt sacks/lbs	
(5) BORE HOLE CONSTRUCTION	(10) STATIC WATER LEVEL
BORE HOLE SEAL	SWL Date From To Est Flow SWL(psi) + SWL(ft)
Dia From To Material From To Amt	cks/
16 630 695 Cement 39 494 462 S Calculated 212.47	
Calculated	
Calculated	
Calculated	
Calculated	
FILTER PACK	(4) ************************************
From To Material Size	(11) WELL LOG
	Material From To
6) CASING/LINER	
	,
Casing Liner Dia + From To Gauge Stl Plstc Wld Th	DECENTES.
	RECEIVED
	MADIA A DOLL
	MAR 1 4 2019
	OWRD
	RECEIVED
	NECEIVED
7) PERFORATIONS/SCREENS	OCT 0.1 0040
	OCT 3 1 2018
	le/
Screen Liner Dia From To width length slots pip	OWRD
	Comments/Remarks
	Comments/Remarks
(8) WELL TESTS: Minimum testing time is 1 hour	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	
	11

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

12-06-2010

WELL LABEL # L 105253 **START CARD #** 1010831

Page 1 of 1

(1) LAND OWNER Owner Well I.D.	(9) LOCATION OF WELL (legal description) OWRD
First Name MR. ROGER Last Name NICHOLSON	County Klamath Twp 33.00 S N/S Range 7.50 E E/W WM
Company	Sec 19 NW 1/4 of the NE 1/4 Tax Lot 3800
Address P.O. BOX 458	Tax Map Number Lot
City FORT KLAMATH State OR Zip 97626	Lat or DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion	Long or DMS or DD
Alteration (repair/recondition) Abandonment	Street address of well • Nearest address
(3) DRILL METHOD	Corner of Hackler and Nicholson Rd., FORT KLAMATH, OREGON 97626
Rotary Air Rotary Mud Cable Auger Cable Mud	
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
	Existing Well / Predeepening
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 11-17-2010 1.5 X 3.5
Industrial/ Commercial Livestock Dewatering	Flowing Artesian? Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 2
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy	SWL Date From To Est Flow SWL(psi) + SWL(ft)
Depth of Completed Well <u>534.00</u> ft.	07-29-2010 3 38 50 3
BORE HOLE SEAL sacks/	08-03-2010 38 430 2,000 3
Dia From To Material From To Amt lbs	08-04-2010 430 534 5,000
24 0 38 Cement 0 518 616 S	
20 38 518 15 518 534	
	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Other	Sandy Loam & Cobbles 0 2
Backfill placed from ft. to ft. Material	Silty Black Sand 2 24
Filter pack from ft. to ft. Material Size	Sticky Silty Sand 24 90
Explosives used: Yes Type Amount	Very Fine Black Sand 90 260 Black Sand & Gray Clay 260 290
	Course Plack Sand
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	Fine Black Sand 290 380 Fine Black Sand 380 430
	Black Sand & Burnt Wood (Charcoal) 430 508
● ○ 18 × 15 1185 .375 ● ○ ×	Fractured Gray Basalt 508 534
● 16 118.5 219 .250 ● ○ □	RECEIVED
	O W LEARN NEW DEEM V V David East
	OCT 9.1 2010
Shoe Inside Outside Other Location of shoe(s) 518	001 3 1 2010
Temp casing Yes Dia From To	
(7) PERFORATIONS/SCREENS	OWPD
Perforations Method	ONAUD
Screens Type Material	
Perf/S Casing/Screen Scrn/slot Slot # of Tele/	
creen Liner Dia From To width length slots pipe size	Date Started <u>07-27-2010</u> Completed <u>11-17-2010</u>
	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date
Pump Bailer Air Flowing Artesian	Electronically Filed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed
860 24	(bonded) Water Well Constructor Certification
27	I accept responsibility for the construction, deepening, alteration, or abandonmen
	work performed on this well during the construction dates reported above. All work
Temperature 39 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.
From To Description Amount Units	License Number 1385 Date 12-06-2010
	Electronically Filed
	Signed ROBERT BUCKNER (E-filed)
	Contact Info (optional)
ORIGINAL - WATER RESOURCES DEPARTMENT OF THE WATER RESOURCES DEPARTMENT OF THE WATER RESOURCES DEPARTMENT.	DEPARTMENT MENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.95

Business Registry Business Name Search

New Search

Business Entity Data

03-15-2019 08:33

Registry Nbr	Entity Type	Entity Status	Jurisdiction	Registry Date	Next Renewal Date	Renewal Due?
582817-92	DDINP	ACT	OREGON	03-17-2009	03-17-2019	YES
Entity Name	Entity Name WOOD RIVER DISTRICT IMPROVEMENT COMPANY					
Foreign Name	-					

On	line	Rer	iewa	

Renew Online

Name LEE

Click here to generate and print an annual report.

New Sea	Associated Names									
Туре	PPB PRINCIPAL PLACE OF BUSINESS									
Addr 1	409 PINE ST S	STE 3	11							
Addr 2										
CSZ	KLAMATH FALLS	OR	97601			Cou	ntry	UNITED ST.	ATES OF AMER	ICA
Please click here for general information about registered agents and service of process.										
Туре	AGTREGISTI	ERED	AGENT		S	tart	Date	09-26- 2017	Resign Date	
Name	HOLLIE		CAN	NON						
Addr 1	409 PINE ST STE 311						A Carrier San Marie Constitution			
Addr 2										
CSZ	KLAMATH FALLS	OR	97601			Cou	ntry	UNITED ST.	ATES OF AMER	ICA
Bearing and a second				-						
Туре	MALMAILIN	G AD	DRESS							
Addr 1	409 PINE ST STE 311									
Addr 2										
csz	KLAMATH FALLS	OR	97601			Cou	ntry	UNITED ST.	ATES OF AMER	ICA
Type	PREPRESIDE	ENIT							Pesian Date	

TRAYNHAM

Addr 1	PO BOX 769			V Company
Addr 2				
CSZ	ARBUCKLE	CA	95912	Country UNITED STATES OF AMERICA

Туре	SEC SECRETARY					Resign Date	
Name	MICHAEL	LAGRAN	IDE				
Addr 1	7050 EDDY RD						
Addr 2	·						
CSZ	ARBUCKLE CA	95912	Cou	ntry	UNITED ST	ATES OF AMER	ICA

New Search

Name History

	Business Entity Name	Name Type	<u>Name</u> Status	Start Date	End Date
V	WOOD RIVER DISTRICT IMPROVEMENT COMPANY	EN	CUR	03-17-2009	

Please <u>read</u> before ordering <u>Copies</u>.


New Search

Summary History

Image Available		Transaction Date	Effective Date	Status	Name/Agent Change	Dissolved By
	AMENDED ANNUAL REPORT	02-23-2018		FI		
	AMNDMT TO ANNUAL RPT/INFO STATEMENT	09-26-2017		FI	Agent	
	AMENDED ANNUAL REPORT	02-16-2017		FI		
	AMENDED ANNUAL REPORT	02-21-2016		FI		
	AMENDED ANNUAL REPORT	03-03-2015		FI		
	AMENDED ANNUAL REPORT	02-01-2014		FI		
	ARTICLES OF CORRECTION	06-11-2013		FI		7
	ANNUAL REPORT PAYMENT	03-07-2013	y	SYS		
	ANNUAL REPORT PAYMENT	02-24-2012		SYS		
	ANNUAL REPORT PAYMENT	04-05-2011		SYS		
	AMENDED ANNUAL REPORT	03-12-2010		FI		
		03-17-2009		FI	Agent	

ARTICLES OF				
INCORPORATION		,	2	

© 2019 Oregon Secretary of State. All Rights Reserved.



Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

November 1, 2018

Wood River District Improvement Company and Agri-Water LLC Roger Nicholson
409 Pine Street, Suite 311
Klamath Falls, OR 97601

Regarding your Application for Permit Amendment Received October 31, 2018:

The Water Resources Department has received your Application for a Permit Amendment. At this time however, we are unable to accept your application, because the minimum filing requirements are not met.

The reason for this return is identified on the check list located on your application:

• Permit G-17506 has an expired date for complete application of water, which ended on October 1, 2018. The permit must have a current date of completion in order to process the application. The Department is currently in the process of reviewing an Application for Extension of Time, however you will have to wait until the extension of time is approved, and you are granted a new date of completion. Once your extension of time is approved, then you may submit an Application for a Permit Amendment.

We are hereby returning the incomplete application and the fees submitted.

Please do not hesitate to contact me, at <u>corey.a.courchane@oregon.gov</u> or (503) 986-0825, if I may be of assistance.

Sincerely,

Corey Courchane Transfer Specialist

Transfer and Conservation Section

Cc: OWRD Fiscal

Re-submitting 3/12/19
following approval
of time extension.

Thankyou!

RECEIVED

MAR 1 4 2019

OWRD

RECEIVED

MAR 1 4 2019

OWRD 13152