



State of Oregon  
**Water Resources Department**  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301-1266  
 (503) 986-0900

# Application for Permanent Water Right Transfer

## Part 1 of 5 – Minimum Requirements Checklist

**This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.**

For questions, please call (503) 986-0900, and ask for Transfer Section.

**Check all items included with this application. (N/A = Not Applicable)**

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Transfer Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: [http://apps.wrd.state.or.us/apps/misc/wrd\\_fee\\_calculator](http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator). If you have questions, call Customer Service at (503) 986-0801.
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 1 List them here: Certificate 93711**  
Please include a separate Part 5 for each water right. (See instructions on page 6)

**Attachments:**

- Completed Transfer Application Map.
- Completed Evidence of Use Affidavit and supporting documentation.
- N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- N/A Land Use Information Form with approval and signature (or signed land use form receipt stub). Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

**(For Staff Use Only)**

**WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):**

- Application fee not enclosed/insufficient  Map not included or incomplete
- Land Use Form not enclosed or incomplete
- Additional signature(s) required  Part \_\_\_\_\_ is incomplete

Other/Explanation \_\_\_\_\_

Staff: \_\_\_\_\_ 503-986-0\_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

**RECEIVED**  
 APR 22 2019  
**OWRD**

## Part 2 of 5 – Transfer Application Map Checklist

**Your transfer application will be returned if any of the map requirements listed below are not met.**

**Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.**

- N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see [http://apps.wrd.state.or.us/apps/wr/cwre\\_license\\_view/](http://apps.wrd.state.or.us/apps/wr/cwre_license_view/). CWRE stamp and signature are not required for substitutions.
- N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

**FEE WORKSHEET for PERMANENT TRANSFER ( Part 3 of 5 – Fee Worksheet**

1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,160
	Types of change proposed: <input type="checkbox"/> Place of Use <input type="checkbox"/> Character of Use <input checked="" type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = <u>1 (2a)</u> Subtract 1 from the number in line 2a = <u>0 (2b)</u> <i>If only one change, this will be 0</i>		
2	Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » »	2	0
	Number of water rights included in transfer <u>1 (3a)</u> Subtract 1 from the number in 3a above: <u>0 (3b)</u> <i>If only one water right this will be 0</i>		
3	Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » »	3	0
	Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 » <input checked="" type="checkbox"/> Yes: enter \$410 »	4	\$410
	Do you propose to change the place of use or character of use? <input checked="" type="checkbox"/> No: enter 0 on line 5 » <input type="checkbox"/> Yes: enter the cfs for the portions of the rights to be transferred (see example below*): <u>0 (5a)</u> Subtract 1.0 from the number in 5a above: <u>0 (5b)</u> If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » » If 5b is greater than 0, round up to the nearest whole number: <u>0 (5c)</u> and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » » » » » » » Subtotal:	6	\$1,570
	Is this transfer: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » <b>Transfer Fee:</b>	8	<b>\$1,570</b>

\*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each water right involved as follows:
  - a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷ 100 ac); then multiply by the number of acres to be transferred to get the transfer cfs ( $x 45 ac = 0.56 cfs$ ).
  - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654,  $45.0 ac \times 0.0125 cfs/ac = 0.56 cfs$ )
2. Add cfs for the portions of water rights on all the land included in the transfer; however **do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land**. The fee should be assessed only once for each “on the ground” acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

**FEE WORKSHEET for SUBSTITUTION**

1	Base Fee (includes change to one well)	1	\$840.00
	Number of wells included in substitution _____ (2a) Subtract 1 from the number in 3a above: _____ (2b) <i>If only one well this will be 0</i>		
2	Multiply line 2b by \$410 and enter » » » » » » » » » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » » » <b>Fee for Substitution:</b>	3	

## Part 4 of 5 – Applicant Information and Signature

### Applicant Information

4941

APPLICANT/BUSINESS NAME <b>Chris Lorenzen / Pinot Gris Water Company</b>			PHONE NO. <b>541-231-0261</b>	ADDITIONAL CONTACT NO. <b>541-230-1639</b>
ADDRESS <b>4941 NE Vinifera Steet</b>				FAX NO.
CITY <b>Corvallis</b>	STATE <b>OR</b>	ZIP <b>97330</b>	E-MAIL	
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>				

**Agent Information** – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME <b>Michael Higgins</b>			PHONE NO. <b>858-775-0811</b>	ADDITIONAL CONTACT NO.
ADDRESS <b>1672 SW Country Club Pl.</b>				FAX NO.
CITY <b>Corvallis</b>	STATE <b>OR</b>	ZIP <b>97333</b>	E-MAIL <b>mhigginsrocks@gmail.com</b>	
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>				

Explain in your own words what you propose to accomplish with this transfer application, and why:

Successfully complete and receive Permanent transfer for change in a single Point of Appropriation (POA) for group domestic use expanded for 14 households. The authorized well (POA) under Certificate 93711(Issued April 6, 2018) has changed. The Place of Use (POU) has not changed. A new well was constructed in September 2018, located approximately 10-ft north from the original well location. The new well (POA #2) completed depth 39-ft below ground surface (well log is attached). Pump tests were performed and the well was developed and water quality tests have passed.

The water tank and delivery system has changed with respect to the original permit application map in regards to the location and alignment.

The map associated with this Transfer application reflect the changes with respect to the POA, water storage and delivery system. The system is currently in use with Final Approval from the Oregon Health Authority, Drinking Water Services (DWS). The water delivery system is believed to be perfected under the terms of Permit G-17087, including totalizing flow meters.

The water well and water delivery system is within an existing Group Domestic Wayter System Easement, owned by the applicant herein, Chris Lorenzen on behalf of Pinot Gris Water Company.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)


#### Check One Box

- By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

RECEIVED  
 22 2019  
 OWRD  
 TACS

I understand that prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Corvallis Gazette Times.

**I (we) affirm that the information contained in this application is true and accurate.**



Chris Lorenzen  
Applicant signature

**Chris Lorenzen**  
Print Name (and Title if applicable)

**April 19, 2019**  
Date

Michael Higgins  
Applicant signature

**Michael Higgins**  
Print Name (and Title if applicable)

**April 19, 2019**  
Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located?  Yes  No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

RECEIVED

APR 22 2019

OWRD

Check the following boxes that apply:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold?  Yes  No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

<http://www.oregon.gov/owrd/docs/transfer-propertytransactions.pdf>

RECEIVING LANDOWNER NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	


Describe any special ownership circumstances here: \_\_\_\_\_

- Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (**Tip: Complete and attach Supplemental Form D.**)

IRRIGATION DISTRICT NAME	ADDRESS		
CITY	STATE	ZIP	

- Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	



To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME <b>Community Development Dept. (Planning)</b>	ADDRESS <b>360 SW Avery Ave.</b>		
CITY <b>Corvallis</b>	STATE <b>OR</b>	ZIP <b>97333-1139</b>	

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	

RECEIVED

APR 22 2019

## INSTRUCTIONS for editing the Application Form

To add additional lines to tables within the forms or to copy and paste additional Part 5 pages, please **save the application form to your computer**. Unlock the document by using one of the following instructions for your Microsoft Word software version:

### Microsoft Word 2003

Unlock the document by one of the following:

- Using the **Tools** menu => click **Unprotect Document**;

**OR**

- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the **Tools** menu => click **Protect Document**;

**OR**

- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

### Microsoft Word 2007

- Unlock the document by clicking the **Review** tab, then click **Protect Document**, then click **Stop Protect**
- To relock the document, click **Editing Restrictions**, then click **Allow Only This Type of Editing**, select **Filling In Forms** from the drop-down menu, then check **Yes, Start Enforcing Protection**.

### Microsoft Word 2010

- Unlock the document by clicking the **Review** tab; toggle the **Restrict Editing icon** at the upper right, then click **Stop Protect** at the bottom right. Then uncheck the “**Allow only this type of editing** in the document: **Filling in forms**” in the “Editing restrictions” section on the right-hand list of options.
- To relock the document, check the **Editing Restrictions/Allow Only This Type of Editing/Filling In Forms** box from the drop-down menu, then check **Yes, Start Enforcing Protection**. You do not need to assign a password for the editing restrictions.

### Other Alternatives:

- Photocopy pages or tables in Part 5, ~~mark-through~~ any non-applicable information, insert/attach photocopied pages to document in the appropriate location, and manually amend page numbers as necessary (e.g. Page 5 6 of 9 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc. You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

Once the application has been unlocked, you may:

- add additional rows to tables using the Table tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

RECEIVED

APR 22 2019

OWRD

**Part 5 of 5 – Water Right Information**

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

**CERTIFICATE # 93711**

**Received by OWRD**

**Description of Water Delivery System**

System capacity: 0.04 cubic feet per second (cfs) OR  
 \_\_\_\_\_ gallons per minute (gpm)

**AUG 02 2019**

**Salem, OR**

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The POA (well) is located in Township 11 South, Range 4 West, Willamette Meridian, Section 18 of Elliot Donation Land Claim (DLC) 52, Tax Lot 1300. The well location and delivery system was identified with traverse survey wand use of GPS, high resolution topographic map, aerial imagery and GIS software. The POA is located more-or-less North 160 feet and East 400 feet of the southeast corner Elliott DLC No. 40, Township 11 South, Range 5 West, W.M., Section 13 in Benton County, Oregon. The water right is approved for group domestic use expanded for 14 households, operated by Pinot Gris Water Company. The Place of Use (POU) consists of 14 tax lots located in Township 11 South, Range 5 West, W.M., DLC 40.

A 3 Horsepower submersible pump (around 35-ft below ground surface) with a capacity around 0.04 CFS lifts water through an underground delivery system. A 4-inch PVC pipe delivers water, approximately 1,370 feet north, to an underground storage tank (11,000 gallons) with a float valve that controls the well pump. From the tank, two booster pump systems are in place with only one currently in operation and the water is filtered and pumped to a 4-inch PVC water line, approximately 1,420 feet length to the west and connects to the 8-inch water mainline at the eastern end of Pinot Gris Drive of Pinot Gris Estates subdivision. The mainline connects approximately 2,300 feet total of 8-inch PVC underground pipe parallels the roadway delivering water to each household for domestic use. Each household associated with the water rights has residential water meters.

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**  
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POA #1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	L-34791	11	S	4	W	18	SW	NW	52	NORTH 75 DEGREES 23MINUTES EAST, 418 FEET FROM SE CORNER DLC 40
POA #2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	L-128015	11	S	4	W	18	SW	NW	52	NORTH 160 FEET AND EAST 400 FEET FROM SE CORNER DLC 40
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										
	<input type="checkbox"/> Authorized										

**SUPERSEDING**



**Part 5 of 5 – Water Right Information**

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

**CERTIFICATE # 93711**

**RECEIVED**

**APR 22 2019**

**Description of Water Delivery System**

System capacity: **0.04** cubic feet per second (cfs) **OR**  
 \_\_\_\_\_ gallons per minute (gpm)

**OWRD**

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **The POA (well) is located in Township 11 South, Range 4 West, Willamette Meridian, Section 18 of Elliot Donation Land Claim (DLC) 52, Tax Lot 1300. The well location and delivery system was identified with traverse survey wand use of GPS, high resolution topographic map, aerial imagery and GIS software. The POA is located more-or-less North 160 feet and East 400 feet of the southeast corner Elliott DLC No. 40, Township 11 South, Range 5 West, W.M., Section 13 in Benton County, Oregon. The water right is approved for group domestic use expanded for 14 households, operated by Pinot Gris Water Company. The Place of Use (POU) consists of 14 tax lots located in Township 11 South, Range 5 West, W.M., DLC 40.**

**A 3 Horsepower submersible pump (around 35-ft below ground surface) with a capacity around 0.04 CFS lifts water through an underground delivery system. A 4-inch PVC pipe delivers water, approximately 1,370 feet north, to an underground storage tank (11,000 gallons) with a float valve that controls the well pump. From the tank, two booster pump systems are in place with only one currently in operation and the water is filtered and pumped to a 4-inch PVC water line, approximately 1,420 feet length to the west and connects to the 8-inch water mainline at the eastern end of Pinot Gris Drive of Pinot Gris Estates subdivision. The mainline connects approximately 2,300 feet total of 8-inch PVC underground pipe parallels the roadway delivering water to each household for domestic use. Each household associated with the water rights has residential water meters.**

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**  
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POA #1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	L-34791	11 S	4 W	18	SW	NW	52	NORTH 75 DEGREES 23MINUTES EAST, 418 FEET FROM SE CORNER DLC 40
POA #2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	L-128015	11 S	4 W	18	SW	NW	52	NORTH 400 FEET AND EAST 160 FEET FROM SE CORNER DLC 40
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed								
	<input type="checkbox"/> Authorized								

<input type="checkbox"/> Proposed									
-----------------------------------	--	--	--	--	--	--	--	--	--

**Check all type(s) of change(s) proposed below (change “CODES” are provided in parentheses):**

- Place of Use (POU)
- Character of Use (USE)
- Point of Diversion (POD)
- Additional Point of Diversion (APOD)
- Surface Water POD to Ground Water POA (SW/GW)
- Supplemental Use to Primary Use (S to P)
- Point of Appropriation/Well (POA)
- Additional Point of Appropriation (APOA)
- Substitution (SUB)
- Government Action POD (GOV)

**Will all of the proposed changes affect the entire water right?**

- Yes Complete only the Proposed (“to” or “on” lands) section of Table 2 on the next page. Use the “CODES” listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

**RECEIVED**  
 APR 22 2019  
**OWRD**

Please use and attach additional pages of Table 2 as needed.  
See page 6 for instructions.

Do you have questions about how to fill-out the tables?  
Contact the Department at 503-986-0900 and ask for Transfer Staff.

**Table 2. Description of Changes to Water Right Certificate # 93711**

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.  
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.													Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng		Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
<b>EXAMPLE</b>																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
														2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
11	S	4	W	18	SW	NW	1300	52	NA	Group Domestic	POD #1	2001	POA	11	S	4	W	18	SW	NW	1300	52	NA	NA	POA #2	2001
TOTAL ACRES:														TOTAL ACRES:												

13169

**RECEIVED**

APR 22 2019

**OWRD**

Additional remarks: This Permanent Transfer is for group domestic use expanded for 14 households in Pinot Gris Estates and no acres are specified. The original well was abandoned and a new well, storage and delivery system has been successfully developed. The well (POA #2) and water delivery system is located within an established existing easement for the construction, use, and maintenance of a group domestic well, as shown on the Transfer Application Map associated with this document.

RECEIVED  
APR 22 2019  
OWRD

13169

**For Place of Use or Character of Use Changes**

Are there other water right certificates, water use permits or ground water registrations associated with the “from” or the “to” lands?  Yes  No

If YES, list the certificate, water use permit, or ground water registration numbers: NA.



Pursuant to ORS 540.510, any “layered” water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

**For Substitution** (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # NA;  
Surface water primary Certificate # NA.

RECEIVED  
APR 22 2019  
OWRD

**For a change from Supplemental Irrigation Use to Primary Irrigation Use**

Identify the primary certificate to be cancelled. Certificate # NA

**For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:**

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

**Tip:** You may search for well logs on the Department’s web page at:  
[http://apps.wrd.state.or.us/apps/gw/well\\_log/Default.aspx](http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

**AND/OR**

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

**Table 3. Construction of Point(s) of Appropriation**

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? ((Yes or No)	If an existing well: OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
POA #2	YES	L-128015	39	10	2-39	0-18	29-39	19	GRAVEL	30 PGM

**Oregon Water Resources Department  
PERMIT CONDITION WATER-LEVEL REPORTING FORM**

**Well owner:**

\*Pilot GRIS WATER COMPANY

Name	Chris Lorenzen (on behalf)*		
Address	4635 NE ELLIOTT Circle		
City/State/Zip	Corvallis	OR	97330
Phone/Fax/Cell	541-230-1639	541-231-0261	
Email			

Application:	6-15311
Permit:	6-17087
Certificate:	93711
Userid:	29338
Transfer	

Your water right requires periodic static water-level measurements in your wells. **Consult your permit or certificate to determine when measurements should be made, when reports are due, and who is allowed to make the measurements.** Keep a copy of all measurement reports for your records. **All wells that have been constructed must be measured regardless of whether they are being used.** Please contact the Department if you are no longer the holder of this right or no longer have an interest in it.

Complete one form for each well.

**Other water rights that list this well:**

Application number(s):				
Permit number(s):				
Certificate number(s):				

**Identification of measured well** (Provide as much information as possible.)

Water Resources Well Log ID:	BENT 55815	Owner's well name:	#2 (POA No. 2)	
Well ID (Well Tag) on Well: L-	128015	Well drilled by:	Michael Merritt MEM Well Drilling	
Well ID (Well Tag) on Well Log: L-	128015	Total depth	39	Casing diameter (inches): 10
Start Card # on Well Log:	1040524	Owner on well log:	Chris Lorenzen	
Date drilled: (completed)	9/9/2018			

**Water-Level Measurement**

Date of measurement: 3/18/2019

Measurements should be made to at least the nearest tenth of a foot (10.2'), the nearest inch (10' 3") or the nearest pound, if using a gage.

Depth to water below measuring point:	6.3	Airline length or transducer depth:		feet
Measuring point height above/below land surface:	1.8	Airline pressure:		psi x 2.31= feet
Depth to water below land surface:	4.5	Shut-in pressure:		psi x 2.31= feet

Measurement Status: Static  Pumping  Rising  Flowing  Other

Measurement Method: E-tape  Airline  Other

Length of time well was idle prior to measurement: 24 hours

Measuring point description: TOP of CASING (stick-up)

The measuring point is the reference point from which the measurement is made. Examples are: 1/2" access port in well cap; 1-1/2" port pipe on N side; pressure gage.

Comments: New water well to replace Abandoned well (No.1). well #2 installed as an emergency response because well #1 collapsed during maintenance.

When did water use begin for this well under this permit? Month October Year 2018

I hereby certify that the information on this report is accurate and represents the static water level in the well at the time of measurement.

Person making measurement (print): Michael Higgins

Signature of measurer: [Signature]

Company:

Licensed number (circle license type: CWRE, RG, PE, WWC, Pump Installer): 91134 CWRE

Daytime phone number: 858-775-0811

Email address: mhigginsrocks@gmail.com

**RECEIVED**  
**APR 22 2019**  
**OWRD**

If you have any questions about this notice, please call the Measurement & Reporting Section of the Department at 503-986-0822. **Return this Form to: OWRD, Meas & Rept Section, 725 Summer St. NE, Suite. A, Salem, OR 97301-1266 or email as an attachment to [reportingmmts@wrdd.state.or.us](mailto:reportingmmts@wrdd.state.or.us).** Additional forms can be obtained from our web site at: [www.oregon.gov/owrd/](http://www.oregon.gov/owrd/)

**13169**

# Application for Water Right Transfer

## Evidence of Use Affidavit



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301-1266  
 (503) 986-0900  
 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

State of Oregon )  
 ) ss  
 County of Benton )

I, Michael Higgins, in my capacity as CWRE,  
 mailing address 1672 SW Country Club Pl. Corvallis, OR 97333  
 telephone number (858) 775-0811, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

- Personal observation       Professional expertise

2. I attest that:

- Water was used during the previous five years on the **entire** place of use for Certificate # \_\_\_\_\_; **OR**
- My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	¼ ¼	Gov't Lot or DLC	Acres (if applicable)

- OR**
- Confirming Certificate # 93711 has been issued within the past five years; **OR**
- Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: \_\_\_\_\_ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.
- Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # \_\_\_\_\_ (For Historic POD/POA Transfers)

RECEIVED

APR 22 2019

(continues on reverse side)


13169

3. The water right was used for: (e.g., crops, pasture, etc.): Group Domestic use
4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

Signature of Affiant [Signature]

Date 4/19/2019

Signed and sworn to (or affirmed) before me this 19<sup>th</sup> day of April, 2019.



[Signature]  
Notary Public for Oregon

My Commission Expires: April 28, 2020

Supporting Documents	Examples
<input type="checkbox"/> Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of <b>confirming</b> water right certificate that shows issue date
<input type="checkbox"/> Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul style="list-style-type: none"> <li>• Power usage records for pumps associated with irrigation use</li> <li>• Fertilizer or seed bills related to irrigated crops</li> <li>• Farmers Co-op sales receipt</li> </ul>
<input type="checkbox"/> Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul style="list-style-type: none"> <li>• District assessment records for water delivered</li> <li>• Crop reports submitted under a federal loan agreement</li> <li>• Beneficial use reports from district</li> <li>• IRS Farm Usage Deduction Report</li> <li>• Agricultural Stabilization Plan</li> <li>• CREP Report</li> </ul>
<input type="checkbox"/> Aerial photos containing sufficient detail to establish location and date of photograph	<p>Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.</p> <p>Sources for aerial photos: OSU – <a href="http://www.oregonexplorer.info/imagery">www.oregonexplorer.info/imagery</a> OWRD – <a href="http://www.wrd.state.or.us">www.wrd.state.or.us</a> Google Earth – <a href="http://earth.google.com">earth.google.com</a> TerraServer – <a href="http://www.terra-server.com">www.terra-server.com</a></p>
<input type="checkbox"/> Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

RECEIVED

APR 22 2019

OWRD



**Oregon Water Resources Department**  
**PERMIT CONDITION WATER-LEVEL REPORTING FORM**

Your water right requires periodic static water-level measurements in your well. **Please review your water right to determine when measurements should be made, when reports are due, and who is allowed to make the measurements.** Keep a copy of all measurement reports for your records. **Your well must be measured regardless of whether it is in use.** Please contact the Department if you are no longer the holder of the water right that lists this well or if you wish to cancel the right.

Application	G 15311
Permit	G 17087
Certificate	93711
Transfer	
POD	2 <i>X</i>
Userid	29338

KYLE & HOLLY DUNNING  
 PINOT GRIS WATER COMPANY  
 4635 NE ELLIOT CIRCLE  
 CORVALLIS OR 97330

**RECEIVED**

APR 22 2019

**OWRD**

Water Right (OWRD Use Only):  
 Cert:93711 OR \* {196114}

**A. Identification of Measured Well** (Provide as much information as possible. Correct any errors.)

Water Resources Well Log Id	BENT 55815	Well name on water right	A WELL (No. 2) New
Well Id- Well Tag on Well: L-	128 015	Owner's well name	Chris Lorenzen (on Behalf)
Water Use Report Id		Water use rpt facility name	2

\* Per OWRD records, if shown

Logid (Well History)	Type Work	Startcatd Nbr	Well Tag	Csg (inches)	Max Depth	Complete Date	Owner on Well Log

**B. Well Location** Lat (WGS1984): 44.617184 Long: -123.229397 Est loc error (feet): 10 Loc Source (gps.): GPS

Location on water right: In the SW qtr of the NW qtr of Section 18, T. 11.00S, R. 4.00W, N 75 D 23 ME, 418 FT FR SE COR DLC 40

**C. Water-Level Measurement**

Date of measurement: 3/18/2019 Measurements should be made to at least the nearest tenth of a foot (10.2'), the nearest inch (10' 3") or the nearest pound, if using a gage.

Depth to water below measuring point: 6.3 Airline length or transducer depth (below land surface):      feet  
 Measuring point height above / below land surface: 1.8 Airline gage pressure:      psi x 2.31 =      feet  
 Depth to water below land surface: 4.5 Shut-in pressure (flowing wells):      psi x 2.31 =      feet

Measurement status: Static  Pumping  Rising  Flowing  Other   
 Measurement method: E-tape  Airline  Other

Length of time well was idle prior to measurement: 24 hours

Measuring point description: Top of casing (stick-up)

The measuring point is the reference point from which the measurement is made. Examples are: 1/2" access port in well cap; 1-1/2" port pipe on N side; pressure gage.

Measuring points should not be used for airline measurements as airline length should be referenced to land surface.

Flowing wells should be fully shut off until the gage pressure is stable to get a "static" measurement. The measuring point is the height of the gage above land surface.

Comments: New water well to replace collapsed well (well #1 - Abandoned) due to emergency response action.  
 Well #2 location 10-ft north of Abandoned well #1 previous location.

**D. Certification** I certify that this report is accurate and represents the static water level in the well at the time of measurement.

Person making measurement (print): Michael Higgins

Signature of measurer: *Michael Higgins*

Company: \_\_\_\_\_

License number (Circle license type: CWRE RG, PE, WWC, Pump Installer): 91134 CWRE

Daytime phone number: 858-775-0811 Email address: mhigginsrocks@gmail.com

Questions? Call the Measurement & Reporting Section of the Department at 503-986-0822.

Return this Form to: OWRD, Meas & Rept Section, 725 Summer St. NE, Suite. A, Salem, OR 97301-1266.

Or email it as an attachment to reportingmmts@wrdd.state.or.us

Additional forms can be obtained from our web site at: http://www.wrd.state.or.us.

OWRD GW/KCW 4/10/2019

Water Level Data on File at OWRD for this well (last 3 measurements only, most recent date on top) :

Date	Arln Len	WL BMP MP Height	WL BLS	Status	Method	Measured By	Measuring Point Description

13169

10 April 2019

444 A Street  
Springfield, OR 97477  
Ph. (541) 726-2587  
Fax (541) 726-2596  
<http://healthoregon.org/dwp>

COPY

Chris Lorenzen  
4941 NE Vinifera Street  
Corvallis, Oregon 97330

**RE: New Well #2 (PR 2018-160)**  
**Pinot Gris Water System (PWS OR4106111)**  
***Final Approval***

Dear Mr. Lorenzen:

Thank you for submitting a revised well log for well #2, revised by M&M Well Drilling LLC, located at Pinot Gris Water System in Corvallis, Oregon. The Oregon Health Authority, Drinking Water Services (DWS) reviewed the revised well log and concludes it is adequately constructed. DWS grants the project final approval.

The well log was amended from "31" to "51" sacks. This well was installed under emergency conditions do to the failure of well #1 during maintenance. If you have questions, please contact me at (541) 726-2587 extension 57 or via email at [james.r.macpherson@state.or.us](mailto:james.r.macpherson@state.or.us).

Sincerely,



James "Jay" MacPherson, Ph.D., P.E.  
Region 2 Plan Review Coordinator  
OHA Drinking Water Services

cc: Plan Review, DWS Portland  
Scott Kruger, Benton County  
Shawn Stevenson, DWS Springfield

RECEIVED

APR 22 2019

OWRD

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

BENT 55815

WELL I.D. LABEL# 128015
START CARD # 1040524
ORIGINAL LOG #

9/30/2018

(1) LAND OWNER
Owner Well I.D.
First Name CHRIS Last Name LORENZEN
Company
Address 4635 NE ELLIOTT CIRCLE
City CORVALLIS State OR Zip 97330

(2) TYPE OF WORK
New Well [X] Deepening [ ] Conversion [ ]
Alteration (complete 2a & 10) [ ] Abandonment (complete 5a) [ ]

(2a) PRE-ALTERATION
Casing: Dia + From To Gauge Stl Plstc Wld Thrd
Material From To Amt sacks/lbs
Seal:

(3) DRILL METHOD
Rotary Air [X] Rotary Mud [ ] Cable [ ] Auger [ ] Cable Mud [ ]
Reverse Rotary [ ] Other [ ]

(4) PROPOSED USE
Domestic [ ] Irrigation [ ] Community [X]
Industrial/ Commercial [ ] Livestock [ ] Dewatering [ ]
Thermal [ ] Injection [ ] Other [ ]

(5) BORE HOLE CONSTRUCTION
Depth of Completed Well 39.00 ft.
Special Standard [ ] (Attach copy)
BORE HOLE SEAL sacks/lbs
Dia From To Material From To Amt lbs
21 0 39 Bentonite Chips 0 18 51 S
Calculated 49.66

How was seal placed: Method [ ] A [ ] B [ ] C [ ] D [ ] E [ ]
[X] Other POURED
Backfill placed from ft. to ft. Material
Filter pack from 18 ft. to 39 ft. Material 3/8 PEA GR Size pea gravel
Explosives used: [ ] Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount Actual Amount

(6) CASING/LINER
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
Shoe [ ] Inside [ ] Outside [ ] Other [ ] Location of shoe(s)
Temp casing [ ] Yes Dia From + To

(7) PERFORATIONS/SCREENS
Perforations Method pre perforated
Screens Type Material
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/
Screen Liner Dia From To width length slots pipe size
Perf Casing 10 29 39 .125 3 528

(8) WELL TESTS: Minimum testing time is 1 hour
Pump [ ] Bailer [ ] Air [X] Flowing Artesian [ ]
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)
30 36 2
Temperature 60 °F Lab analysis [ ] Yes By
Water quality concerns? [ ] Yes (describe below) TDS amount 128 ppm
From To Description Amount Units

(9) LOCATION OF WELL (legal description)
County BENTON Twp 11.00 S N/S Range 4.00 W E/W WM
Sec 18 SW 1/4 of the NW 1/4 Tax Lot 1300
Tax Map Number Lot
Lat " or DMS or DD
Long " or DMS or DD
Street address of well [ ] Nearest address [X]
4635 NE ELLIOTT CIRCLE, CORVALLIS, OR 97330

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Pre-Alteration
Completed Well 9/19/2018 19
Flowing Artesian? [ ] Dry Hole? [ ]
WATER BEARING ZONES Depth water was first found 26.00
SWL Date From To Est Flow SWL(psi) + SWL(ft)
9/17/2018 26 39 30 19

(11) WELL LOG
Ground Elevation
Material From To
Soil 0 3
Clay 3 12
Sandy Clay 12 26
Gravel 26 39
Date Started 9/17/2018 Completed 9/19/2018

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
License Number Date APR 22 2019
Signed

(bonded) Water Well Constructor Certification OWRD
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
License Number 1879 Date 9/30/2018
Signed MICHAEL MERRITT (E-filed) 13169
Contact Info (optional) Mike Merritt

STATE OF OREGON WATER SUPPLY WELL REPORT

BENT 55815

WELL I.D. LABEL# L 128015

START CARD # 1040524

(as required by ORS 537.765 & OAR 690-205-0210)

9/30/2018

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D.

First Name CHRIS Last Name LORENZEN

Company

Address 4635 NE ELLIOTT CIRCLE

City CORVALLIS State OR Zip 97330

(2) TYPE OF WORK

New Well Deepening Conversion

Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd

Material From To Amt sacks/lbs

Seal:

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community Industrial/ Commercial Livestock Dewatering Thermal Injection Other

(5) BORE HOLE CONSTRUCTION

Special Standard (Attach copy)

Depth of Completed Well 39.00 ft.

Table with columns: Dia, From, To, Material, SEAL, To, Amt, sacks/lbs. Includes rows for Bentonite Chips and Calculated values.

How was seal placed: Method A B C D E

Backfill placed from 18 ft. to 39 ft. Material 3/8 PEA GR Size pea gravel

Filter pack from 18 ft. to 39 ft. Material 3/8 PEA GR Size pea gravel

Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrd. Includes rows for casing and liner details.

Shoe Inside Outside Other Location of shoe(s)

Temp casing Yes Dia From To

(7) PERFORATIONS/SCREENS

Perforations Method pre perforated

Screens Type Material

Table with columns: Perf/ Screen, Casing/ Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tel/ pipe size. Includes a row with values 10, 29, 39, .125, 3, 528.

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Table with columns: Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr). Includes a row with values 30, 36, 2.

Temperature 60 °F Lab analysis Yes By

Water quality concerns? Yes (describe below) TDS amount 128 ppm

Table with columns: From, To, Description, Amount, Units.

(9) LOCATION OF WELL (legal description)

County BENTON Twp 11.00 S N/S Range 4.00 W E/W WM

Sec 18 SW 1/4 of the NW 1/4 Tax Lot 1300

Tax Map Number Lot

Lat " or DMS or DD

Long " or DMS or DD

Street address of well Nearest address

4635 NE ELLIOTT CIRCLE, CORVALLIS, OR 97330

(10) STATIC WATER LEVEL

Table with columns: Date, SWL(psi), SWL(ft). Includes rows for Existing Well / Pre-Alteration and Completed Well.

WATER BEARING ZONES Depth water was first found 26.00

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Includes a row for 9/17/2018.

(11) WELL LOG

Ground Elevation

Table with columns: Material, From, To. Includes rows for Soil, Clay, Sandy Clay, Gravel.

Date Started 9/17/2018 Completed 9/19/2018

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number Date 2019

Signed OWRD

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1879 Date 9/30/2018

Signed MICHAEL MERRITT (E-filed)

Contact Info (optional) Mike Merritt 13169

STATE OF OREGON

WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.

RECEIVED BY OWRD

JUN 28 2013

CT 18-2011

WELL I.D. # L 34791

START CARD # 131827

(1) LAND OWNER Name: RYLE DUNNING Well Number: SALEM, OR Address: 4635 NE ELLIOTT CIR. City: CORVALLIS State: OR Zip: 97330

(2) TYPE OF WORK: [ ] New Well [ ] Deepening [x] Alteration (repair/condition) [ ] Abandonment

(3) DRILL METHOD: [x] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Auger [ ] Other

(4) PROPOSED USE: [ ] Domestic [x] Community [ ] Industrial [ ] Irrigation [ ] Thermal [ ] Injection [ ] Livestock [ ] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [ ] Yes [x] No Depth of Completed Well: 63 ft. Explosives used [ ] Yes [x] No Type: Amount: 63

Table with columns: DIAPHRAGM SEAL, Diameter, From, To, Material, From, To, Sacks or pebbles. Row 1: NA, NA, NA, NA, NA, NA, NA.

How was seal placed: Method [ ] A [ ] B [ ] C [ ] D [ ] E [ ] Other: NA

Backfill placed from: NA ft. to NA ft. Material: Gravel placed from: NA ft. to NA ft. Size of gravel:

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Rows for Casing and Liner (6 inch).

Drive Shoe used [ ] Inside [ ] Outside [x] None Final location of shoe(s):

(7) PERFORATIONS/SCREENS: [ ] Perforations [x] Screens Method: Type: CONTINUE, STAINLESS

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Rows for screens at 30-40 and 41-46 feet.

(8) WELL TESTS: Minimum testing time in 1 hour. [x] Pump [ ] Bailer [ ] Air [ ] Flowing Artesian. Yield gal/min: 30 Drawdowns: 17 Drill stem at: 1 hr.

Temperature of water: 56 Depth Artesian Flow Found: Was a water analysis done? [ ] Yes [ ] No By whom: Did any strata contain water not suitable for intended use? [ ] Too little [ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other: Depth of strata:

(9) LOCATION OF WELL by legal description: County: BENTON Latitude: 44°37'02" Longitude: 123°13'41" Township: 11S N or S Range: 4W E or W. WM. Section: 18 1/4 1/4 Tax Lot: 200 Lot: Block: Subdivision: Street Address of Well (or nearest address): 4635 NE ELLIOTT CIR CORVALLIS

(10) STATIC WATER LEVEL: 23 ft. below land surface. Date: 9-14-01 Artesian pressure: lb. per square inch Date:

(11) WATER BEARING ZONES: Depth at which water was first found: NA

Table with columns: From, To, Estimated Flow Rate, SWL. Empty rows.

(12) WELL LOG: Ground Elevation:

Table with columns: Material, From, To, SWL. Row 1: 6X9 SAND PACK FROM 19 FEET TO 41 FEET WITH PACKER AT 41 FEET NO SAND BELOW FEET.

Date started: 9-13-01 Completed: 9-14-01

(embedded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. WWC Number: Signed: Date:

(embedded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. WWC Number: 1238 Signed: Date: 10-17-01

ORIGINAL - WATER RESOURCES DEPARTMENT FIRST COPY - CONSTRUCTOR SECOND COPY - CUSTOMER

RECEIVED APR 22 2019 OWRD

13169

T011625

RECEIVED BY OWRD

JAN 04 2013

SALEM, OR

STATE OF OREGON  
WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

NOV 06 2000

WELL I.D. # L 34791

START CARD # 127766

Instructions for completing this report are on the last page of this form.

WATER RESOURCES DEPT  
SALEM, OREGON

(1) OWNER: Well Number \_\_\_\_\_  
Name KYLE DUNNING  
Address 4635 NE ELLIOTT CIRCLE  
City CORVALLIS State OR Zip 97330

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 63 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL				
Diameter	From	To	Material	From	To	Sacks or pounds	
12	0	18	BENT	0	18	11 SACKS	
8	18	63					

How was seal placed: Method  A  B  C  D  E  
 Other POURED  
Backfill placed from NA ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from NA ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 8	+2	41	25.0	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: NA				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) 41

(7) PERFORATIONS/SCREENS:  
 Perforations Method HOLTE PERFORATOR  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
31	40	1/4	98			<input checked="" type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Flowing Time
<u>56.1</u>	<u>20</u>		<u>4 1/2 hr.</u>

Temperature of water 56 Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:  
County BENTON Latitude 44°37'02 Longitude 123°13'41  
Township 11S N or S Range 4W E or W. WM.  
Section 18 1/4 1/4  
Tax Lot 200 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) 4635 NE ELLIOTT CIRCLE CORVALLIS

(10) STATIC WATER LEVEL:  
22 ft. below land surface. Date 10-10-00  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
Depth at which water was first found 28

From	To	Estimated Flow Rate	SWL
28	39	45	22
39	42	25	22

(12) WELL LOG:  
Ground Elevation \_\_\_\_\_

Material	From	To	SWL
SOIL	0	3	
LT BROWN CLAY	3	24	
SAND AND SILT	24	28	
FINE GRAVEL AND SAND	28	39	22
SANDSTONE BROKEN	39	42	
GREY SANDSTONE	42	63	

Date started 10-4-00 Completed 10-10-00

(unbonded) Water Well Constructor Certification:  
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number \_\_\_\_\_  
Signed \_\_\_\_\_ Date \_\_\_\_\_

(bonded) Water Well Constructor Certification:  
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.  
WWC Number 1238  
Signed Orval Hilborn Date 10-10-00


ORIGINAL - WATER RESOURCES DEPARTMENT FIRST COPY - CONSTRUCTOR SECOND COPY - CUSTOMER

RECEIVED

APR 22 2019

OWRD

13169



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301  
 (503) 986-0900  
 www.wrd.state.or.us

# Ownership Update For Certificated Rights Only

## NO FEES ARE REQUIRED TO SUBMIT THIS FORM

**NOTICE:** A certificate of water right typically stays with the land. In order to track water right ownership, the Department requests that this form be submitted to the Department. **To update multiple rights, a separate form is required for each right.**

If you have any questions about this form, please contact your local watermaster, or call the Water Resources Department at (503) 986-0900.

This form is not for Applications, Permits, Transfers, Groundwater Registrations, or Limited Licenses. To notify the Department of changes in ownership to these types of authorizations, an Assignment is required.

**Current Landowner Information**

Name: Pivot Gris Water Association  
 Mailing Address: 4941 NE Vinifera Street  
 City: CORVALLIS State: OR Zip: 97330  
 Phone (Home): 541-230-1639 Work: \_\_\_\_\_ Other: 541-231-0261  
call

**Property Description**

County: Benton Township: 115 Range: 4W Section: 18

Taxlot Number(s): \_\_\_\_\_

Street Address of water right property: 4941 NE Vinifera St. Corvallis, OR 97330

Water Right Information: Application: \_\_\_ - \_\_\_ Permit: \_\_\_ - \_\_\_ Certificate #: 93711

Are all the lands associated with this water right owned by the requester? Yes \_\_\_ No \_\_\_ If No, include a map showing the portion of the right involved.

Name of individual completing this form: CHRIS LORENZEN Phone: 541-231-0261

Signature of requestor: *Chris Lorenzen* Date: 6/11/2018

The Department does not change names on certificates. This form will be placed in the file for future reference only. The Department does not provide acknowledgement that this form has been received.