



State of Oregon
 Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

MAY 03 2019

OWRD

Check all items included with this application. (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Transfer Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 6 List them here: Certificates 22839, 83993, 86889, 86337, 15539, 86558**
Please include a separate Part 5 for each water right. (See instructions on page 6) (See **Attachment 1 for Summary and Attachment 7 for certifications.**)

Attachments:

- Completed Transfer Application Map. **See Attachments 2A-2G**
- Completed Evidence of Use Affidavit and supporting documentation. **See Attachment 3**
- N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **See Attachment 4**
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **See Attachment 5**
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500’ from the surface water source and more than 1000’ upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

Application fee not enclosed/insufficient

Map not included or incomplete

Land Use Form not enclosed or incomplete

Additional signature(s) required

Part _____ is incomplete

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

RECEIVED

MAY 03 2019

OWRD

OWRD

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/. CWRE stamp and signature are not required for substitutions.
- N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches. **See Attachment 6**
- Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32’15.5”) or degrees-decimal with five or more digits after the decimal (example – 42.53764°). **See Attachment 2G**

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Prineville, Attn: Eric Klann			PHONE NO. 541-447-2357	ADDITIONAL CONTACT NO.
ADDRESS 387 NE 3rd St.			FAX NO.	
CITY Prineville	STATE OR	ZIP 97754	E-MAIL eklann@cityofprineville.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME GSI Water Solutions, Inc., Attn. Adam Sussman			PHONE NO. 541-257-9001	ADDITIONAL CONTACT NO.
ADDRESS 1600 Western Blvd., Suite 240			FAX NO.	
CITY Corvallis	STATE OR	ZIP 97333	E-MAIL asussman@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this transfer application, and why: **The City of Prineville proposes to transfer authorized rates of appropriation from six certificates to a new point of appropriation, Yancey Well 2. Yancey Well 2 is a new well, constructed to meet the City of Prineville’s future customer demands. The City anticipates that the rate of production at Yancey Well 2 will be up to 1.34 cfs (600 gpm). The proposed transfer will only affect a portion of the authorized rate of appropriation for five certificates and the entirety of the authorized rate of appropriation for one certificate (six certificates total are affected). The City requests that the Department issue remaining right certificates for the portion of the authorized rate of each of the five certificates that are not affected by the transfer. Attachment 1 lists the certificates and associated rates of appropriations (1.34 cfs total) that the City proposes to transfer. Attachment 2A - 2G presents the transfer application maps, Attachment 3 includes the Evidence of Use Affidavit, Attachment 4 are the signed Land Use forms, Attachment 5 presents the well logs associated with the six certificates proposed for transfer and the Yancey Well 2 log, Attachment 6 shows the City’s water system map, and Attachment 7 provides the six certificates proposed for transfer.**

If you need additional space, continue on a separate piece of paper and attach to the application as “Attachment 1”.

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Check One Box

- By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

RECEIVED


MAY 03 2019

OWRD

By my signature below, I confirm that I understand:

Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: **Central Oregonian.**

- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).



I (we) affirm that the information contained in this application is true and accurate.


Applicant signature

Eric Klann, Public Works Director 4/23/19
Print Name (and Title if applicable) Date

Applicant signature

Print Name (and Title if applicable) Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? Yes No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

N/A—The applicant is a municipality and the authorized place of use is the municipality's service area.

RECEIVED
MAY 03 2019
OWRD

Check the following boxes that apply:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? Yes No
N/A – The applicant is a municipality.

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see: <http://www.oregon.gov/owrd/docs/transfer-propertytransactions.pdf>

RECEIVING LANDOWNER NAME N/A			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	

Describe any special ownership circumstances here: **Applicant is a municipality and all water rights proposed for transfer are for municipal use.**

- Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: Complete and attach Supplemental Form D.) **Note: Water rights are not served by or issued in the name of an irrigation district and are for municipal use.**

IRRIGATION DISTRICT NAME People's Irrigation Company	ADDRESS 615221 O'Neil Highway	
CITY Prineville	STATE OR	ZIP 97754

IRRIGATION DISTRICT NAME Ochoco Irrigation District	ADDRESS 1001 NW Deer St	
CITY Prineville	STATE OR	ZIP 97754


- Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP

RECEIVED
MAY 03 2019

OWRD

13176



To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME City of Prineville, Attn.: Joshua Smith, Planning Director	ADDRESS 387 NE 3rd St	
CITY Prineville	STATE OR	ZIP 97754

ENTITY NAME Crook County, Attn.: Ann Beier, Community Development Director	ADDRESS 300 NE 3rd St.	
CITY Prineville	STATE OR	ZIP 97754

RECEIVED
MAY 03 2019
OWRD

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 22839 (Yancey Well 1)

Description of Water Delivery System

System capacity: _____ cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

N/A: Certificate 22839 authorizes 0.8 cfs for municipal use and is held by a municipality.

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **The authorized POA for this certificate is Yancey Well 1. This well was constructed at a depth of 239 feet with an 8-inch diameter casing and an 8-inch diameter column at a depth of 188 feet and is affixed with a 40 HP motor. Water pumped from the well is conveyed to the City of Prineville's distribution system via an 8" line.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Yancey Well 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	CROO 50181	14	S	16	E	31	SW	SE		Located 1070 feet North 55° East from the South ¼ corner of Section 31
Yancey Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	CROO 54711	14	S	16	E	31	SW	SE	6701	613 feet North and 1730 feet West from the Southeast corner of Section 31
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED

MAY 03 2019

OWRD

Please use and attach additional pages of Table 2 as needed.
 See page 6 for instructions.

Do you have questions about how to fill-out the tables?
 Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 22839 (Yancey Well 1)

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.
 If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.										
Twp	Rng	Sec	1/4 1/4	Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	1/4 1/4	Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
See Attachment 2A. City proposes to transfer a 0.31 cfs portion of Certificate 22839 and does not propose to change the place of use.							Municipal	Yancey Well 1	6/17/1947	POA	City proposes to change a 0.31 cfs portion of Certificate 22839 from Yancey Well 1 to Yancey Well 2.							Municipal	Yancey Well 2	6/17/1947		
TOTAL ACRES:											TOTAL ACRES:											

Additional remarks: The remaining 0.49 cfs of Certificate 22839 will remain on Yancey Well 1 and would not be affected by this transfer.

13176

RECEIVED
 MAY 03 2019
 OWRD

CERTIFICATE # 83993 (Stearns Well 2 & Barney Well)

Description of Water Delivery System

System capacity: _____ cubic feet per second (cfs) **OR** N/A: Certificate 83993 authorizes 1.56 cfs for municipal use and is held by a municipality.
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **The authorized POAs for this certificate are Stearns Well 2 and Barney Well. Stearns Well 2 was constructed at a depth of 246 feet with a 12-inch diameter casing and an 6-inch diameter column at a depth of 151 feet and is affixed with a 75 HP motor. Water pumped from the well is conveyed to the City of Prineville's distribution system via an 6" line. Barney Well was constructed at a depth of 250 feet with a 12-inch diameter casing and is affixed with a 75 HP motor. Water pumped from the well is conveyed to the City of Prineville's distribution system via an 8" line.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	1/4 1/4		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Stearns Well 2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	CROO 2083	15	S	16	E	4	SW	NE		1810 feet South and 1151 feet East from North 1/4 corner of Section 4
Barney Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	CROO 3132	15	S	16	E	4	NE	NE		1315 feet S. and 1370 feet E from N 1/4 corner of Section 4
Yancey Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	CROO 54711	14	S	16	E	31	SW	SE		613 feet North and 1730 feet West from the Southeast corner of Section 31
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED

MAY 03 2019

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 83993 (Stearns Well 2 and Barney Well)

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
See Attachment 2B. City proposes to transfer a 0.21 cfs portion of Certificate 83993 and does not propose to change the place of use.									Municipal	Stearns Well 2 & Barney Well	10/5/1973	POA	City proposes to change a 0.21 cfs portion of Certificate 83993 from Barney Well and Stearns Well 2 to Yancey Well 2									Municipal	Yancey Well 2	10/5/1973
TOTAL ACRES:													TOTAL ACRES:											

Additional remarks:

The remaining 1.35 cfs of Certificate 83993 will remain on Barney Well and Stearns Well 2 and would not be affected by this transfer.

RECEIVED
MAY 03 2019
OWRD

13176

CERTIFICATE # 86889 (4th St. Deep Well)

Description of Water Delivery System

System capacity: _____ cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

N/A: Certificate 86889 authorizes 0.75 cfs for municipal use and is held by a municipality.

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **The authorized POA for this certificate is 4th St. Deep Well. This well was constructed at a depth of 252 feet with an 12-inch diameter casing and an 6-inch diameter column at a depth of 222 feet and is affixed with a 50 HP motor. Water pumped from the well is conveyed to the City of Prineville's distribution system via an 6" line.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	1/4 1/4		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
4 th St. Deep Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	CROO 2133	15	S	16	E	5	SW	NW		375 feet North & 370 feet East from West 1/4 corner of Section 5
Yancey Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	CROO 54711	14	S	16	E	31	SW	SE		613 feet North and 1730 feet West from the Southeast corner of Section 31
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED
MAY 03 2019
OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 86889 (4th St. Deep Well)

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the “from” or “off” lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see “CODES” from previous page)	PROPOSED (the “to” or “on” lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
See Attachment 2C. City proposes to transfer a 0.32 cfs of Certificate 86889 and does not propose to change the place of use.									Municipal	4 th St. Deep Well	12/8/1950	POA	City proposes to change a 0.32 cfs portion of Certificate 86889 from 4 th St. Deep Well to Yancey Well 2									Municipal	Yancey Well 2	12/8/1950
TOTAL ACRES:												TOTAL ACRES:												

Additional remarks:

The remaining 0.43 cfs of Certificate 86889 will remain on 4th St. Deep Well and would not be affected by this transfer.

13176

RECEIVED
MAY 03 2019
OWRD

CERTIFICATE # 86337 (Lamonta Well)

Description of Water Delivery System

System capacity: _____ cubic feet per second (cfs) OR _____ gallons per minute (gpm) N/A: Certificate 86337 authorizes 0.77 cfs for municipal use and is held by a municipality.

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **The authorized POA for this certificate is Lamonta Well. This well was constructed at a depth of 252 feet with an 10-inch diameter casing and an 6-inch column at a depth of 230 feet and is affixed with a 50 HP motor. Water pumped from the well is conveyed to the City of Prineville's distribution system via an 8" line.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Lamonta Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	CROO 1540	14	S	16	E	31	NW	NW		South 58°13' East, 1447 feet from Northwest corner of Section 31
Yancey Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	CROO 54711	14	S	16	E	31	SW	SE		613 feet North and 1730 feet West from the Southeast corner of Section 31
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED

MAY 03 2019

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 86337 (Lamonta Well)

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.											
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/POA(s) to be used (from Table 1)	Priority Date	
See Attachment 2D. City proposes to transfer a 0.26 cfs portion of Certificate 86337 and does not propose to change the place of use.											POA	City proposes to change a 0.26 cfs portion of Certificate 86337 from LaMonta Well to Yancey Well 2											
TOTAL ACRES:												TOTAL ACRES:											

Additional remarks:

The remaining 0.51 cfs of Certificate 86337 will remain on Lamonta Well and would not be affected by this transfer.

13176

RECEIVED
MAY 03 2019
OWRD

CERTIFICATE # 15539 (10th St. Well)

Description of Water Delivery System

System capacity: _____ cubic feet per second (cfs) **OR** **N/A: Certificate 15539 authorizes 0.1 cfs for municipal use and is held by a municipality.**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **This well was constructed at a depth of 222 feet with an 6-inch diameter casing and is affixed with a 1 HP motor.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
10 th St Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	CROO 1549	14	S	16	E	31	NE	SE		1865 feet North and 630 feet West from the Southeast corner of Section 31
Yancey Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	CROO 54711	14	S	16	E	31	SW	SE		613 feet North and 1730 feet West from the Southeast corner of Section 31
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED
MAY 03 2019
OWRD

CERTIFICATE # 86558 (Ochoco Heights Well)

Description of Water Delivery System

System capacity: _____ cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

N/A: Certificate 86558 authorizes 0.8 cfs for municipal use and is held by a municipality.

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **The authorized POA for this certificate is Ochoco Heights Well. This well was constructed at a depth of 318 feet with an 12-inch diameter casing and an 7-inch diameter column at a depth of 220 feet and is affixed with a 40 HP motor. This well is currently not in use by the City.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	1/4 1/4		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Ochoco Heights Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	CROO 1577	14	S	16	E	32	NW	SW		1711 feet North and 650 feet East from the Southwest corner of Section 32
Yancey Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	CR00 54711	14	S	16	E	31	SW	SE		613 feet North and 1730 feet West from the Southeast corner of Section 31
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed										

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED

MAY 03 2019

OWRD

TACS

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 86558 (Ochoco Heights Well)

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
See Attachment 2F. City proposes to transfer a 0.14 cfs portion of Certificate 86558 and does not propose to change the place of use.									Municipal	Ochoco Heights Well	5/20/1942	POA	City proposes to change a 0.14 cfs portion of Certificate 86558 from Ochoco Heights to Yancey Well 2									Municipal	Yancey Well 2	5/20/1942
TOTAL ACRES:													TOTAL ACRES:											

Additional remarks:

The remaining 0.66 cfs of Certificate 86558 will remain on Ochoco Heights Well and would not be affected by this transfer.

13176

RECEIVED
MAY 03 2019
OWRD

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the “from” or the “to” lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: N/A.



Pursuant to ORS 540.510, any “layered” water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # N/A.
 Surface water primary Certificate # N/A.

RECEIVED
 MAY 03 2019
 OWRD

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # N/A

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department’s web page at: **See Attachment 5**
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right

RECEIVED

MAY 03 2019

OWRD

Attachment 1
Water Rights Transfer Table
Application for a Water Right Transfer – City of Prineville

13176 -

Attachment 1. Water Right Certificates and Rates to be Transferred to Yancey Well 2

Well	Well Log	Application	Permit	Certificate, Claim or Transfer	Water Right Rate (cfs)	Portion of Water Right Rate To Transfer To Yancey Well 2 (cfs)	Water Right Rate Remaining on Original Well(s) (cfs)
Yancey 1	CROO 50181	U-241	U-215	22839	0.80	0.31	0.49
Barney	CROO 3132	G-6313	G-9154	T-9762	1.56	0.21	1.35
Stearns #2	CROO 2083			83993			
4 th St. Deep	CROO 2133	U-402	U-372	86889	0.75	0.32	0.43
Lamonta	CROO 1540	G-605	G-506	86337	0.77	0.26	0.51
10 th St.	CROO 1549	U-140	U-133	15539	0.10	0.10	0.00
Ochoco Heights	CROO 1577	U-147	U-140	86558	0.80	0.14	0.66
Total						1.34	3.44

RECEIVED
MAY 03 2019
OWRD

RECEIVED

MAY 03 2019

OWRD

Attachments 2A-2G
Transfer Application Maps
Application for a Water Right Transfer – City of Prineville

13176

RECEIVED

MAY 03 2019

OWRD

Attachment 3
Evidence of Use Affidavit
Application for a Water Right Transfer – City of Prineville

13176 =

Application for Water Right Transfer

Evidence of Use Affidavit



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

RECEIVED

MAY 03 2019

OWRD

State of Oregon)
) ss
 County of YAMHILL)

I, ERIC KLANN, in my capacity as CITY ENGINEER,
 mailing address 387 N.E. THIRD STREET, PRINEVILLE, OREGON, 97754
 telephone number (541) 447-5627, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

- Personal observation Professional expertise

2. I attest that:

Water was used during the previous five years on the **entire** place of use for Certificate # Certificates 22839, 83993, 86889, 86337, 15539, 86558; OR

My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	¼ ¼	Gov't Lot or DLC	Acres (if applicable)

OR

- Confirming Certificate # _____ has been issued within the past five years; **OR**
- Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: _____ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.
- Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # _____ (For Historic POD/POA Transfers)

(continues on reverse side)

13176


3. The water right was used for: (e.g., crops, pasture, etc.): MUNICIPAL WATER SUPPLY

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

RECEIVED

MAY 03 2019

OWRD


Signature of Affiant

April 23, 2019
Date

Signed and sworn to (or affirmed) before me this 23rd day of April, 2019.




Notary Public for Oregon

My Commission Expires: Aug 28, 2020

Supporting Documents	Examples
<input type="checkbox"/> Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
<input type="checkbox"/> Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul style="list-style-type: none"> • Power usage records for pumps associated with irrigation use • Fertilizer or seed bills related to irrigated crops • Farmers Co-op sales receipt
<input type="checkbox"/> Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul style="list-style-type: none"> • District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • CREP Report
<input type="checkbox"/> Aerial photos containing sufficient detail to establish location and date of photograph	<p>Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.</p> <p>Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terra-server.com</p>
<input type="checkbox"/> Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number
<input checked="" type="checkbox"/> The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2).	This is a municipal water right and a presumption of forfeiture would be rebutted under ORS 540.610(2)(a) and (b). See six water right certificates in transfer application, Attachment 7.

RECEIVED

MAY 03 2019

OWRD

Attachment 4

Land Use Information Forms

Application for a Water Right Transfer – City of Prineville

RECEIVED

MAY 03 2019

OWRD

Attachment 5
Well Log Reports

Application for a Water Right Transfer – City of Prineville

OBSERVATION WELL

STATE ENGINEER
Salem, Oregon

CROO
50181

Well Record #89

STATE WELL NO. 14/16-319(1)
COUNTY Crook
APPLICATION NO. U-241


PERMIT U-215
C-22837

OWNER: Pacific Power & Light Co. MAILING ADDRESS: C-22837

LOCATION OF WELL: Owner's No. 4-Yancey CITY AND STATE: Prineville, Oregon

SW 1/4 SE 1/4 Sec. 31 T. 14 N. S., R. 16 E. W., W.M.

Bearing and distance from section or subdivision corner N 55° 00' E 1070' of SW Cor. Sec. 31



Altitude at well 2858

TYPE OF WELL: Drilled Date Constructed 1917

Depth drilled 228 Depth cased

Section 31

CASING RECORD:

8-inch

RECEIVED
MAY 03 2019
OWRD

FINISH:

AQUIFERS:

WATER LEVEL:

16.2 feet above land surface, October 26, 1944

PUMPING EQUIPMENT: Type Turbine H.P. Capacity 360 G.P.M.

WELL TESTS: Drawdown 96 ft. after 20 hours pumping 360 G.P.M. Drawdown ft. after hours G.P.M.

USE OF WATER Municipal Temp. 56 °F. SOURCE OF INFORMATION U-241 U.S.G.S. report

DRILLER or DIGGER ADDITIONAL DATA: Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

RECEIVED

158/16E/4ac

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

FEB - 2 1995

WATER RESOURCES DEPT.
SALEM, OREGON

(START CARD) # 69126

11
CROOK
3/32

(1) OWNER: City of Prineville
Name City of Prineville
Address 400 E. Third St.
City Prineville State Or. Zip 97754

(9) LOCATION OF WELL by legal description:
County Crook Latitude _____ Longitude _____
Township 15 S N or S. Range 16 E E or W. WM. _____
Section 4 SW NE NW SE
Tax Lot 2500 Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) Barney Well Site

(2) TYPE OF WORK:
 New Well Deepen Recondition Abandon

(3) DRILL METHOD:
 Rotary Air Rotary Mud Cable
 Other _____

(4) PROPOSED USE:
 Domestic Community Industrial Irrigation
 Thermal Injection Other _____

(10) STATIC WATER LEVEL:
35' ft. below land surface. Date 12-14-94
Artesian pressure -0- lb. per square inch. Date _____

(5) BORE HOLE CONSTRUCTION:
Special Construction approval Yes No Depth of Completed Well 280' ft.
Explosives used Yes No Type _____ Amount _____

(11) WATER BEARING ZONES:
Depth at which water was first found 22' & 217'

HOLE Diameter	From		Material	SEAL From		Amount sacks or pounds
	To	To		To	To	
22"	0	280	cement	0	207	135 sacks

From	To	Estimated Flow Rate	SWL
22	35	100 gpm	9'
217'	265'	700 +	35'

How was seal placed: Method A B C D E
 Other pumped via tremie pipe

Backfill placed from 207 ft. to 214 ft. Material .30 sand
Gravel placed from 214 ft. to 279 ft. Size of gravel 3/8 washed

(12) WELL LOG:
Ground elevation _____

Casing	Diameter	From	To	Gauge	Material			
					Steel	Plastic	Welded	Threaded
	10"	+2	280	388	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	tremie 4"	+1.5	215	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Material	From	To	SWL
top soil	0	12	
gravel & brown clay	12	22	
w/b gravel	22	35	
soft black clay	35	120	
sticky black clay	120	217	35
coarse sand, med. gravel	217	238	"
coarse gravels	238	265	"
hard blue claystone	265	280	"

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:
 Perforations Method factory
 Screens Type _____ Material _____

All construction and test pumping information of this well can be attained from David Evans and Assoc. Bend, Or. .

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
219	279	1/8	3000	10"		<input checked="" type="checkbox"/>	<input type="checkbox"/>

All construction standards were varified by David Evans & Assoc. , under contract to the City of Prineville.

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Time
700 +	110'	250	1 hr.

RECEIVED
MAY 03 2019

Temperature of Water 65 Depth Artesian Flow Found 217
Was a water analysis done? Yes By whom City of Prineville
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other Artesian sealing
Depth of strata: 22-35

Date started 11-10-94 Completed 12-14-94
(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

WWC Number _____
Signed _____ Date _____

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.
WWC Number 741
Signed Curt Clausen Date 12-29-94

13176

NOTICE TO WATER WELL CONTRACTOR
 The original and first copy
 of this report are to be
 filed with the
 STATE ENGINEER, SALEM, OREGON 97310
 within 30 days from the date
 of well completion.

CROOK
2083

WATER WELL REPORT RECEIVED
 STATE OF OREGON FEB 6 1973
 (Please type or print)
 STATE ENGINEER Permit No. _____
 SALEM OREGON 6-6313

155/16E-4 ad

(1) OWNER:

Name PACIFIC POWER AND LIGHT
 Address PUBLIC SERVICE BLDG. PORTLAND ORE. 97204

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Cable Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
24" Diam. from +1 ft. to 22.5 ft. Gage 375
12" Diam. from +2 ft. to 226 ft. Gage 330
 " Diam. from " ft. to " ft. Gage "

PERFORATIONS:

Perforated? Yes No.
 Type of perforator used _____
 Size of perforations in. by in.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No
 Manufacturer's Name U.O.P. JOHNSON
 Type STAINLESS STEEL Model No. _____
 Diam. 12 Slot size 130 Set from 226 ft. to 246 ft.
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? STRASSER
 " 820 gal./min. with 136 ft. drawdown after 10 hrs.
 " 550 " 73 " 12 "
 " " " " "
 Bailer test gal./min. with ft. drawdown after hrs.
 Artesian flow 100 g.p.m.
 Temperature of water 56° Depth artesian flow encountered 223 ft.

(9) CONSTRUCTION:

CEMENT GROUT FROM 32 FT. TO 75 FT.
 Well seal—Material used READY MIX 0-32 FT
 Well sealed from land surface to 75 ft.
 Diameter of well bore to bottom of seal 30 in.
 Diameter of well bore below seal 24 in.
 Number of sacks of cement used in well seal 38 sacks
 Number of sacks of bentonite used in well seal _____ sacks
 Brand name of bentonite _____
 Number of pounds of bentonite per 100 gallons of water _____ lbs./100 gals.
 Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
 Did any strata contain unusable water? Yes No
 Type of water? _____ depth of strata _____
 Method of sealing strata off _____
 Was well gravel packed? Yes No Size of gravel: 3/8-1/8
 Gravel placed from 226 ft. to 246 ft.

(10) LOCATION OF WELL:

County CROOK Driller's well number 5430
SE 1/4 NE 1/4 Section 4 T. 15S R. 16E W.M.
 Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 22.3 ft.
 Static level _____ ft. below land surface. Date _____
 Artesian pressure 3.5 lbs. per square inch. Date 1/24/73

(12) WELL LOG:

Diameter of well below casing _____
 Depth drilled 246 ft. Depth of completed well 246 ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
SILTY SAND	0	13	
GRAVEL	13	24	
BLUE SILTY CLAY	24	220	
BROWN CLAY AND GRAVEL	220	223	
WATER BEARING GRAVEL	223	245	
CLAY AND GRAVEL	245	246	

RECEIVED
 MAY 03 2019
 OWRD

Work started NOV 6 1972 Completed JAN 22 1973
 Date well drilling machine moved off of well JAN 23 1973

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
 [Signed] Jan V Johnson Date 1/30, 1973
 (Drilling Machine Operator)
 Drilling Machine Operator's License No. 57

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 Name R. STRASSER DRILLING CO
 (Person, firm or corporation) (Type or print)
 Address 8110 SE SUNSET LANE PORTLAND ORE
 [Signed] Robert J. Strasser
 (Water Well Contractor)
 Contractor's License No. 10 Date JAN 30, 1973

CROO 2133
OBSERVATION WELL

STATE ENGINEER
Salem, Oregon

CROO
2133

Well Record


STATE WELL NO. 15/16-51(2) ^{bcc}
COUNTY Crook
APPLICATION NO. U-402
PERMIT U-372

OWNER: Pacific Power & Light Co. MAILING ADDRESS: _____

LOCATION OF WELL: Owner's No. 6 CITY AND STATE: Prineville, Oregon

SW 1/4 NW 1/4 Sec. 5 T. 15 ^{N.} S., R. 16 ^{E.} W., W.M.

Bearing and distance from section or subdivision corner Lot 9, Block 8, Oregon & Western Addition - Prineville



Section 5

Altitude at well 2862

TYPE OF WELL: Drilled Date Constructed Aug. 50

Depth drilled 252 Depth cased 241

CASING RECORD:

10-inch, set from 0 to 252 feet

RECEIVED
MAY 03 2019

FINISH:

OWRD

Perforations from 224 to 236 feet

AQUIFERS:

Gravel and sand from 220 to 242 feet

WATER LEVEL:

22 feet below land surface on August 23, 1950

PUMPING EQUIPMENT: Type Turbine - F. M. H.P. 30
Capacity 400 G.P.M.

WELL TESTS:

Drawdown _____ ft. after _____ hours _____ G.P.M.
Drawdown 46 ft. after 1 hours pumping from 280 to 620 G.P.M.

USE OF WATER Municipal Temp. _____ °F., 19____

SOURCE OF INFORMATION _____
DRILLER or DIGGER Pacific Drilling Co.

ADDITIONAL DATA:
Log Water Level Measurements _____ Chemical Analysis Aquifer Test _____

REMARKS:

13176

CROO 2133

STATE ENGINEER
Salem, Oregon

State Well No. ^{bbc} 15/16-5~~7~~(4)
County **Crook**
Application No. U-402

Well Log

Owner: Pacific Power & Light Co. Owner's No. 6

Driller: Pacific Drilling Co. Date Drilled August 1950

CHARACTER OF MATERIAL	(Feet below land surface)		Thickness (feet)
	From	To	
Clay and silt	0	6	6
Gravel, coarse	6	11	5
Gravel, cemented	11	13	2
Gravel	13	28	15
Sand, brown	28	38	10
Sand, black	38	65	27
Clay	65	75	10
Sand, black	75	99	24
Sand and silt	99	190	91
Clay	190	220	30
Gravel, coarse	220	222	2
Gravel	222	230	8
Sand	230	250	20
Rock flour	250	252	2

RECEIVED
MAY 03 2019
OWRD

CROO
1540

(1) OWNER:

Name Pacific Power & Light Company
 Address 920 S. W. 6th Avenue
Portland 4, Oregon 77204

(2) LOCATION OF WELL:

County Crook County Owner's number, if any— Well #7
NW 1/4 NW 1/4 Section 31 T. 14S R. 16 E W.M.
 Bearing and distance from section or subdivision corner
S 58° 13' 20" East 1447 feet from N.W. corner
of Section 31, T 14 S, R 16 E, WM.

(3) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other

(5) TYPE OF WELL:

Rotary Driven
 Cable Jetted
 Dug Bored

(6) CASING INSTALLED:

Threaded Welded
24" O. Diam. from 0 ft. to 230 ft. Gage 5/16" wall
12" I. " Diam. from 0 ft. to 228 ft. Gage 5/16" wall
12" I. " Diam. from 253 ft. to 256 ft. Gage

(7) PERFORATIONS:

Perforated? Yes No

Type of perforator used

SIZE of perforations in. by in.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

(8) SCREENS:

Well screen installed Yes No

Manufacturer's Name A D Cook & Son
 Type Wire Wound Model No. 75WS
 n. 12" I. D. Slot size 25 Set from 228 ft. to 253 ft.
 diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Was well gravel packed? Yes No Size of gravel:
 Gravel placed from 253 ft. to 205 ft.
 Was a surface seal provided? Yes No To what depth? 15 ft.
 Material used in seal— Concrete
 Did any strata contain unusable water? Yes No
 Type of water? Surface Water Depth of strata 0 to 12 ft.
 Method of sealing strata off Cased off and concrete seal.

(10) WATER LEVELS:

Static level 17 ft. below land surface Date Sept. 4, '57
 Artesian pressure Slight lbs. per square inch Date Sept. 27 '57

Log Accepted by: PACIFIC POWER & LIGHT COMPANY

[Signed] George J. Bragg Date January 28, 1958
 (Owner)
 Vice President

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
 Yield: 550 gal./min. with 84 ft. drawdown after 8 hrs.
 " 800 " 200 " 1 "

Bailer test NO gal./min. with ft. drawdown after hrs.

Artesian flow Slight g.p.m. Date Sept. 27, 1957

Temperature of water - Was a chemical analysis made? Yes No
Attached.

(12) WELL LOG:

Diameter of well 24 inches.

Depth drilled 256 ft. Depth of completed well 256 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Soft sand	0	2
Sand Stone & Surface Water	2	12
Clay	12	19
Gravel with Clay Binder	19	31
Sandy Silt	31	52
Sandy Silt & Some Gravel	52	57
Sandy Silt	57	101
Sandy Silt & Some Gravel	101	122
Silt	122	194
Sticky Shale	194	223
Yellow Silt	223	228
Cemented Gravel	228	231
Sand & Gravel, Water Bearing	231	252
Yellow Clay	252	256

RECEIVED

MAY 03 2019

OWRD

Work started May 20 1957. Completed Sept. 4 1957

(13) PUMP:

Manufacturer's Name Fairbanks Morse Co. Pamona Pump. Div.
 Type Deep well turbine H.P. 50

Well Driller's Statement:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

R. J. Strasser Drilling Co

NAME (Person, firm, or corporation) (Type or print)
 Address 8110 SE Sunset Lane -Portland 6, Oregon

Driller's well number 3092

[Signed] Robert L. Strasser - Partner
 (Well Driller)

License No. 10 Date Jan. 23, 1958

R. J. Strasser Drilling Co.

8110 S. E. Sunset Lane
 Portland 6, Oregon

Sept. 17, 1957

Log of 12" well drilled for Pacific Power & Light Company.

Legal Description of well location: S 58degrees 13 min. 20 sec. east for 1447 ft. from N.W. Corner of Sec. 31, Township 14 S. R 16E Willamette Meridian, Creek County, Ore.

- 0 - 2 Soft sand
- 2 - 12 Sandstone, with surface water
- 12 - 19 Clay
- 19 - 31 Gravel with clay binder.
- 31 - 52 Sandy silt
- 52 - 57 Sandy silt with some gravel
- 57 -101 Sandy silt
- 101 -122 Sandy silt with some gravel
- 122 -194 Silt
- 194 -223 Sticky shale
- 223 -228 Yellow silt
- 228 -231 Cemented gravel
- 231 -252 Sand and gravel, water-bearing
- 252 -256 Yellow clay

RECEIVED

MAY 03 2019

OWRD

Casing:

- 0 - 230 ft.---24" O.D. 5/16 wall pipe.
 - 0- 230 ft.---12" I.D. 5/16 wall pipe.
 - 230 - 253 ft.---12" I.D. Cook Well Screen
 - 253 - 256 ft.---12" I.D. 5/16 wall pipe. Steel plate welded on bottom of pipe.
- Opening between 12" pipe and inside of 24" pipe filled with gravel-pack material to 205 ft. Opening between 15 ft. and 205 ft. filled with clay. Cement seal from 5 ft. to 15 ft.

Static water level---17 ft.

Pumping level, at 550 g.p.m.---101 ft.



STATE ENGINEER
Salem, Oregon

CROO
1549

CROO 1549
Well record

WELL NO. 14/16-31J(1)
COUNTY Crook
APPLICATION NO. U-140

OWNER: City of Prineville MAILING ADDRESS:

LOCATION OF WELL: Owner's No. CITY AND STATE:


NE 1/4 SE 1/4 Sec. 31 T. 14 S. R. 16 W., W.M.

Bearing and distance from section or subdivision corner

Altitude at well 2868

TYPE OF WELL: Drilled Date Constructed May 1941

Depth drilled 223 Depth cased



Section 31

CASING RECORD:

6-inch, set to 222 feet

RECEIVED
MAY 03 2019
OWRD

FINISH:

AQUIFERS:

Sand and gravel from 222 to 223 feet

WATER LEVEL:

4.8 feet above land surface, October 26, 1944

PUMPING EQUIPMENT: Type Centrifugal H.P. 1
Capacity G.P.M.

WELL TESTS:

Drawdown ft. after hours G.P.M.
Drawdown ft. after hours G.P.M.

USE OF WATER Municipal Temp. °F. 19
SOURCE OF INFORMATION U.S.G.S. Report U-140

DRILLER or DIGGER

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

OBSERVATION WELL

STATE ENGINEER
Salem, Oregon

CROOK
1577

Well Record

STATE WELL NO. 14/16-32M(1)
COUNTY Crook
APPLICATION NO. U-147
PERMIT U-140


OWNER: Pacific Power & Light Co. MAILING ADDRESS: _____

LOCATION OF WELL: Owner's No. 3-Ochoco Heights CITY AND STATE: Prineville

NW 1/4 SW 1/4 Sec. 32 T. 14 S., R. 16 W., W.M.

Bearing and distance from section or subdivision corner _____

Altitude at well 2933'



TYPE OF WELL: Drilled Date Constructed July 42-Feb. 43
Depth drilled 1002 Depth cased 300' ±

Section 32

CASING RECORD:

12-inch set to 300 ± feet

RECEIVED
MAY 03 2010
OWRD

FINISH:

AQUIFERS:

Gravel at 238 feet

WATER LEVEL:

52 feet below land surface in March 1943

PUMPING EQUIPMENT: Type Turbine H.P. _____
Capacity 400 G.P.M.

WELL TESTS:

Drawdown 27 ft. after 2 hours pumping 130 G.P.M.
Drawdown _____ ft. after _____ hours _____ G.P.M.

USE OF WATER Municipal Temp. 59 °F., 19____
SOURCE OF INFORMATION U-147, U.S.G.S. Report
DRILLER or DIGGER George E. Scott

ADDITIONAL DATA:

Log x Water Level Measurements _____ Chemical Analysis _____ Aquifer Test _____

REMARKS:

Draws down 27 feet after 2 hours pumping 130 gpm.

RECEIVED

MAY 03 2019

OWRD

STATE ENGINEER
Salem, Oregon

State Well No. 14/16-32M(1)

County Crook

Application No. U - 147

Well Log

Owner: Pacific Power and Light Co. Owner's No. 3 - Ochoco Hgts.

Driller: George E. Scott Date Drilled 1943

CHARACTER OF MATERIAL	(Feet below land surface)		Thickness (feet)
	From	To	
Plleistocene(?) lacustrine & alluvial deposits			
Gravel	0	18	18
Sand, yellow	18	39	21
Silt & sand w/streaks of clay	39	88	49
Sand, dark, dirty, water bearing	88	94	6
Clay, drak, silty	94	219	125
Clay, blue	219	237	18
Gravel, dirty, water bearing	237	239	2
Clay, sticky	239	241	2
Gravel, dirty, water bearing	241	254	13
Clarno (?) formation			
Clay, greenish	254	262	8
Clay, muddy, yellow	262	272	10
Clay, gray	272	307	35
Gravel (?)	307	307½	½
Clay, gray, w/slight variations	307½	1002	694½

13176

STATE ENGINEER
Salem, Oregon

State Well No. W/16-324(1)

County Cook

Application No.

Chemical Analysis

OWNER Pacific Power & Light Co. OWNER'S NO.

ANALYST Charlton Laboratories Address Portland, Ore.

Date of Collection May 5, 1949

Point of Collection

	P.P.M.	P.P.M.
Silica (SiO ₂)		RECEIVED
Iron (Fe) Total		MAY 03 2019
Manganese (Mn)		OWRD
Calcium (Ca)		
Magnesium (Mg)		
Sodium (Na)		
Potassium (K)		
Bicarbonate (HCO ₃)		
Carbonate (CO ₃)		
Sulfate (SO ₄)	15	
Chloride (Cl)	7.4	
Fluoride (F)		
Nitrate (NO ₃)		
Boron (B)		
Dissolved Solids	287	
Hardness as CaCO ₃	69	
Specific Conductance (Micromhos at 25°C)		
pH		
Percent Sodium		
Sodium Absorption Ratio (S.A.R.)		
CLASS		

STATE OF OREGON
 Salem, Oregon

State of Oregon
 County of Clatsop
 Application No. 19176

RECEIVED

MAY 03 2019

OWRD

Chemical Analysis

OWNER Pacific Power & Light Co. OWNER'S NO. U.S.G.S

ANALYST U.S.G.S Address Nov. 14 1946

Date of Collection Nov. 14 1946

Point of Collection

CLASS	
	Silica (SiO ₂)
	Iron (Fe) Total
	Manganese (Mn)
	Calcium (Ca)
	Magnesium (Mg)
	Sodium (Na)
	Potassium (K)
	Bicarbonate (HCO ₃)
	Carbonate (CO ₃)
	Sulfate (SO ₄)
	Chloride (Cl)
	Fluoride (F)
	Nitrate (NO ₃)
	Boron (B)
	Dissolved Solids
	Hardness as CaCO ₃
	Specific Conductance (Microhm-cm at 25°C)
	pH
	Percent Sodium
	Sodium Absorption Ratio (S.A.R.)
	CLASS

02
 21
 13
 54
 215
 35
 17
 3
 1.5
 254
 121

}

19176

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

CROO 54711
2/8/2019

WELL I.D. LABEL# L 131541
START CARD # 1041419
ORIGINAL LOG #

(1) LAND OWNER
Owner Well I.D. YANCY #2
First Name _____ Last Name _____
Company CITY OF PRINEVILLE
Address 387 NE 3RD ST
City PRINEVILLE State OR Zip 97754

(2) TYPE OF WORK New Well Deepening Conversion
 Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION
Dia + From To Gauge Stl Plstc Wld Thrd
Casing: _____
Material From To Amt sacks/lbs
Seal: _____

(3) DRILL METHOD
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Reverse Rotary Other _____

(4) PROPOSED USE Domestic Irrigation Community
 Industrial/ Commercial Livestock Dewatering
 Thermal Injection Other MUNICIPAL

(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)
Depth of Completed Well 242.00 ft.
BORE HOLE SEAL
Dia From To Material From To Amt sacks/lbs
12 0 242 Bentonite Chips 4 163 132 S
Calculated 83
Cement 163 216 52 S
Calculated 19

How was seal placed: Method A B C D E
 Other POURED DRY
Backfill placed from _____ ft. to _____ ft. Material _____
Filter pack from 216 ft. to 242 ft. Material SAND Size 8/12
Explosives used: Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount _____ Actual Amount _____

(6) CASING/LINER
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
8 2 227 .250
Shoe Inside Outside Other Location of shoe(s) _____
Temp casing Yes Dia 12 From + 1 To 242

(7) PERFORATIONS/SCREENS
Perforations Method _____
Screens Type JOHNSON Material STAINLESS
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/
Screen Liner Dia From To width length slots pipe size
Screen Casing 8 227 242 .035

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)
100 _____ 242 2
600 121 220 120
Temperature 54 °F Lab analysis Yes By _____

Water quality concerns? Yes (describe below) TDS amount 200 ppm
From To Description Amount Units

(9) LOCATION OF WELL (legal description)
County CROOK Twp 14.00 S N/S Range 16.00 E E/W WM
Sec 31 SW 1/4 of the SE 1/4 Tax Lot 6701
Tax Map Number _____ Lot _____
Lat _____ " or 44.30683333 DMS or DD
Long _____ " or -120.85383333 DMS or DD
 Street address of well Nearest address
N FAIRMONT YANCY WELL #2

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Pre-Alteration _____
Completed Well 2/5/2019 _____ 10.5
Flowing Artesian? Dry Hole?

WATER BEARING ZONES Depth water was first found 15.00

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
12/10/2018	15	22	5		6
12/10/2018	125	136	100		6
12/19/2018	214	242	300		9

(11) WELL LOG Ground Elevation 2864.00

Material	From	To
FILL	0	1
CLAY SILT SAND	1	22
GRAVELS CLAY BROWN	22	29
SALT SAND GRAY	29	60
SALT SAND CLAY STREAKS GRAY	60	125
SAND GRAVELS CLAY GRAY	125	136
CLAY SAND	136	148
GRAVELS CLAY SAND	148	199
CLAY GRAY	199	216
GRAVELS	216	242

RECEIVED
MAY 03 2019
OWRD

Date Started 12/10/2018 Completed 2/6/2019

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
License Number 758 Date 2/6/2019
Signed THOMAS PECK (E-filed)

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
License Number 1720 Date 2/8/2019
Signed JACK ABBAS (E-filed)
Contact Info (optional) _____

13176

RECEIVED

MAY 03 2019

OWRD

Attachment 6
City of Prineville Water System Map
Application for a Water Right Transfer – City of Prineville

13176

RECEIVED

MAY 03 2019

OWRD

Attachment 7
City of Prineville Water Right Certificates for Transfer
Application for a Water Right Transfer – City of Prineville

STATE OF OREGON
COUNTY OF CROOK
CERTIFICATE OF WATER RIGHT

RECEIVED
MAY 03 2019
OWRD

This Is to Certify, That PACIFIC POWER & LIGHT CO.

of Public Service Bldg., Portland 4, State of Oregon, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of a well

a tributary of municipal supply for the purpose of

under Permit No. U-215 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from June 17, 1947

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.6 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the SW 1/4 SE 1/4, Section 31, Township 14 South, Range 16 East, W. M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ----- of one cubic foot per second per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

SW 1/4 SE 1/4	SW 1/4 NW 1/4
NW 1/4 SE 1/4	NW 1/4 NW 1/4
NE 1/4 SE 1/4	NE 1/4 NW 1/4
SE 1/4 SE 1/4	SE 1/4 NW 1/4
Section 31	SW 1/4 NE 1/4
SW 1/4 SW 1/4	NW 1/4 NE 1/4
NW 1/4 SW 1/4	Section 5
NE 1/4 SW 1/4	NW 1/4 NE 1/4
SE 1/4 SW 1/4	NE 1/4 NE 1/4
Section 32	SE 1/4 NE 1/4
Township 14 South, Range 16 East, W. M.	Section 6
	Township 15 South, Range 16 East, W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this 12th day of July, 1947

LEWIS A. STANLEY
State Engineer

Recorded in State Record of Water Right Certificates, Volume 16, page 22839.

STATE OF OREGON

COUNTY OF CROOK

CERTIFICATE OF WATER RIGHT

RECEIVED

MAY 03 2019

OWRD

THIS CERTIFICATE ISSUED TO

CITY OF PRINEVILLE
387 NE 3RD STREET
PRINEVILLE, OREGON, 97754

confirms the right to use of the waters of STEARNS WELL #2 and BARNEY WELL in the OCHOCO CREEK BASIN for MUNICIPAL USE.

The right has been perfected under Permit G-9154. The date of priority is OCTOBER 5, 1973. The right is limited to 1.56 CUBIC FEET PER SECOND (CFS), IN ANY COMBINATION FROM THE TWO WELLS, AND IS FURTHER LIMITED TO A MAXIMUM OF 1.02 CFS FROM STEARNS WELL #2 OR 1.02 CFS FROM BARNEY WELL, or its equivalent in case of rotation, measured at the well(s).

The wells are located as follows:

ORIGINAL WELL

STEARNS WELL #2: SW $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 4, T15S, R16E, W.M.; 1810.2 FEET SOUTH & 1151.5 FEET EAST FROM N $\frac{1}{4}$ CORNER OF SECTION 4.

ADDITIONAL WELL

BARNEY WELL: NE $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 4, T15S, R16E, W.M.; 1315 FEET SOUTH & 1370 FEET EAST FROM N $\frac{1}{4}$ CORNER OF SECTION 4.

The right shall conform to such reasonable rotation system as may be ordered by the proper state officer.

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

T-9762.RA

Certificate Number 83993

13176

A description of the place of use under the right, and to which such right is appurtenant, is as follows:

1/4	1/4	SECTION	TOWNSHIP	RANGE, W.M.
SW	NE	31	14 S	16 E
NE	NW	31	14 S	16 E
NW	NW	31	14 S	16 E
SE	NW	31	14 S	16 E
SE	SW	31	14 S	16 E
NE	SE	31	14 S	16 E
NW	SE	31	14 S	16 E
SW	SE	31	14 S	16 E
SE	SE	31	14 S	16 E
SW	NW	32	14 S	16 E
NE	SW	32	14 S	16 E
NW	SW	32	14 S	16 E
SW	SW	32	14 S	16 E
SE	SW	32	14 S	16 E
NW	SE	32	14 S	16 E
SW	SE	32	14 S	16 E
NW	NW	3	15 S	16 E
NW	NE	4	15 S	16 E
SW	NE	4	15 S	16 E
NE	NW	4	15 S	16 E
NW	NW	4	15 S	16 E
SW	NW	4	15 S	16 E
NE	NE	5	15 S	16 E
NW	NE	5	15 S	16 E
SW	NE	5	15 S	16 E
SE	NE	5	15 S	16 E
NE	NW	5	15 S	16 E
NW	NW	5	15 S	16 E
SW	NW	5	15 S	16 E
SE	NW	5	15 S	16 E
NE	SW	5	15 S	16 E
NW	SW	5	15 S	16 E
NW	SE	5	15 S	16 E
NE	NE	6	15 S	16 E
NW	NE	6	15 S	16 E
SE	NE	6	15 S	16 E
NE	NW	6	15 S	16 E
SE	NW	6	15 S	16 E
NE	SE	6	15 S	16 E

RECEIVED
MAY 03 2019
OWRD

The water user shall maintain the meter or measuring device in good working order.

This certificate is issued to confirm an ADDITIONAL POINT OF APPROPRIATION approved by an order of the Water Resources Director entered NOVEMBER 22, 2004, and supersedes Certificate 57443, State Record of Water Right Certificates.

The quantity of water diverted at the additional point of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.

Water shall be acquired from the same aquifer (water source) as the original point of appropriation.


Water may be applied to lands which are not specifically described above, provided the holder of this right complies with ORS 540.510(3).

Issued MAR 21 2008

RECEIVED

MAY 03 2019

OWRD


Phillip C. Ward, Director
Water Resources Department

Recorded in State Record of Water Right Certificates numbered 83993.

T-9762.RA

STATE OF OREGON
 COUNTY OF CROOK
 CERTIFICATE OF WATER RIGHT

RECEIVED

MAY 03 2019

OWRD

THIS CERTIFICATE ISSUED TO

CITY OF PRINEVILLE
 387 NE THIRD STREET
 PRINEVILLE, OREGON 97754

confirms the right to use the waters of a WELL, for MUNICIPAL USE.

This right was perfected under Permit U-372. The date of priority is DECEMBER 8, 1950. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.75 CUBIC FOOT PER SECOND, or its equivalent in case of rotation, measured at the point of diversion.

The point of appropriation is located as follows:

TWP	RNG	MER	SEC	Q - Q	MEASURED DISTAMCES
15 S	16 E	WM	5	SW NW	375 FEET NORTH AND 370 FEET EAST FROM W ¼ CORNER OF SECTION 5


A description of the place of use to which this right is appurtenant is as follows:

TWP	RNG	MER	SEC	Q - Q
14 S	16 E	WM	31	NE SE
14 S	16 E	WM	31	NW SE
14 S	16 E	WM	31	SW SE
14 S	16 E	WM	31	SE SE
14 S	16 E	WM	32	NE SW
14 S	16 E	WM	32	NW SW
14 S	16 E	WM	32	SW SW
14 S	16 E	WM	32	SE SW
14 S	16 E	WM	32	NW SE
14 S	16 E	WM	32	SW SE
15 S	16 E	WM	5	NW NE
15 S	16 E	WM	5	SW NE
15 S	16 E	WM	5	NE NW
15 S	16 E	WM	5	NW NW
15 S	16 E	WM	5	SW NW
15 S	16 E	WM	5	SE NW
15 S	16 E	WM	6	NE NE
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SE NE

This certificate describes that portion of the water right confirmed by Certificate 22868, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered March 11, 2011, and recorded at Special Order Volume ~~81~~, pages 757 to 759, canceling a portion of the water right. This certificate supersedes Certificate 22868.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

WITNESS the signature of the Water Resources Director, affixed MAR 11 2011.


Dwight French for
PHILLIP C. WARD, DIRECTOR

RECEIVED
MAY 03 2019
OWRD

STATE OF OREGON

RECEIVED

COUNTY OF CROOK

MAY 03 2019

CERTIFICATE OF WATER RIGHT

OWRD

THIS CERTIFICATE ISSUED TO

CITY OF PRINEVILLE
387 NE THIRD STREET
PRINEVILLE, OR 97754

confirms the right to use the waters of LaMONTA WELL in the OCHOCO CREEK BASIN for MUNICIPAL USES.

This right was perfected under Permit G-506. The date of priority is APRIL 5, 1957. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.77 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the well.

The well is located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	16 E	WM	31	NW NW	SOUTH 58 DEGREES 13 MINUTES EAST, 1447 FEET FROM NW CORNER OF SECTION 31

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:


MUNICIPAL USES					
Twp	Rng	Mer	Sec	Q-Q	GLot
14 S	16 E	WM	31	NE SE	
14 S	16 E	WM	31	NW SE	
14 S	16 E	WM	31	SW SE	
14 S	16 E	WM	31	SE SE	
14 S	16 E	WM	32	NE SW	
14 S	16 E	WM	32	NW SW	
14 S	16 E	WM	32	SW SW	
14 S	16 E	WM	32	SE SW	
15 S	16 E	WM	5	NW NE	2
15 S	16 E	WM	5	SW NE	
15 S	16 E	WM	5	NE NW	3
15 S	16 E	WM	5	NW NW	4
15 S	16 E	WM	6	NE NE	1
15 S	16 E	WM	6	NW NE	2
15 S	16 E	WM	6	SE NE	

This certificate describes that portion of the water right confirmed by Certificate 29097, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered JUN 07 2010, approving Transfer Application T-11026.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed June 7, 2010.


Phillip C. Ward, Director

RECEIVED

MAY 03 2019

OWRD

RECEIVED

MAY 03 2019

OWRD

STATE OF OREGON

COUNTY OF CROOK

CERTIFICATE OF WATER RIGHT

This Is to Certify, That CITY OF PRINEVILLE

of Prineville, State of Oregon, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of a well a tributary of for the purpose of Use of City owned Railway and Municipal use, including swimming pool, fire protection, and street sprinkling under Permit No. U-133 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from May 16, 1941

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.1 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the NE 1/4 SE 1/4, Section 31, Township 14 South, Range 16 East, W. M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to of one cubic foot per second per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

SE 1/4, Section 31, NE 1/4 SW 1/4, SW 1/4 SW 1/4, SE 1/4 SW 1/4, Section 32, T. 14 S., R. 16 E., W. M.

NW 1/4, Section 5, NE 1/4 NE 1/4, NW 1/4 NE 1/4, SE 1/4 NE 1/4, Section 6, T. 15 S., R. 16 E., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed this 1st day of March, 1949.

CHAS. E. STRICKLIN State Engineer

STATE OF OREGON
COUNTY OF CROOK
CERTIFICATE OF WATER RIGHT

RECEIVED
MAY 03 2019
OWRD

THIS CERTIFICATE ISSUED TO

CITY OF PRINEVILLE
387 NE THIRD STREET
PRINEVILLE, OREGON 97754

confirms the right to use the waters of a WELL (OCHOCO HEIGHTS WELL NO.1), for MUNICIPAL USE.

This right was perfected under Permit U-140. The date of priority is MAY 20, 1942. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.8 CUBIC FOOT PER SECOND, or its equivalent in case of rotation, measured at the point of diversion.

The point of appropriation is located as follows:

TWP	RNG	MER	SEC	Q - Q
14 S	16 E	WM	32	NW SW


A description of the place of use to which this right is appurtenant is as follows:

TWP	RNG	MER	SEC	Q - Q
14 S	16 E	WM	31	SE
14 S	16 E	WM	32	SW
15 S	16 E	WM	5	NW
15 S	16 E	WM	5	NE SW
15 S	16 E	WM	5	NW SW
15 S	16 E	WM	6	NE NE
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SE NE

This certificate describes that portion of the water right confirmed by Certificate 75223, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered **SEP 14 2010**, and recorded at Special Order Volume 81, pages 796 to 798, canceling a portion of the water right. This certificate supersedes Certificate 75223.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

WITNESS the signature of the Water Resources Director, affixed Sept 14, 2010.


Phillip C. Ward, Director

Recorded in State Record of Water Right Certificates numbered 86558.
Page 1 of 1

c75223-part cancel-rr.GLN

13176

RECEIVED

MAY 03 2019

OWRD



May 1, 2019

Kelly Starnes
Water Rights Transfer Program
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301

RE: City of Prineville - Application for Water Rights Transfer

Dear Kelly:

The enclosed application for a water rights transfer, and supporting documentation, is submitted on behalf of City of Prineville (City). Also enclosed is the \$4,170 application fee.

The City is proposing to transfer portions of the authorized rates of appropriation from five certificates and the entirety of one certificate to a new point of appropriation (Yancey Well 2) within the City's service area boundary. The City anticipates that the rate of appropriation at the Yancey Well 2 will not exceed 600 gallons per minute. The City requests that the Department issue remaining right certificates for the portion of the authorized rate of each of the five certificates that are not affected by the transfer.

Please contact me at 541-257-9001 if you have any questions or need additional information. I look forward to working with you to obtain a limited license for the City.

Sincerely,

A handwritten signature in black ink, appearing to read "Adam Sussman", is written over a horizontal line.

Adam Sussman
Principal Water Resources Consultant

Enclosures