



State of Oregon
 Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.
 For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all items included with this application. (N/A = Not Applicable)

RECEIVED

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Transfer Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 2 List them here: Certificate 40143 and 94117**
 Please include a separate Part 5 for each water right. (See instructions on page 6)

MAY 02 2019

OWRD

Attachments:

RECEIVED

- Completed Transfer Application Map.
- Completed Evidence of Use Affidavit and supporting documentation.
- N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500’ from the surface water source and more than 1000’ upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

MAY 16 2019

OWRD

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

<input type="checkbox"/> Application fee not enclosed/insufficient	<input type="checkbox"/> Map not included or incomplete
<input type="checkbox"/> Land Use Form not enclosed or incomplete	<input type="checkbox"/> Part _____ is incomplete
<input type="checkbox"/> Additional signature(s) required	
Other/Explanation _____	
Staff: _____ 503-986-0 _____	Date: ____/____/____

RECEIVED

MAY 16 2019

Part 2 of 5 – Transfer Application Map Checklist

OWRD

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/. CWRE stamp and signature are not required for substitutions.
- N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

RECEIVED TACS

MAY 02 2019 13182

OWRD

RECEIVED
MAY 16 2019

OWRD

FEE WORKSHEET for PERMANENT TRANSFER Part 3 of 5 – Fee Worksheet

1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,160
	Types of change proposed: <input checked="" type="checkbox"/> Place of Use <input type="checkbox"/> Character of Use <input checked="" type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = <u>2 (2a)</u> Subtract 1 from the number in line 2a = <u>1 (2b)</u> If only one change, this will be 0		
2	Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » »	2	\$930
3	Number of water rights included in transfer <u>2 (3a)</u> Subtract 1 from the number in 3a above: <u>1 (3b)</u> If only one water right this will be 0 Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » »	3	\$520
4	Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 » <input checked="" type="checkbox"/> Yes: enter \$410 »	4	\$410
5	Do you propose to change the place of use or character of use? <input type="checkbox"/> No: enter 0 on line 5 » <input checked="" type="checkbox"/> Yes: enter the cfs for the portions of the rights to be transferred (see example below*): <u>0.82 (5a)</u> Subtract 1.0 from the number in 5a above: <u>-0.18 (5b)</u> If 5b is 0 or less, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: <u>0 (5c)</u> and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » » » » » »	5	\$0
6	Add entries on lines 1 through 5 above » » » » » » » » » » » » » » » » Subtotal:	6	\$3,020
7	Is this transfer: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 »	7	\$0
8	Subtract line 7 from line 6 » Transfer Fee:	8	\$3,020

*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

- For irrigation calculate cfs for each water right involved as follows:
 - Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷ 100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac = 0.56 cfs).
 - If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
- Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

FEE WORKSHEET for SUBSTITUTION

1	Base Fee (includes change to one well)	1	\$840.00
	Number of wells included in substitution _____ (2a) Subtract 1 from the number in 3a above: _____ (2b) If only one well this will be 0		
2	Multiply line 2b by \$410 and enter » » » » » » » » » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » » » » » » » » » Fee for Substitution:	3	NA

RECEIVED

MAY 02 2019 13182

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Steven V. Johnson and Constance A. Johnson			PHONE NO. (503) 781-3170	ADDITIONAL CONTACT NO.
ADDRESS 10404 Hazelgreen Rd				FAX NO.
CITY Silverton	STATE OR	ZIP 97381	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Doann Hamilton/Pacific Hydro-Geology, Inc.			PHONE NO. (503) 632-5016	ADDITIONAL CONTACT NO. (503) 349-6946 (cell)
ADDRESS 18487 S. Valley Vista Road				FAX NO. (503) 632-5983
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this transfer application, and why:
Our plan is to irrigate the crops with the better quality groundwater and use the surface water to irrigate the pastures for cattle grazing. This will require switching the place of use for portions of two water rights on our property. We also wish to add up to two wells to the groundwater right.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

- Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Check One Box

- By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Silverton Appeal.

RECEIVED

MAY 16 2019

OWRD

RECEIVED

MAY 02 2019

OWRD

- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).

I (we) affirm that the information contained in this application is true and accurate.



<u>Constance Johnson</u> Applicant Signature	<u>Constance Johnson</u> Print Name and title if applicable	<u>4/25/2019</u> Date
<u>[Signature]</u> Applicant Signature	<u>STEVEN V. JOHNSON</u> Print Name and title if applicable	<u>4-25-19</u> Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? Yes No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

Check the following boxes that apply:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? Yes No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

<http://www.oregon.gov/owrd/docs/transfer-propertytransactions.pdf>

RECEIVING LANDOWNER NAME NA			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	

Describe any special ownership circumstances here: NA

- Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: Complete and attach Supplemental Form D.)

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

RECEIVED
MAY 02 2019

OWRD

RECEIVED
MAY 16 2019

OWRD

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Marion County Planning Division	ADDRESS 5155 Silvertown Road NE	
CITY Salem	STATE Oregon	ZIP 97305

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

MAY 16 2019

OWRD

RECEIVED

MAY 02 2019

OWRD

RECEIVED

MAY 16 2019

Part 5a of 5b- Water Right Information

OWRD

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 40143

RECEIVED

Description of Water Delivery System

System capacity: 0.79 cubic feet per second (cfs) OR _____ gallons per minute (gpm)

MAY 02 2019

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from the POD using a portable 30 Hp centrifugal pump. Water is conveyed through portable 5-inch mainlines connected to 3-inch laterals equipped with impact sprinklers to irrigate grass and oats.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

Table with 9 columns: POD/POA Name or Number, Is this POD/POA Authorized on the Certificate or is it Proposed?, If POA, OWRD Well Log ID# (or Well ID Tag # L-), Twp, Rng, Sec, 1/4 1/4, Tax Lot, DLC or Gov't Lot, Measured Distances (from a recognized survey corner). Row 1: POD, [X] Authorized, NA, 6 S 1 W 32 SW NW, DLC 42, 760 feet north and 100 feet east from the SE corner, DLC 42.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- [X] Place of Use (POU) [] Supplemental Use to Primary Use (S to P)
[] Character of Use (USE) [] Point of Appropriation/Well (POA)
[] Point of Diversion (POD) [] Additional Point of Appropriation (APOA)
[] Additional Point of Diversion (APOD) [] Substitution (SUB)
[] Surface Water POD to Ground Water POA (SW/GW) [] Government Action POD (GOV)

Will all of the proposed changes affect the entire water right?

- [] Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
[X] No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 40143

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page).	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate.	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
6	S	1	W	32	SW	NW	601	DLC 42	16.6	IR	POD	May 13, 1968	POU	6	S	1	W	32	SW	NW	601	DLC 42	16.6	IR	POD	May 13, 1968
6	S	1	W	31	SE	NE	601	DLC 42	9.3	IR	POD	May 13, 1968	POU	6	S	1	W	32	SW	NW	801	Lot 2	3.9	IR	POD	May 13, 1968
													POU	6	S	1	W	32	NW	SW	801	NA	3.8	IR	POD	May 13, 1968
													POU	6	S	1	W	31	SE	NE	601	DLC 42	1.6	IR	POD	May 13, 1968
TOTAL ACRES:								25.9	TOTAL ACRES:											25.9						

Additional remarks: Note: The ownership update for Certificate 40143 to JohnFam Farm LLC specified the acres assigned to them was 25 +/- . The actual acres covered by that ownership update equals 25.9.

RECEIVED

MAY 02 2019

OWRD

RECEIVED

MAY 16 2019

OWRD

RECEIVED

MAY 16 2019

RECEIVED

MAY 02 2019

OWRD

Certificate # 40143

For Place of Use or Character of Use Changes

OWRD

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: NA.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # NA.
Surface water primary Certificate # NA.

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # NA

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation: NA

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
NA										

RECEIVED

MAY 02 2019

Part 5b of 5b – Water Right Information

OWRD

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 94117

RECEIVED

MAY 16 2019

Description of Water Delivery System

System capacity: 0.50 cubic feet per second (cfs) OR _____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at sometime within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Each well is driven by a variable speed motor with a range of 50 to 120 psi. The controller optimizes the pumping rates from all the wells simultaneously, depending on demands, while minimizing drawdown in the wells. Water is conveyed through 4- and 6-inch buried mainlines to supply drip lines for berries. The pasture to the east is irrigated using portable 3-inch handlines with impact sprinklers, as needed.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

Table with 12 columns: POD/POA Name or Number, Is this POD/POA Authorized on the Certificate or is it Proposed?, If POA, OWRD Well Log ID# (or Well ID Tag # L-___), Twp, Rng, Sec, 1/4 1/4, Tax Lot, DLC or Gov't Lot, Measured Distances (from a recognized survey corner). Rows include Well 1 through Well 5 with their respective coordinates and distances.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- Place of Use (POU) [checked]
Character of Use (USE) []
Point of Diversion (POD) []
Additional Point of Diversion (APOD) []
Supplemental Use to Primary Use (S to P) []
Point of Appropriation/Well (POA) []
Additional Point of Appropriation (APOA) [checked]
Substitution (SUB) []

- Surface Water POD to Ground Water
POA (SW/GW) Government Action POD (GOV)

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed (“to” or “on” lands) section of Table 2 on the next page. Use the “CODES” listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED

MAY 16 2019

OWRD

RECEIVED

MAY 02 2019

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 94117

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	1/4 1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	1/4 1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/POA(s) to be used (from Table 1)	Priority Date			
										POU	6	S	1	W	31	SE	NE	601	DLC 42	7.7	IR	Wells 1,2,3,4,5	June 24, 1992
										POU	6	S	1	W	31	SE	NE	801	Lot 1	0.4	IR	Wells 1,2,3,4,5	June 24, 1992
										POU	6	S	1	W	31	NE	SE	801	NA	11.6	IR	Wells 1,2,3,4,5	June 24, 1992
										POU	6	S	1	W	31	SE	SE	801	NA	11.9	IR	Wells 1,2,3,4,5	June 24, 1992
										POU	6	S	1	W	32	SW	NW	801	Lot 2	0.8	IR	Wells 1,2,3,4,5	June 24, 1992
										POU	6	S	1	W	32	NW	SW	801	NA	4.4	IR	Wells 1,2,3,4,5	June 24, 1992
										POU	6	S	1	W	32	SW	SW	801	NA	3.2	IR	Wells 1,2,3,4,5	June 24, 1992
TOTAL ACRES:											TOTAL ACRES: 40.0												

Additional remarks: The well specifications provided below in Table 3 for Proposed Wells 4 and 5 are estimates based on the construction of Authorized Wells 1, 2, and 3. The actual well specifications may vary based on conditions encountered in the field during well construction. The objective will be to construct the well(s) to obtain water from the alluvial aquifer.

OWRD

MAY 16 2019

RECEIVED

RECEIVED

MAY 02 2019

OWRD

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: NA.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # NA.
Surface water primary Certificate # NA.

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # NA

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

RECEIVED
MAY 02 2019
OWRD

RECEIVED
MAY 16 2019
OWRD

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right	
Well 1	Yes	MARI 63161	See Well log MARI 63161								225 gpm total for all
Well 2	Yes	MARI 63433	See Well log MARI 63433								
Well 3	Yes	MARI 63432	See Well log MARI 63432								
Well 4	No	NA	180 feet	8 inch	180 feet	70 feet	TBD	NA	Alluvial		
Well 5	No	NA	150 feet	8 inch	150 feet	40 feet	TBD	NA	Alluvial		

RECEIVED
MAY 02 2019
OWRD

RECEIVED
MAY 16 2019
OWRD

Application for Water Right Transfer

Evidence of Use Affidavit



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

State of Oregon)
) ss
 County of MARION)

RECEIVED
 MAY 02 2019
 OWRD

RECEIVED
 MAY 16 2019
 OWRD

I, STEVEN JOHNSON, in my capacity as OWNER, OPERATOR,
 mailing address 10401 HAZELGREEN RD, SILVERTON, OR 97381
 telephone number (503) 781-3170, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

- Personal observation Professional expertise

2. I attest that:

- Water was used during the previous five years on the **entire** place of use for Certificate # ____; **OR**
- My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township		Range		Mer	Sec	¼ ¼		Gov't Lot or DLC	Acres (if applicable)
40143	6	S	1	W	WM	31	SE	NE	DLC 42	9.3
40143	6	S	1	W	WM	32	SW	NW	DLC 42	16.6


AND

- Confirming Certificate # 94117 has been issued within the past five years; **OR**
- Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: ____ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.
- Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # ____ (For Historic POD/POA Transfers)

(continues on reverse side)

3. The water right was used for: (e.g., crops, pasture, etc.): BLUEBERRIES AND PASTURE

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.




Signature of Affiant

4-25-19

Date

Signed and sworn to (or affirmed) before me this 25 day of April, 2019.




Notary Public for Oregon

My Commission Expires: 4/17/2022

Supporting Documents	Examples
<input checked="" type="checkbox"/> Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
<input type="checkbox"/> Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul style="list-style-type: none"> • Power usage records for pumps associated with irrigation use • Fertilizer or seed bills related to irrigated crops • Farmers Co-op sales receipt
<input type="checkbox"/> Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul style="list-style-type: none"> • District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • CREP Report
<input checked="" type="checkbox"/> Aerial photos containing sufficient detail to establish location and date of photograph	<p>Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.</p> <p>Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terra-server.com</p>
<input type="checkbox"/> Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

RECEIVED

MAY 02 2019

OWRD

RECEIVED

MAY 16 2019

OWRD

FS

RECEIVED

MAY 16 2019

OWRD

STATE OF OREGON

COUNTY OF MARION

CERTIFICATE OF WATER RIGHT

RECEIVED

MAY 02 2019

OWRD

THIS CERTIFICATE ISSUED TO

STEVE V. JOHNSON AND CONSTANCE A. JOHNSON
10404 HAZELGREEN RD
SILVERTON OR 97381

confirms the right to the use of water perfected under the terms of Permit G-11940. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: THREE WELLS IN WEST FORK LITTLE PUDDING RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 40.0 ACRES

MAXIMUM RATE: 0.50 CUBIC FOOT PER SECOND (CFS), FURTHER LIMITED TO 0.50 CFS FROM WELL 1, 0.32 CFS FROM WELL 2, AND 0.48 CFS FROM WELL 3, NOT TO EXCEED A MAXIMUM CUMULATIVE TOTAL OF 0.50 CFS

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JUNE 24, 1992

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
6 S	1 W	WM	31	SE NE	1	WELL 1 (NEW) - 40 FEET NORTH AND 510 FEET WEST FROM E1/4 CORNER, SECTION 31
6 S	1 W	WM	31	NE SE		WELL 2 (NEW) - 800 FEET SOUTH AND 520 FEET WEST FROM E1/4 CORNER, SECTION 31
6 S	1 W	WM	31	SE NE	1	WELL 3 (NEW) - 110 FEET NORTH AND 150 FEET WEST FROM E1/4 CORNER, SECTION 31

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres	Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
6 S	1 W	WM	31	SE NE	1	0.4	6 S	1 W	WM	32	SW NW	2	4.7
6 S	1 W	WM	31	NE SE		11.6	6 S	1 W	WM	32	NW SW		8.2
6 S	1 W	WM	31	SE SE		11.9	6 S	1 W	WM	32	SW SW		3.2

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Measurement, recording and reporting conditions:

- A. The water user shall maintain the totalizing flow meters or other suitable measuring devices as approved by the Director in good working order, at each point of appropriation.
- B. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

The water user shall obtain a static water-level measurement for each well during March of each year and report the measurement to the Department within thirty days. The measurement shall be made by a certified water rights examiner, registered professional geologist, certified engineering geologist, professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Water levels shall be reported as depth-to-water below ground level and shall be accompanied by supporting calculations. If a well listed on this right displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The reference levels for water-level declines for this right are 51.10 feet below ground surface for Well 1, 36.85 feet below ground surface for Well 2, and 41.84 feet below ground surface for Well 3. The water user shall in no instance allow excessive decline to occur within the aquifer as a result of use under this right.

Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

The quantity of water diverted at the new points of appropriation shall not exceed the quantity of water lawfully available at the original point of appropriation described as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
7 S	2 W	WM	29	NW SW	77	ORIGINAL WELL - 1450 FEET NORTH AND 1620 FEET WEST FROM THE MOST NORTHERLY CORNER, DLC 75

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

RECEIVED

MAY 02 2019

OWRD

RECEIVED

MAY 16 2019


OWRD

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

This certificate is issued to confirm changes in POINTS OF APPROPRIATION AND PLACE OF USE approved, superseded, and corrected by an order of the Water Resources Director entered DECEMBER 29, 2010, at Special Order Volume 83, Page 255, approving Transfer Application 10999, and together with Certificate 86681, supersedes Certificate 82388, State record of Water Right Certificates.

NOV 15 2018

Issued _____




Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

RECEIVED

MAY 16 2019

OWRD



RECEIVED

MAY 02 2019

OWRD

Well 1 MAY 02 2019

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

MARI 63161
R. Stadell & Sons
Well & Pump Inc.
4385 Stadell Lane NE
Silverton, OR 97381

WELL I.D. # L 101912 OWRD
START CARD # 205917

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER Well Number _____
Name **Steve Johnson**
Address **10404 Hazelgreen Rd**
City **Silverton** State **OR** Zip **97381**

(2) TYPE OF WORK New Well
 Deepening Alteration (repair/recondition) Abandonment Conversion

(3) DRILL METHOD
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Other _____

(4) PROPOSED USE
 Domestic Community Industrial Irrigation
 Thermal Injection Livestock Other _____

(5) BORE HOLE CONSTRUCTION Special Construction: Yes No
Depth of Completed Well **180** ft.
Explosives used: Yes No Type _____ Amount _____

BORE HOLE			SEAL			Sacks or Pounds
Diameter	From	To	Material	From	To	
12	0	180	bentonite	0	17	21 sacks
			cement	17	90	75 sacks

How was seal placed: Method A B C D E
 Other **bentonite poured & probed**

Backfill placed from **90** ft. to **91** ft. Material **10-20 sand**
Gravel placed from **91** ft. to **144** ft. Size of gravel **6-9**
144 180 8-12

Casing:	Diameter	From	To	Gauge	Steel				Welded		Threaded
					Plastic	Plastic	Plastic	Plastic	Welded	Welded	
8	+1.5	105	144	.250	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			156	.250	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			172	.250	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drive Shoe used Inside Outside None
Final location of shoe(s) **180' cut off**

(7) PERFORATIONS/SCREENS
 Perforations Method _____
 Screens Type **wire wrap** Material **S.S.**

From	To	Slot Size	Number	Diameter	Tele/pipe size	Casing	Liner
105	144	60		8"	8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
156	172	40		8"	8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian
Yield gal/min **125** Drawdown **53** Drill stem at **8 hr** Time _____

Temperature of water **60** Depth Artesian Flow Found _____
Was a water analysis done? Yes By whom _____
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other _____
Depth of strata: _____

(9) LOCATION OF WELL (legal description)
County **Marion**
Tax Lot **800** Lot _____
Township **6** S Range **1** W WM
Section **31** NE 1/4 SE 1/4
Lat _____ " or _____ (degrees or decimal)
Long _____ " or _____ (degrees or decimal)
Street Address of Well (or nearest address) **same**

(10) STATIC WATER LEVEL
73.5 ft. below land surface. Date **8-5-10**
_____ ft. below land surface. Date _____
Artesian pressure _____ lb. per square inch Date _____

(11) WATER BEARING ZONES
Depth at which water was first found **55**

From	To	Estimated Flow Rate	SWL
55	68	10	dnm
105	143	50	73.5
157	165	75	73.5

(12) WELL LOG Ground Elevation _____

Material	From	To	SWL
soil	0	1	
silt brown	1	28	
clay tan sticky	28	41	
packed silt brown	41	50	
slitstone brown hard	50	55	
packed sand brown	55	65	
sand brown	65	68	
clay brown & grey	68	85	
cemented gravel grey	85	105	
cemented gravel brown	105	143	
clay brown with gravel	143	157	
sand grey	157	165	
clay & sand grey	165	171	
clay grey sticky	171	175	
clay blue sticky	175	180	

Date Started **8-16-10** Completed **8-5-10**

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number **1358** Date **8-5-10**

Signed *[Signature]*

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number **686** Date **8-5-10**

Signed *[Signature]*

RECEIVED

AUG 11 2010

RECEIVED
MAY 16 2019
DARRID

13182

RECEIVED

MAY 02 2019

MARI 63433
R. Stadel & Sons
Well & Pump Inc.
4385 Stadel Lane NE
Silverton, OR 97381

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

WELL I.D. # L 101922 OWRD
START CARD # 205927

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER Well Number #2
Name Steve Johnson
Address 10404 Hazelgreen Rd NE
City Silverton State OR Zip 97381

(2) TYPE OF WORK New Well
 Deepening Alteration (repair/recondition) Abandonment Conversion

(3) DRILL METHOD
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Other

(4) PROPOSED USE
 Domestic Community Industrial Irrigation
 Thermal Injection Livestock Other

(5) BORE HOLE CONSTRUCTION Special Construction: Yes No
Depth of Completed Well 155 ft.
Explosives used: Yes No Type Amount

BORE HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or Pounds
12"	0	175'	Bentonite	0	20'	22 Sacks
			Cement	20'	70'	49 Sacks

How was seal placed: Method A B C D E
 Other Bentonite Poured & Probed
Backfill placed from 155 ft. to 175 ft. Material Sand & Cement
Gravel placed from 70 ft. to 155 ft. Size of gravel 8-12 Sand

(6) CASING/LINER

Casing:	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8"	+1.5"	100'		.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8"	140'	155'		.250	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Liner:

	Steel	Plastic	Welded	Threaded
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drive Shoe used Inside Outside None
Final location of shoe(s) 12" Shoe - Cut Off @ 155'

(7) PERFORATIONS/SCREENS

Perforations Method
 Screens Type Wirewrap Material SS

From	To	Slot Size	Number	Diameter	Tele/pipe size	Casing	Liner
100'	140'	.040		8"	ps	<input checked="" type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
150	50'	105'	8 hr

Temperature of water 60 Depth Artesian Flow Found
Was a water analysis done? Yes By whom
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other
Depth of strata:

(9) LOCATION OF WELL (legal description)
County Marion
Tax Lot 800 Lot
Township 6 S Range 1 W WM
Section 31 NE 1/4 SE 1/4
Lat _____ or _____ (degrees or decimal)
Long _____ or _____ (degrees or decimal)
Street Address of Well (or nearest address) 10404 Hazelgreen Rd NE
Silverton, OR 97381

(10) STATIC WATER LEVEL
41' 4.5" ft. below land surface. Date 12/08/10
_____ ft. below land surface. Date
Artesian pressure _____ lb. per square inch Date

(11) WATER BEARING ZONES

Depth at which water was first found 58'

From	To	Estimated Flow Rate	SWL
50'	58'	DNM	DNM
100'	140'	150 gpm	41' 4 1/2"

(12) WELL LOG

Soil	Material	Ground Elevation		SWL
		From	To	
Clay Brown		0	1	
Silt Brown Soft		1	10	
Clay Blue		10	27	
Siltstone Brown Hard		27	31	
Packed Silt & Sand Brown		31	43	
Sand Fine Brown w/Gravel		43	50	
Cemented Gravel		50	58	
Gravel & Packed Sand Brown		58	100	
Clay Brown w/Gravel		100	118	
Gravel & Packed Sand Brown		118	122	
Packed Sand Brown w/Gravel		122	125	
Clay w/Packed Sand Grey		125	135	
Clay Grey & Brown Stickey		135	141	
Clay Grey & Brown Stickey		141	170	
Clay Grey & Brown Stickey		170	175	
Turning Gritty				

Date Started 09/09/10 Completed 12/13/10

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number 1368 Date 12/13/10
Signed *[Signature]*

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1487 Date 12/15/10
Signed *[Signature]*

RECEIVED
MAY 16 2019

RECEIVED
DEC 21 2010
WATER RESOURCES DEPT
SALEM, OREGON

13182

Well RECEIVED

MAY 02 2019

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

MAR 63432
R. Stadel & Sons
Well & Pump Inc.
4385 Stadel Lane NE
Silverton, OR 97381

WELL I.D. # L 101927

OWRD

START CARD # 205941

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER Well Number #3
Name Steve Johnson
Address 10404 Hazelgreen Rd NE
City Silverton State OR Zip 97381

(2) TYPE OF WORK New Well
 Deepening Alteration (repair/recondition) Abandonment Conversion

(3) DRILL METHOD
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Other

(4) PROPOSED USE
 Domestic Community Industrial Irrigation
 Thermal Injection Livestock Other

(5) BORE HOLE CONSTRUCTION Special Construction: Yes No
Depth of Completed Well 168 ft.
Explosives used: Yes No Type _____ Amount _____

BORE HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or Pounds
12"	0	170'	Bentonite	0	9.5'	9 Sacks
			Cement	9.5'	72'	70 Sacks

How was seal placed: Method A B C D E
 Other Bentonite Poured & Probed
Backfill placed from 168 ft. to 170 ft. Material 6-9 Sand
Gravel placed from 72 ft. to 135 ft. Size of gravel 6-9
135' 168' 8 12

(6) CASING/LINER

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 8"	+1.5'	105'	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8"	135'	143'	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8"	158'	168'	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drive Shoe used Inside Outside None
Final location of shoe(s) 12" Shoe - Cut Off @ 165'

(7) PERFORATIONS/SCREENS
 Perforations Method _____
 Screens Type Wirewrap Material SS

From	To	Slot Size	Number	Diameter	Tele/pipe size	Casing	Liner
105'	135'	.060		8"	ps	<input checked="" type="checkbox"/>	<input type="checkbox"/>
143'	158'	.040		8"	ps	<input checked="" type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian
Yield gal/min _____ Drawdown _____ Drill stem at _____ Time _____
180 52' 147' 8 hr

Temperature of water 60 Depth Artesian Flow Found _____
Was a water analysis done? Yes By whom _____
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other _____
Depth of strata: _____

(9) LOCATION OF WELL (legal description)
County Marion
Tax Lot 800 Lot _____
Township 6 S Range 1 W WM
Section 31 SE 1/4 NE 1/4

Lat _____ or _____ (degrees or decimal)
Long _____ or _____ (degrees or decimal)

Street Address of Well (or nearest address) 10404 Hazelgreen Rd NE
Silverton, OR 97381

(10) STATIC WATER LEVEL
43' 2 1/4" ft. below land surface. Date 12/02/10
_____ ft. below land surface. Date _____
Artesian pressure _____ lb. per square inch Date _____

(11) WATER BEARING ZONES
Depth at which water was first found 58'

From	To	Estimated Flow Rate	SWL
58'	66'	DNM	DNM
90'	158'	180 gpm	43' 2 1/4"

(12) WELL LOG Ground Elevation _____

Soil	Material	From	To	SWL
Silt Brown		0	1	
Clay Tan Sticky		1	20	
Siltstone Brown w/Tan Clay		20	30	
Sand Grey		30	58	
Clay Brown		58	66	
Cemented Gravel		66	72	
Dirty Gravel Cemented		72	90	
Cemented Gravel		90	105	
Clay & Gravel Brown		105	133	
Siltstone Grey		133	135	
Silty Grey Sand Some Clay		135	144	
Clay Blue		144	158	
		158	170	

Date Started 10/21/10 Completed 12/04/10

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number 358 Date 12/04/10
Signed [Signature]

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1487 Date 12/15/10
Signed [Signature]

RECEIVED
MAY 16 2019

RECEIVED
DEC 21 2010
WATER RESOURCES DEPT
SALEM, OREGON

**Application for Water Right
Transfer
Consent by Deeded Landowner**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

State of Oregon)
)ss
County of Marion)

RECEIVED

MAY 16 2019

OWRD

I Steven Johnson of JohnFam Farm LLC in my/our capacity as proprietor,
mailing address 10404 Hazelgreen Rd., Silverton, OR 97381,
telephone number (503) 781-3170, duly sworn depose and say that I
consent to the proposed change(s) to Water Right Certificate Number 40143
described in a Transfer Application (T-NA) submitted by Steven and Constance Johnson,
(transfer number, if known)
on the property in tax lot number(s) 601, Section 32, Township 6 South, Range 1 West, W.M.,
located at no site address – north of TL 800 10404 Hazelgreen Rd, Silverton, OR 97381.
(site address)

Signature of Affiant


4-25-19

Date

Signature of Affiant

Date

Subscribed and Sworn to before me this 25 day of April, 2019.



Samantha Anne Fonken
Notary Public for Oregon

My commission expires 4/17/2022.

RECEIVED

MAY 02 2019

Revised 9/2/10

OWRD

13182