

State of Oregon **Water Resources Department** 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

Application for Permit Amendment

Part 1 of 5 - Minimum Requirements Checklist

RECEIVED

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included. For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all items included with this application. (N/A = Not Applicable) DEC 16 2019 \boxtimes Part 1 – Completed Minimum Requirements Checklist. \boxtimes Part 2 – Completed Application Map Checklist. OWRD \boxtimes Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd fee calculator. If you have questions, call Customer Service at (503) 986-0801. \boxtimes Part 4 – Completed Applicant Information and Signature. \boxtimes Part 5 – Information about Permits to be Amended: Number of permits to be amended: 1 List the Permits here: G-17746 Please include a separate Part 5 for each permit. (See instructions on page 6) \boxtimes Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). ☑ N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; or the landowner of the proposed place of use is not the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at https://www.oregon.gov/OWRD/Forms/Pages/default.aspx). Assignment is not needed if the applicant is the permit holder of record. N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant or other permit holders of record that are not listed as applicants. \boxtimes N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. X N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. N/A Geologist Report for a change from a surface water point of diversion to a ground water point of

	(For Staff Use Only)								
WE ARE RETURNIN	G YOUR APPLICATION	FOR THE FOL	LOWING REASON(S):						
	t enclosed/insufficient of enclosed or incomplete	Map not i	included or incomplete						
Additional signatu	re(s) required	Part	is incomplete						
Other/Explanation									
Staff:	503-986-0	Date: _							

appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does <u>not</u> have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

	× N/A	If more than three permits are involved, separate maps for each permit.
\boxtimes		Permanent quality printed with dark ink on good quality paper.
\boxtimes		The size of the map can be $8\frac{1}{2}$ x 11 inches, $8\frac{1}{2}$ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
\boxtimes		A north arrow, a legend, and scale.
\boxtimes		The scale of the map must be: $1 \text{ inch} = 400 \text{ feet}$, $1 \text{ inch} = 1,320 \text{ feet}$, the scale of the county assessor map if the scale is not smaller than $1 \text{ inch} = 1,320 \text{ feet}$, or a scale that has been preapproved by the Department.
\boxtimes		Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
\boxtimes		Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
\boxtimes		Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
\boxtimes		Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
\boxtimes		Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
	N/A	If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
\boxtimes		Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
	N/A	If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

DEC 16 2019

Page Fee (includes one type of change to one name) for your to 1 of	
Base Fee (includes one type of change to one permit for up to 1 cfs) 1 \$1,1	60
Types of change proposed:	
Place of Use	
Point of Diversion/Appropriation	
Number of above boxes checked = $\frac{1(2a)}{}$	
Subtract 1 from the number in line $2a = 0$ (2b) If only one change, this will be 0	
Multiply line 2b by \$930 and enter » » » » » » » » » » » » » 2	
Number of permits included in Permit Amendment 1 (3a)	
Subtract 1 from the number in 3a: 0 (3b). If only one permit this will be 0	
3 Multiply line 3b by \$520 and enter » » » » » » » » » » » » » 3	
Do you propose to add or change a well, or change from a surface water POD	
to a well?	
□ No: enter 0 »» » » » » » » » » » » » » » » » »	
4 Yes: enter \$410 » » » » » » » » » » » » » » 4 \$4	.0
Do you propose to change the place of use?	
No: enter 0 on line 5 » » » » » » » » » » » » » » » » » »	/FD
i es: enter the cis for the portions of the permits to be amended (see	
example below*): (5a) DEC 16 (51)	019
Subtract 1.0 from the number in 5a above: (5b)	
If 5b is 0, enter 0 on line 5 » » » » » » » » » » » » » » » » » »	
11 30 is greater than 0, round up to the hearest whole hamber	
5 and multiply 5c by \$350, then enter on line 5 » » » » » » » » 5 0	
6 Add entries on lines 1 through 5 above » » » » » » » » » Subtotal: 6 \$1,5	70
Is this permit amendment:	
necessary to complete a project funded by the Oregon Watershed	
Enhancement Board (OWEB) under ORS 541.932?	
endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat?	
A CONTRACTOR OF CONTRACTOR AND	
If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » 7 If no box is applicable, enter 0 on line 7 » » » » » » » » » » » 7	
7 If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » 7 8 Subtract line 7 from line 6 » » » » » » » » Permit Amendment Fee: 8 \$1,5	

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

- 1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (for S-12345, 1.25 cfs \div 100 ac); then multiply by the number of acres to be changed to get the application cfs (x 45 ac = 0.56 cfs).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
- 2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each "on the ground" acre included in the application. (In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

Applicant Information

APPLICANT/BUSINESS N	NAME	PHONE NO.	ADDITIONAL CONTACT NO.					
Dennis J. Flynn & A	ndrea R. Flynn	541-219-2510						
ADDRESS			FAX NO.					
31259 Clover Flat Ro	oad							
CITY	STATE	ZIP	E-MAIL					
Lakeview	OR	97630	dennisflynnranch(dennisflynnranch@gmail.com				
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE								
DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.								

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.									
AGENT/BUSINESS NAME Hollie Cannon / Water Right So	olutions, Ll	LC	PHONE NO. 541-821-5848	ADDITIONAL CONTACT NO.					
ADDRESS 3246 Hammer St. FAX NO.									
CITY Klamath Falls	STATE OR	ZIP 97601	E-MAIL hcannon@waterrigh	tsolutions.com					
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.									
Explain in your own words what you propose to accomplish with this permit amendment; and why: It was less expensive to drill another well than to enlarge the well identified on the permit. Application to change the POA to the new well. If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1". Check this box if this project is fully or partially funded by the American Recovery and Reinvestment									
Act. (Federal stimulus d	,	of record? X	es 🗌 No						
If NO, include either:									
_	A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR								
	An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.								
Has the Completion ("C") Date of the permit(s) in this application expired? Yes No									
If YES, this application will not be accepted by the Department.									

If NO, what are the completion dates of the permit(s)? 8/30/2022

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

RECEIVED DEC 16 2019

13317 -

By my signature below, I confirm that I understand:

Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Lake County Examiner



I (we) affirm that the information contained in this application is true and accurate.

Dennis J. Flynn, Owner Dennis Flynn Ranch Print Name (and Title if applicable)

Andrea R. Flynn, Owner Dennis Flynn Ranch

12-11-19

Print Name (and Title if applicable)

RECEIVED DEC 16 2019 OWRD

The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.								
☐ The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.								
Check the appropriate box, if applicable:								
Check here if any of the permits proposed by an irrigation or other water district.	l for amendment are or will b	e located within or served						
IRRIGATION DISTRICT NAME ADDRESS								
CITY	STATE	ZIP						
Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.								
ENTITY NAME	ADDRESS							
CITY	STATE	ZIP						
To meet State Land Use Consistency Requirem city, municipal corporation, or tribal government conveyed or used.	nt) within whose jurisdiction	,						
ENTITY NAME Lake County	ADDRESS 513 Center Street							
CITY Lakeview	STATE OR	ZIP 97630						
ENTITY NAME	ADDRESS							
CITY	STATE	ZIP						
ENTITY NAME	ADDRESS							

RECEIVED
DEC 16 2019

OWRD

CITY

Check one of the following:

STATE

ZIP

INSTRUCTIONS for editing the Application Form

To add additional lines to tables within the forms or to copy and paste additional Part 5 pages, please save the application form to your computer. Unlock the document by using one of the following instructions for

your Microsoft Word software version:

Microsoft Word 2003

Unlock the document by one of the following:

- Using the Tools menu => click Unprotect Document: OR
- Using the Forms toolbar => click on the Protect/Unprotect icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the **Tools** menu => click **Protect Document**; OR
- Using the Forms toolbar => click on the Protect/Unprotect icon.

Once the application has been unlocked, you may:

- add additional rows to tables using the Table tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

Microsoft Word 2007

- Unlock the document by clicking the Review tab, then click Protect Document, then click **Stop Protect**
- To relock the document, click Editing Restrictions, then click Allow Only This Type of Editing. select Filling In Forms from the drop-down menu, then check Yes, Start Enforcing Protection.

Microsoft Word 2010

- Unlock the document by clicking the **Review** tab, toggle the **Restrict Editing icon** at the upper right, then click Stop Protect at the bottom right. Then uncheck the "Allow only this type of editing in the document: Filling in forms" in the "Editing restrictions" section on the right-hand list of options.
- To relock the document, check the Editing Restrictions/Allow Only This Type of Editing/Filling In Forms box from the drop-down menu, then check Yes, Start Enforcing Protection. You do not need to assign a password for the editing restrictions.

Other Alternatives:

- Photocopy pages or tables in Part 5, mark-through any non-applicable information, insert/attach photocopied pages to document in the appropriate location, and manually amend page numbers as necessary (e.g. Page 5 6 of 9 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc. You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

RECEIVED

DEC 16 2019

TACS

OWRD

Please use a separate Part 5 for each permit being changed. See instructions on page 6 to copy and paste additional Part 5s, or to add additional rows to tables within the form.

DEC 16 2019

PERMIT # G-17746

OWRD

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Tv	Twp		Rng		1/4 1/4		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Lake 52274		L-94396	35	S	21	E	31	NW	SE	2003	1395 ft South and 1324 ft. East from NW Cor, Sec 31
Lake 52807	☐ Authorized ☐ Proposed	L-118390	35	s	21	E	31	SE	NW	2003	1463 ft South and 1314 ft. East from NW Cor Sec 31
	Authorized Proposed										
C Will	Place of Use (POU) Point of Diversion Additional Point of all of the proposed cha	(POD) Diversion (A				A S	dditio urface SW/G	onal Po water W)	oint of	Approp	ell (POA) priation (APOA) und Water POA
-	_	y the propose	ed ("	to" 1	ands) sec	tion o	f Table		the nex	at page. Use the
	No Complete all	of Table 2 to	desc	ribe	the 1	porti	on of	the per	mit to	be cha	nged.
For a char	nge in place of use: N/A	A									
Does the p ☐ Yes ☐	permit holder of record No	l own or con	trol	the	land	ТО	whicl	n the p	olace o	of use is	s being moved?
as a peri	If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.										
Is the prop	posed place of use cont	iguous to th	e au	thor	ized	plac	e of u	se?	Yes	□ No	
	The permitted place of use can be moved only to lands that are contiguous to the authorized place of use unless the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken										

Revised 2/11/2019

for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Use Permit # G-17746

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.							Proposed Changes (see			Th	e lis	sting			appear			nds) OSED CHAN	IGES		
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous	T	wp	R	ng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC		POD(s) or POA(s) to be used (from Table 1)	Priority Date
										POA	35	S	21	E	30	sw	SW	2003		21.16	Lake 52807	6/10/2015
										POA	35	S	21	E	30	SE	SW	2003		24.29	Lake 52807	6/10/2015
										POA	35	S	21	E	31	NE	NW	2003		38	Lake 52807	6/10/2015
										POA	35	S	21	E	31	NW	NW	2003		34.14	Lake 52807	6/10/2015
										POA	35	S	21	E	31	sw	NW	2003		4.7	Lake 52807	6/10/2015
										POA	35	S	21	E	31	SE	NW	2003		5.67	Lake 52807	6/10/2015
7																						
2			TO	OTAI	ACR	ES					1						TOT	AL ACE	RES	127.96		

Additional	remarks:	<u>·</u>
Additional	iciliaiks.	

~

RECEIVED

DEC 16 2019

Revised 2/11/2019

Permit Amendment Application – Page 9 of 10

OWRTACS

Permit # G-17746

Trime is a series of the serie
Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? Yes No If YES, list the other certificate, permit, or ground water registration numbers:
If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.
For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:
Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip : You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)
AND/OR
Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For <i>proposed wells not yet constructed or built</i> , provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.
able 3. Construction of Point(s) of Appropriation

T

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
LAKE 52274	YES	94396	600	8"	1 – 39	0 – 39		16	Basalt	1.6
LAKE 52807	YES	118390	622	18" & 14"	1 - 140 140 - 340	0-21 $21-340$		21	Black & Brown Porous Rock	1.6

RECEIVED

DEC 16 2019

OWRD

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

11-16-2010

WELL LABEL # L	94396
START CARD#	1004810

Complete Op-03-2008 Complete Op-08-2008	(1) LAND OWNER Owner Well I.D.	(9) LOCATION OF WELL (legal description)			
Company VALLEY EALLS RANCEL INC. Address 139 COUNTRY EALT RANCEL INC.	First Name DAVE Last Name ELDER				
Carry Carr	Company VALLEY FALLS RANCH, INC.	Sec 31 NW 1/4 of the SE 1/4 Tax Lot 2300			
DATE OF WORK New Welf Deepening Conversion Interaction (Epiparrecondition) Abandonment Deepening Conversion Interaction (Epiparrecondition) Abandonment Deepening Conversion Date Deepening Conversion Date Deepening Conversion Date Deepening Conversion Date Deepening Deepen Deep		Tax Map Number Lot			
Micration (repairrecondition) Abandonuscus	City LAKEVIEW State OR Zip 97630	Lat 0 1 OmS or DD			
State District Date Date SWL(psi)	(2) TYPE OF WORK New Well Deepening Conversion				
Reverse Rotary Other Reverse Rotary Ro	Alteration (repair/recondition) Abandonment	(Street address of well (Nearest address			
Compose Discontinuity Community Community Community Completed Well Completed Completed Well Completed Completed Well Completed Co	(3) DRILL METHOD Balany Air Potony Mud Cable Anger Cable Mud				
Completed Well Condition Community Completed Well Condition Community Completed Well Condition C	personal property of the second secon	(10) STATIC WATER LEVEL Date SWI(psi) + SWI(ft)			
Thermal Injection Orbor Exploratory Thermal Injection Orbor Exploratory					
The proper of Dry Dr					
Space Special Standard Attach copy		Flowing Artesian? Dry Hole?			
Depth of Completed Well 600 00 ft.		. WATER BEARING ZONES Depth water was first found 18			
BORE HOLE Dia From To Material From To Ant In In It on the Material From To Ant In In It on the Material From To Ant In In It on the Material From To Ant In In It on the Material From To Ant In It on the Material Size Material From To Gauge St Pists Wid Thrd Samp Liner Dia From To Gauge St Pists Wid Thrd Samp Liner Dia From To Gauge St Pists Wid Thrd Samp Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Thrd Scarne Liner Dia From To Gauge St Pists Wid Liner Width Length slots pipe size View Line Liner Dia From To Width Length Scarne Liner Dia From To Location of shocks) Deep Line Liner Dia From To To Gauge St Pists Width Liner Line Dia From To Gauge Dia From To Location of Shocks Dia From		SWL Date From To Est Flow SWL(psi) + SWL(ft)			
Dia From To Material From To Ant Ibs 12					
How was seal placed: Method A B C D E					
Record Stock From To To Stock From To To To To To To To		09-04-2008 300 600 1,500 16			
Construction Cons					
How was seal placed: Method A B C D E		(11) WELL LOC			
Sitive Poured Dry Backfill placed from		Ground Elevation			
Backfill placed from					
Filter pack from the file Material Size Explosives used: To Type Amount Streen Casing Liner Dia + From To Gauge Stl Plste Wid Thrd String Liner Dia + From To Gauge Stl Plste Wid Thrd String Liner Dia + From To Gauge Stl Plste Wid Thrd William Standstone with Silty Lenses WB 120 280 340 Yellows Sandstone with Silty Lenses WB 120 280 340 Yellows Sandstone Stl Silt interbeds WB 120 280 340 Yellow Sandstone Stl Sil	Other Poured Dry	The state of the s			
Explosives used: Yes Type Amount (6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wid Thrd (8) Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To Width length slots pipe size or Liner Dia From To width length slots pipe size or Liner Dia From To Dia	Backfill placed fromft. toft. Material	Conside Tan City Class WD			
Casing Liner Data		Valleurish Condition with City I WD			
(6) CASING/LINER Casing Liner Dia + From To Gauge Sit Plste Wld Thrd Single Date Single	Explosives used: Yes Type Amount	Converting Class			
Casing Liner Dia + From To Gauge St Plste Wld Thrd Medium Hard Gray Basalt WB 36.5 390 Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To To (7) PERFORATIONS/SCREENS Perforations Method Screens Type Material Perf'S Casing/Screen Creen Liner Dia From To width length slots pipe size Creen Liner Dia From To width length slots pipe size Creen Liner Dia From To Width length sl	(6) CASING/LINER	Vallow Candetons & Silt introbals WD			
Shoe Inside Outside Other Location of shoe(s) From To		Red Volcanies, Ash. Cinders. Basalt WB 365 390			
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To (7) PERFORATIONS/SCREENS Perforations Method Screens Type Material Perr'S Casing/ Screen Creen Liner Dia From To width length slots pipe size WATER RESOURCES DEPT SALEM, OREGON Date Started 09-03-2008 Completed 09-08-2008 (Inhonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well will be less of my knowledge and belief. License Number Date [Received D Received D Received D WATER RESOURCES DEPT SALEM, OREGON Date Started 09-03-2008 [Unbonded] Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well will be so of my knowledge and belief. License Number Date [Received D Received D WATER RESOURCES DEPT SALEM, OREGON Date Started 09-03-2008 [Unbonded] Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well during the construction dates reported above. All work performed on this well during the construction dates reported above. All work performed on this well during the construction dates reported above. All work performed on this well during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.	● ○ 8 × 1 39 .250 ● ○ ×	Madium Hard Clean Danalt Clinhale, Frantisca J UD			
RECEIVED RECEIVED		220 270			
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To Perforations Method Screens Type		Hard Reddish Gray Basalt WB 570 600			
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To Perforations Method Screens Type		DEOCHVED			
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To Perforations Method Screens Type		RECEIVED RECEIVED			
Complete	Shoe Inside Outside Other Location of shoe(s)				
Perforations Method Screens Type Material OWRD SALEM, OREGON	Temp casing Yes Dia From To	DEC 1 6 2019 JUN 2 8 2011			
Screens Type					
Perf?S Casing/ Screen Liner Dia From To width length slots pipe size Liner Dia From To width length slots pipe size	Perforations Method	WATER RESOURCES DEPT			
Ceren Liner Dia From To width length slots pipe size Dia From To width length slots pipe size Date Started 09-03-2008 Completed 09-08-2008	Screens Type Material	OWRD SALEM, OREGON			
(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. (8) WELL TESTS: Minimum testing time is 1 hour Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 200 60 1 Chonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.	I. Di	Date Started 09-03-2008 Completed 09-08-2008			
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. New Ell Tests: Minimum testing time is 1 hour		(unbonded) Water Well Constructor Certification			
construction standards. Materials used and information reported above are true to the best of my knowledge and belief. Swell tests of my knowledge and belief.					
the best of my knowledge and belief. Second					
(8) WELL TESTS: Minimum testing time is 1 hour Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 200 60 1 Comperature 80 °F Lab analysis Yes By Water quality concerns? Yes (describe below) License Number Date Electronically Filed Signed (bonded) Water Well Constructor Certification Laccept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.					
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 200 60 1 Temperature 80 °F Lab analysis Yes By Water quality concerns? Yes (describe below) Electronically Filed Signed (bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.	(P) WELL TREES W.				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 200 60 1 (bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.					
Conded Constructor Certification Constructor Certification Construction		·			
Laccept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.					
Water quality concerns? Yes (describe below) work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.	200 60 1	1 Communication of the communi			
Temperature 80 °F Lab analysis Yes By performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.		I accept responsibility for the construction, deepening, alteration, or abandonment			
Water quality concerns? Yes (describe below) construction standards. This report is true to the best of my knowledge and belief.	Temperature as OF Lab analysis Vos By	performed during this time is in compliance with Oregon water supply well			
The quality contents: [100 (deserted below)					
. Date 11-10-2010		License Number 1385 Date 11 16 2010			
Electronically Filed		Electronically Filed			
Signed ROBERT BUCKNER (E-filed)					
Contact Info (optional)					

		ELLID LABEL#1		Page 1 of 2
DEVICIONS DECLIESTED.ANE	52807 W	CONTRACTOR OF		
REVISIONS REQUESTED.	44/27/2047	-	1027457	
(un reduited of orm on color of orize old was devol	11/25/2017	ORIGINAL LOG #		
1) LAND OWNER Owner Well I.D.				
First Name MR. DENNIS Last Name FLYNN	(9) LOCATION (OF WELL (legal des	scription)	
Company	County LAKE	Twp 35.00 S N/S	Range 21.00 E	E E/W WM
Address 31259 CLOVER FLAT ROAD City LAKEVIEW State OR Zip 97630		1/4 of the NW 1/		
City LAKEVIEW State OR Zip 97630 2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number		Lot	
Alteration (complete 2a & 10) Abandonment(comple	Lat °	" or <u>42.49445027</u>		DMS or DD
PRE-ALTERATION	Long,	" or <u>42.49445027</u> " or <u>-120.29190012</u>	2	DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	C Street add	dress of well (Neare	est address	
Casing:	31259 CLOVER FLAT	T RD., LAKEVIEW, OR 9	97630	
Material From To Amt sacks/lbs				
Seal:	(10) STATIC WA	TED LEVEL		
B) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud	(10) STATIC WA	Date	SWL(psi) +	SWL(ft)
	Existing Well / Pre		3 W L(psi)	SWL(II)
Reverse Rotary Other	Completed Well	8/19/2015		21
1) PROPOSED USE Domestic X Irrigation Community	1	Flowing Artesian?	Dry Hole?	
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZO	ONES Depth water	r was first found 2	27.00
Thermal Injection Other	SWL Date From		low SWL(psi)	
S) BORE HOLE CONSTRUCTION Special Standard (Attack	_			· SWL(II)
Depth of Completed Well 622.00 ft.	0/ 1/2015	27 110 50		27
DODE HOLD		97 320 40		21
Dia From To Material From To Amt	acks/ 8/18/2015 32	20 622 200	00	21
22 0 150 Bentonite Chips 0 21 54	S			
18 150 344 Calculated 23.53				
12.25 344 622 Cement 21 340 203 Calculated 199.28	(11) WELL LOG			
		Ground Elevation		
	Silty Clay and Sandy L		From	To
Other Backfill placed from ft. to ft. Material	Silty Clay and Sandy L		7	7 110
Filter pack from ft. to ft. Material Size	Medium Red, Gray, Bla	•	110	145
	Brown Sandstone		145	197
Explosives used: Yes Type Amount	Brown Claystone & So	ome Brown Rock Mix	197	287
a) ABANDONMENT USING UNHYDRATED BENTONITE	Brown Sandstone		287	320
Proposed Amount Actual Amount	Black Rock		320	345
) CASING/LINER_	Red Cinders Red, Black and Brown	Cindara	345 375	375 390
Casing Liner Dia + From To Gauge Stl Plstc Wld	Black and Brown Poros		390	622
			370	022
● 14 ☐ 140 340 .375 ● X	RECE	EIVED		
	DEC 1	6 2019		
Shoe Inside Outside Other Location of shoe(s)		0 2010		
Temp casing Yes Dia From + To				
	- OV	VRD		
PERFORATIONS/SCREENS Perforations Method				
Screens Type Material	Date Started8/4/201:	5 Commit	eted_8/19/2015	
	le/	Comple	eted_6/19/2013	
Screen Liner Dia From To width length slots pipe	DILL'E	ell Constructor Certifica		
		I performed on the cons		
		well is in compliance . Materials used and infor		
	the best of my knowled		illiation reported a	bove are true to
	License Number			
WELL TESTS: Minimum testing time is 1 hour	='			
	Signed			
		Constructor Contification		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 1000 280 2	1	Constructor Certification		an ahan 1
200 2		for the construction, deep s well during the construction		
		s time is in compliance		
Temperature 79 °F Lab analysis Yes By		This report is true to the b		
	m License Number 1385	Date	11/25/2017	
Water quality concerns? Yes (describe below) TDS amount 85 properties to the properties of the propert	5			
		UCKNER (E-filed)		
	Contact Info (optional))		
	- I I			

Page 1 of 2