

*****PLEASE NOTE!!

Agent used information from a previous file with different received dates and different file number. I have redacted information that is previous, but date received is 12/20/2019



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

DEC 20 2019

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Transfer Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? One List them here: C-94683**
Please include a separate Part 5 for each water right. (See instructions on page 6)

OWRD

Attachments:

- ☒ Completed Transfer Application Map.
- ☒ Completed Evidence of Use Affidavit and supporting documentation.
- ☐ ☒ N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- ☐ ☒ N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- ☐ Application fee not enclosed/insufficient
- ☐ Map not included or incomplete
- ☐ Land Use Form not enclosed or incomplete
- ☐ Additional signature(s) required
- ☐ Part _____ is incomplete

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

OWRD

Your transfer application **will be returned** if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- ☒ ☐ N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/. CWRE stamp and signature are not required for substitutions.
- ☐ ☒ N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- ☐ ☒ N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

RECEIVED

DEC 20 2019

OWRD

1. For irrigation calculate cfs for each water right involved as follows:
 - a. Divide total authorized cfs by total acres in the water right (*for C12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be transferred to get the transfer cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of water rights on all the land included in the transfer; however **do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land**. The fee should be assessed only once for each “on the ground” acre included in the transfer. (*In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

FEE WORKSHEET for SUBSTITUTION

Revised 12/20/2018

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME TOR S FARMS, LLC			PHONE NO. 541-589-2379	ADDITIONAL CONTACT NO.
ADDRESS 6459 Oak Hill Road			FAX NO.	
CITY Roseburg	STATE OR	ZIP 97471	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME John A. Short / Water Right Services, LLC			PHONE NO. 541-389-2837	ADDITIONAL CONTACT NO.
ADDRESS P.O. Box 1830			FAX NO.	
CITY Bend	STATE OR	ZIP 97709	E-MAIL johnshort@usa.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this transfer application, and why:
Transfer to different property and to new points of appropriation.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Check One Box

- ☒ By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- ☐ I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- ☐ I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

By my signature below, I confirm that I understand: Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper:

Burns Times-Herald.

RECEIVED

DEC 20 2019

OWRD

- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).

RECEIVED

AUG 08 2019

OWRD

I (we) affirm that the information contained in this application is true and accurate.

Applicant signature

Print Name (and Title if applicable)

Date

Applicant signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☐ No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

RECEIVED

DEC 20 2019

OWRD

Check the following boxes that apply:

- ☐ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☒ The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- ☐ Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? ☐ Yes ☒ No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

<http://www.oregon.gov/owrd/docs/transfer-propertytransactions.pdf>

RECEIVING LANDOWNER NAME N/A			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	


Describe any special ownership circumstances here: **N/A**

- ☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (**Tip: Complete and attach Supplemental Form D.**)

IRRIGATION DISTRICT NAME N/A	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Harney County Planning Department	ADDRESS 360 N. Alvord	
CITY Burns	STATE OR	ZIP 97720

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 94683

RECEIVED

DEC 20 2019

Description of Water Delivery System

System capacity: 1.5 cubic feet per second (cfs) OR

_____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use.

Water is pumped from wells to pipelines to pivot and applied for irrigation of crops.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	1/4 1/4		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	☐ Authorized ☒ Proposed	HARN 738	23	S	34	E	30	NE	NW		1430' S, 3930' W of NE Cor S30
Well 2	☐ Authorized ☒ Proposed	HARN 739	"	"	"	"	"	NE	NE		1320' S, 1320' W of NE Cor S30
Well 3	☐ Authorized ☒ Proposed	L-32863	"	"	"	"	"	SE	NE		1680' S, 1210' W of NE Cor S30
Well 1	☒ Authorized ☐ Proposed	HARN 735	"	"	"	"	19	SE	SE		1320' N, 1320' W of SE Cor S19
Well 2	☒ Authorized ☐ Proposed	HARN 732	"	"	"	"	19	SW	SW	GL4	1320' N, 1300' E of SW Cor S19
Well 3	☒ Authorized ☐ Proposed	HARN 733	"	"	"	"	19	SE	NE		2320' S, 1320' W of NE Cor S19
Well 4	☒ Authorized ☐ Proposed	HARN 734	"	"	"	"	19	SW	NW	GL2	2300' S, 1320' E of NW Cor S19
Well 5	☒ Authorized ☐ Proposed	L-116138	"	"	"	"	19	SE	SW		250' N, 1340' E of SW Cor S19
Well 6	☒ Authorized ☐ Proposed	L-116149	"	"	"	"	19	NW	NW	GL1	30' S, 330' E of NW Cor S19
Well 7	☒ Authorized ☐ Proposed	L-118166	"	"	"	"	19	NW	NW	GL1	1200' S, 70' E of NW Cor S19
Well 8	☒ Authorized ☐ Proposed	L-116136	"	"	"	"	19	SE	SW	GL2	2010' N, 110' E of NW Cor S19
Well 9	☒ Authorized ☐ Proposed	HARN 731	"	"	"	"	19	NW	SE		1420' N, 2690' E of SW Cor S19
Well 10	☒ Authorized ☐ Proposed	L-118159	"	"	"	"	19	NE	SW		2670' N, 1710' E of SW Cor S19

Well 11	☒ Authorized ☐ Proposed	L-118163	“	“	“	“	19	SE	SE		1220' N, 1250' W of SE Cor S19
---------	---	----------	---	---	---	---	----	----	----	--	-----------------------------------

Check all type(s) of change(s) proposed below (change “CODES” are provided in parentheses):

- | | |
|---|---|
| ☒ Place of Use (POU) | ☐ Supplemental Use to Primary Use (S to P) |
| ☐ Character of Use (USE) | ☒ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Substitution (SUB) |
| ☐ Surface Water POD to Ground Water
POA (SW/GW) | ☐ Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- ☐ Yes Complete only the Proposed (“to” or “on” lands) section of Table 2 on the next page. Use the “CODES” listed above to describe the proposed changes.
- ☒ No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED

DEC 20 2019

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 94683

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the “from” or “off” lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see “CODES” from previous page)	PROPOSED (the “to” or “on” lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng		Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date						
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
														2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
23	S	34	E	19	NE	NE	1000		3.9	IR	Wells 1,2,3,4,5, 6,7,8,9,10,11	1977		23	S	34	E	30	NE	NW	1500		30.8	IR	Wells 1,2,3	1977
23	S	34	E	19	NW	NE	“		10.9	“	“	“		23	S	34	E	30	NW	NW	1500	GL1	29.1	“	“	“
23	S	34	E	19	SW	NE	“		11.9	“	“	“		23	S	34	E	30	SW	NW	1500	GL2	28.9	“	“	“
23	S	34	E	19	SE	NE	“		4.4	“	“	“		23	S	34	E	30	SE	NW	1500		31.2	“	“	“
23	S	34	E	19	NE	NW	“		7.5	“	“	“														
23	S	34	E	19	NW	NW	“	GL1	7.8	“	“	“														
23	S	34	E	19	SW	NW	“	GL2	9.3	“	“	“														
23	S	34	E	19	SE	NW	“		8.4	“	“	“														
23	S	34	E	19	NE	SW	“		5.7	“	“	“														
23	S	34	E	19	NW	SW	“	GL3	6.6	“	“	“														
TOTAL ACRES:														TOTAL ACRES:							120.0					

Additional remarks: _____.

Revised 12/20/2018

Permanent Transfer Application Form – Page 9 of 11

TACS

RECEIVED

DEC 20 2019

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 94683

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.

AUTHORIZED (the “from” or “off” lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.													Proposed Changes (see “CODES” from previous page)	PROPOSED (the “to” or “on” lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	¼ ¼		Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng		Sec	¼ ¼		Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
														2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
23	S	34	E	19	SW	SW	1000	GL4	5.4	IR	Wells 1,2,3,4,5, 6,7,8,9,10,11	1977														
23	S	34	E	19	SE	SW	“		6.9	“	“	“														
23	S	34	E	19	NE	SE	“		6.0	“	“	“														
23	S	34	E	19	NW	SE	“		8.5	“	“	“														
23	S	34	E	19	SW	SE	“		9.9	“	“	“														
23	S	34	E	19	SE	SE	“		6.9	“	“	“														
TOTAL ACRES:								120.0					TOTAL ACRES:													

If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Additional remarks: _____.

RECEIVED

DEC 20 2019

OWRD

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☐ Yes ☒ No

If YES, list the certificate, water use permit, or ground water registration numbers: N/A.

 Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # N/A.

Surface water primary Certificate # N/A.

RECEIVED

DEC 20 2019

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # N/A

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

OWRD

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

DEC 20 2019

OWRD

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Transfer Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? One** List them here: **C-94683**
Please include a separate Part 5 for each water right. (See instructions on page 6)

Attachments:

- ☒ Completed Transfer Application Map.
- ☒ Completed Evidence of Use Affidavit and supporting documentation.
- ☐ ☒ N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- ☐ ☒ N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- ☐ Application fee not enclosed/insufficient
- ☐ Land Use Form not enclosed or incomplete
- ☐ Additional signature(s) required
- ☐ Map not included or incomplete
- ☐ Part _____ is incomplete

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

Part 2 of 5 – Transfer Application Map Checklist

OWRD

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- ☒ ☐ N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/. CWRE stamp and signature are not required for substitutions.
- ☐ ☒ N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- ☐ ☒ N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

RECEIVED
DEC 20 2019
OWRD

1. For irrigation calculate cfs for each water right involved as follows:
 - a. Divide total authorized cfs by total acres in the water right (*for C12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be transferred to get the transfer cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of water rights on all the land included in the transfer; however **do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land**. The fee should be assessed only once for each “on the ground” acre included in the transfer. (*In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

FEE WORKSHEET for SUBSTITUTION

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME TOR S FARMS, LLC			PHONE NO. 541-589-2379	ADDITIONAL CONTACT NO.
ADDRESS 6459 Oak Hill Road			FAX NO.	
CITY Roseburg	STATE OR	ZIP 97471	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME John A. Short / Water Right Services, LLC			PHONE NO. 541-389-2837	ADDITIONAL CONTACT NO.
ADDRESS P.O. Box 1830			FAX NO.	
CITY Bend	STATE OR	ZIP 97709	E-MAIL johnshort@usa.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this transfer application, and why:
Transfer to different property and to new points of appropriation.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Check One Box

- ☒ By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- ☐ I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- ☐ I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

By my signature below, I confirm that I understand: Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper:

Burns Times-Herald.

RECEIVED

DEC 20 2019

OWRD

- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).

I (we) affirm that the information contained in this application is true and accurate.



Applicant signature

Print Name (and Title if applicable)

Date

Applicant signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☐ No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

RECEIVED

DEC 20 2019

OWRD

DEC 20 2015

OWRD

Check the following boxes that apply:

- ☐ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☒ The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- ☐ Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? ☐ Yes ☒ No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

<http://www.oregon.gov/owrd/docs/transfer-propertytransactions.pdf>

RECEIVING LANDOWNER NAME N/A			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	

Describe any special ownership circumstances here: **N/A**

- ☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: **Complete and attach Supplemental Form D.**)

IRRIGATION DISTRICT NAME N/A	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP

 To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Harney County Planning Department	ADDRESS 360 N. Alvord	
CITY Burns	STATE OR	ZIP 97720

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

13327 -

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 94683

RECEIVED

Description of Water Delivery System

System capacity: 1.5 cubic feet per second (cfs) **OR**

_____ gallons per minute (gpm)

DEC 20 2019

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use.

Water is pumped from wells to pipelines to pivot and applied for irrigation of crops.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	☐ Authorized ☒ Proposed	HARN 738	23 S	34 E	30	NE NW		1430' S, 3930' W of NE Cor S30
Well 2	☐ Authorized ☒ Proposed	HARN 739	" "	" "	" "	NE NE		1320' S, 1320' W of NE Cor S30
Well 3	☐ Authorized ☒ Proposed	L-32863	" "	" "	" "	SE NE		1680' S, 1210' W of NE Cor S30
Well 1	☒ Authorized ☐ Proposed	HARN 735	" "	" "	19	SE SE		1320' N, 1320' W of SE Cor S19
Well 2	☒ Authorized ☐ Proposed	HARN 732	" "	" "	19	SW SW	GL4	1320' N, 1300' E of SW Cor S19
Well 3	☒ Authorized ☐ Proposed	HARN 733	" "	" "	19	SE NE		2320' S, 1320' W of NE Cor S19
Well 4	☒ Authorized ☐ Proposed	HARN 734	" "	" "	19	SW NW	GL2	2300' S, 1320' E of NW Cor S19
Well 5	☒ Authorized ☐ Proposed	L-116138	" "	" "	19	SE SW		250' N, 1340' E of SW Cor S19
Well 6	☒ Authorized ☐ Proposed	L-116149	" "	" "	19	NW NW	GL1	30' S, 330' E of NW Cor S19
Well 7	☒ Authorized ☐ Proposed	L-118166	" "	" "	19	NW NW	GL1	1200' S, 70' E of NW Cor S19
Well 8	☒ Authorized ☐ Proposed	L-116136	" "	" "	19	SE SW	GL2	2010' N, 110' E of NW Cor S19
Well 9	☒ Authorized ☐ Proposed	HARN 731	" "	" "	19	NW SE		1420' N, 2690' E of SW Cor S19
Well 10	☒ Authorized ☐ Proposed	L-118159	" "	" "	19	NE SW		2670' N, 1710' E of SW Cor S19

Well 11	☒ Authorized ☐ Proposed	L-118163	“	“	“	“	19	SE	SE		1220' N, 1250' W of SE Cor S19
---------	---	----------	---	---	---	---	----	----	----	--	-----------------------------------

Check all type(s) of change(s) proposed below (change “CODES” are provided in parentheses):

- | | |
|---|---|
| ☒ Place of Use (POU) | ☐ Supplemental Use to Primary Use (S to P) |
| ☐ Character of Use (USE) | ☒ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Substitution (SUB) |
| ☐ Surface Water POD to Ground Water
POA (SW/GW) | ☐ Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- ☐ Yes Complete only the Proposed (“to” or “on” lands) section of Table 2 on the next page. Use the “CODES” listed above to describe the proposed changes.
- ☒ No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED

DEC 20 2019

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 94683

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
														2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
23	S	34	E	19	NE	NE	1000		3.9	IR	Wells 1,2,3,4,5, 6,7,8,9,10,11	1977		23	S	34	E	30	NE	NW	1500		30.8	IR	Wells 1,2,3	1977
23	S	34	E	19	NW	NE	"		10.9	"	"	"		23	S	34	E	30	NW	NW	1500	GL1	29.1	"	"	"
23	S	34	E	19	SW	NE	"		11.9	"	"	"		23	S	34	E	30	SW	NW	1500	GL2	28.9	"	"	"
23	S	34	E	19	SE	NE	"		4.4	"	"	"		23	S	34	E	30	SE	NW	1500		31.2	"	"	"
23	S	34	E	19	NE	NW	"		7.5	"	"	"														
23	S	34	E	19	NW	NW	"	GL1	7.8	"	"	"														
23	S	34	E	19	SW	NW	"	GL2	9.3	"	"	"														
23	S	34	E	19	SE	NW	"		8.4	"	"	"														
23	S	34	E	19	NE	SW	"		5.7	"	"	"														
23	S	34	E	19	NW	SW	"	GL3	6.6	"	"	"														
TOTAL ACRES:													TOTAL ACRES:								120.0	RECEIVED				

Additional remarks: _____

Revised 12/20/2018

Permanent Transfer Application Form – Page 9 of 11

TACS

DEC 20 2019

OWRD

19327-

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 94683

List the change proposed for the acreage in each 1/4 1/4. If more than one change is proposed, specify the acreage associated with each change.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	1/4 1/4	Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	1/4 1/4	Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																								
2	S	9	E	15	NE NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW NW	500	1	10.0		POD #5	1901
													2	S	9	E	2	SW NW	500		5.0		POD #6	1901
23	S	34	E	19	SW SW	1000	GL4	5.4	IR	Wells 1,2,3,4,5, 6,7,8,9,10,11	1977													
23	S	34	E	19	SE SW	"		6.9	"	"	"													
23	S	34	E	19	NE SE	"		6.0	"	"	"													
23	S	34	E	19	NW SE	"		8.5	"	"	"													
23	S	34	E	19	SW SE	"		9.9	"	"	"													
23	S	34	E	19	SE SE	"		6.9	"	"	"													
TOTAL ACRES:						120.0						TOTAL ACRES:												

If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Additional remarks: _____.

RECEIVED

DEC 20 2019

OWRD

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☐ Yes ☒ No

If YES, list the certificate, water use permit, or ground water registration numbers: N/A.

 Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # N/A.

Surface water primary Certificate # N/A.

RECEIVED

DEC 20 2019

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # N/A

OWRD

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right

Application for Water Right Transfer

Evidence of Use Affidavit



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.
Supporting documentation must be attached.

State of Oregon)
County of **DESCHUTES**) ss

I, JOHN A. SHORT, in my capacity as WATER RIGHT SPECIALIST,
mailing address P.O. BOX 1830, BEND, OR 97709
telephone number (541) 389-2837, being first duly sworn depose and say:

RECEIVED

DEC 20 2019

OWRD

1. My knowledge of the exercise or status of the water right is based on (check one):

☒ Personal observation ☒ Professional expertise

2. I attest that:

☒ Water was used during the previous five years on the **entire** place of use for
Certificate # 94683; **OR**

☐ My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	1/4 1/4	Gov't Lot or DLC	Acres (if applicable)

OR

☒ Confirming Certificate #94683 has been issued within the past five years; **OR**

☐ Part or all of the water right was leased instream at some time within the last five years. The
instream lease number is: ____ (Note: If the entire right proposed for
transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**

☐ The water right is not subject to forfeiture and documentation that a presumption of forfeiture for
non-use would be rebutted under ORS 540.610(2) is attached.

☐ Water has been used at the actual current point of diversion or appropriation for more than
10 years for Certificate # ____ (For Historic POD/POA Transfers)

(continues on reverse side)

RECEIVED

DEC 05 2019

13327 - FS


3. The water right was used for: (e.g., crops, pasture, etc.): CROPS

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

RECEIVED


DEC 20 2019

OWRD


Signature of Affiant

7-31-2019
Date

Signed and sworn to (or affirmed) before me this 31 day of July, 2019.




Notary Public for Oregon

My Commission Expires: Aug 30, 2021

Supporting Documents	Examples
☒ Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
☐ Copies of receipts from sales of irrigated crops or for expenditures related to use of water	• Power usage records for pumps associated with irrigation use • Fertilizer or seed bills related to irrigated crops • Farmers Co-op sales receipt
☐ Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	• District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • CREP Report
☒ Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com
☐ Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

RECEIVED

DEC 05 2019

~~OWRD~~
13327

STATE OF OREGON
COUNTY OF HARNEY
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

TOR S FARMS LLC
6459 OAK HILL RD
ROSEBURG OR 97471

confirms the right to the use of water perfected under the terms of Permit G-7664. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: ELEVEN WELLS IN THE MALHEUR LAKE BASIN

PURPOSE OR USE: IRRIGATION OF 626.2 ACRES

MAXIMUM RATE: NOT TO EXCEED 7.83 CUBIC FEET PER SECOND (CFS) IN ANY COMBINATION FROM THE WELLS, OR ITS EQUIVALENT IN CASE OF ROTATION MEASURED AT THE WELLS, FURTHER LIMITED AS FOLLOWS:

WELL NUMBER	RATE
1	7.83 CFS
2	7.83 CFS
3	7.83 CFS
4	7.83 CFS
5	2.98 CFS
6	7.83 CFS
7	7.83 CFS
8	7.83 CFS
9	3.03 CFS
10	0.67 CFS
11	4.2 CFS

RECEIVED

DEC 20 2019

OWRD

DATE OF PRIORITY: DECEMBER 6, 1977

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
23 S	34 E	WM	19	SE SE	WELL 1 (ORIGINAL) - 1320 FEET NORTH AND 1320 FEET WEST FROM SE CORNER, SECTION 19
23 S	34 E	WM	19	SW SW	WELL 2 (ORIGINAL) - 1320 FEET NORTH AND 1300 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	SE NE	WELL 3 (ORIGINAL) - 2320 FEET SOUTH AND 1320 FEET WEST FROM NE CORNER, SECTION 19
23 S	34 E	WM	19	SW NW	WELL 4 (ORIGINAL) - 2300 FEET SOUTH AND 1320 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	SE SW	WELL 5 (ADDITIONAL) - 250 FEET NORTH AND 1340 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	NW NW	WELL 6 (ADDITIONAL) - 30 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	NW NW	WELL 7 (ADDITIONAL) - 1200 FEET SOUTH AND 70 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	SW NW	WELL 8 (ADDITIONAL) - 2010 FEET SOUTH AND 110 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	NW SE	WELL 9 (ADDITIONAL) - 1420 FEET NORTH AND 2690 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	NE SW	WELL 10 (ADDITIONAL) - 2670 FEET NORTH AND 1710 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	SE SE	WELL 11 (ADDITIONAL) - 1220 FEET NORTH AND 1250 FEET WEST FROM SE CORNER, SECTION 19

The amount of water used for irrigation together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
23 S	34 E	WM	19	NE NE		40.0
23 S	34 E	WM	19	NW NE		40.0
23 S	34 E	WM	19	SW NE		40.0
23 S	34 E	WM	19	SE NE		40.0
23 S	34 E	WM	19	NE NW		40.0
23 S	34 E	WM	19	NW NW	1	37.7
23 S	34 E	WM	19	SW NW	2	37.8
23 S	34 E	WM	19	SE NW		40.0
23 S	34 E	WM	19	NE SW		40.0
23 S	34 E	WM	19	NW SW	3	37.9
23 S	34 E	WM	19	SW SW	4	33.8
23 S	34 E	WM	19	SE SW		39.0
23 S	34 E	WM	19	NE SE		40.0
23 S	34 E	WM	19	NW SE		40.0
23 S	34 E	WM	19	SW SE		40.0
23 S	34 E	WM	19	SE SE		40.0

RECEIVED

DEC 20 2019

OWRD

Water use measurement conditions:

- A. The water user shall maintain the totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation (new and existing) in good working order.
- B. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the watermaster shall request access upon reasonable notice.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The wells shall include an air line and pressure gauge or an access port for a measuring line to adequate to determine water level elevation in the well at all times.


The water user shall maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The quantity of water diverted at the additional points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.


The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

This certificate is issued to confirm a change in ADDITIONAL POINTS OF APPROPRIATION approved by an order of the Water Resources Director entered NOVEMBER 14, 2018, at Special Order Volume 109, Page 927, approving Transfer Application 12655, supersedes Certificate 82356, State Record of Water Right Certificates.

Issued NOV 07 2019.



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department



RECEIVED

DEC 20 2019

OWRD

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 235/34E-19cd

State Permit No. _____

(1) OWNER:

Name H & Z Farms
Address Star Route 2 - Buchanan Road
Burns, Oregon 97720

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒
16" Diam. from 0 ft. to 107 ft. Gage .250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☒ Yes ☐ No

Manufacturer's Name Johnson
Type H1 - Cap Model No. _____
Diam. 16 Slot size 50 Set from 57 ft. to 97 ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? Agri-lines

Yield: 250 gal./min. with 72 ft. drawdown after 3 hrs.

" " " "

Bailer test NO gal./min. with ft. drawdown after hrs.

Artesian flow NO g.p.m.

Temperature of water 54 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used cement
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 20 in.
Diameter of well bore below seal 20 in.
Number of sacks of cement used in well seal 12 sacks
How was cement grout placed? from bottom up through
tremie pipe

Was a drive shoe used? ☐ Yes ☒ No Plugs _____ Size: location _____ ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? ☒ Yes ☐ No Size of gravel #8 aqua sand

Gravel placed from 20 ft. to 107 ft.

(10) LOCATION OF WELL:

County Harney Driller's well number _____
SE 1/4 SW 1/4 Section 19 T. 23S R. 34E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 30 ft.
Static level 18 ft. below land surface. Date June 20, 81
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 20

Depth drilled 107 ft. Depth of completed well 107 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
sandy topsoil	0	4	---
clay, yellow,	4	6	---
brown clay/ sand, brown, fine	6	18	---
clay brown	18	30	---
clay, brown/ sand, brown, fine	30	45	18
sand, brown, fine	45	58	18
cemented sand, red	58	62	18
sand, brown	62	92	18
clay, brown	92	95	18
clay, gray	95	98	18
clay, black	98	108	18

Work started June 19 1981 Completed June 30 1981
Date well drilling machine moved off of well June 30 1981

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] John V. Oetter Date Aug 5, 1981
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1331

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Oetter Drilling & Irrigation Co.
(Person, firm or corporation) (Type or print)

Address P.O. Box 876 Crane, Ore. 97732

[Signed] John V. Oetter
(Water Well Contractor)

Contractor's License No. 773 Date Aug. 5, 1981

(USE ADDITIONAL SHEETS IF NECESSARY)

13327

SP-45056-119

████████████████████

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

RECEIVED

WELL REPORT

STATE ENGINEER, SALEM, OREGON 97314
within 30 days from the date
of well completion.

NOV - 1 1977

STATE OF OREGON

(Please type or print)

WATER RESOURCES DEPT.

SALEM, OREGON

State Well No.

235/34E-19a

State Permit No.

(1) OWNER:

Name Mike Stafford
Address CRANE, Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒
12" Diam. from 0 ft. to 92 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used Torch
Size of perforations 14 in. by 6 in.
708 perforations from 20 ft. to 84 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? Self
1: 800 gal./min. with 60 ft. drawdown after 8 hrs.

Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

Temperature of water 52.2 depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Concrete
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 24 in.
Diameter of well bore below seal 24 in.
Number of sacks of cement used in well seal 45 x 5 cement sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.
Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.
Did any strata contain unusable water? ☐ Yes ☒ No
Type of water? depth of strata
Method of sealing strata off

Was well gravel packed? ☒ Yes ☐ No Size of gravel: 38-24
Gravel placed from 25 ft. to 84 ft.

0-25' 8" gravel screen

(10) LOCATION OF WELL:

County Harney Driller's well number
1/4 NE 1/4 Section 19 T. 235 R. 34 E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 28 ft.
Static level 8 ft. below land surface. Date 3/15/77
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 0
Depth drilled 100 ft. Depth of completed well 92 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	2	
Yellow clay	2	25	
Green clay	25	30	20
Sand & Fine streak clay	30	90	5

Work started 1/7 1977 Completed 3/15 1977
Date well drilling machine moved off of well 3/15 1977

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] John W. Rook Date 4/3/77, 1977
(Drilling Machine Operator)

Drilling Machine Operator's License No. 269

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Rossberg & Son
(Person, firm or corporation) (Type or print)

Address Crane, Oregon

[Signed] John W. Rook
(Water Well Contractor)

Contractor's License No. 272 Date 10/31, 1977

USE ADDITIONAL SHEETS IF NECESSARY

SP*45656-119

13327 -

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

NOV - 1 1977

State Well No.

235/34E-196

WATER RESOURCES DEPT. Permit No.

SALEM, OREGON

(1) OWNER:

Name Mike Stafford
Address Crane, Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒
12" Diam. from 0 ft. to 94 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used Torch
Size of perforations 4 in. by 6 in.
6-48 perforations from 30 ft. to 84 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? Self
d: 600 gal./min. with 80 ft. drawdown after 6 hrs.

Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

perature of water 52 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Concrete
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 24 in.
Diameter of well bore below seal 24 in.
Number of sacks of cement used in well seal 3 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons
of water _____ lbs./100 gals.
Was a drive shoe used? ☐ Yes ☒ No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? ☒ Yes ☐ No Size of gravel: 1/8 to 3/4

Gravel placed from 25 ft. to 70 ft.

0-20' 8" gravel seal

(10) LOCATION OF WELL:

County Harney Driller's well number _____
1/4 NW 1/4 Section 19 T. 235 R. 34E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 27 ft.
Static level 10 ft. below land surface. Date 7/12/77
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 90 ft. Depth of completed well 90 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	3	
Clay & silt Brown	3	25	
Gravel	25	27	25
Gravel & sand	27	32	30
Sand & silt clay	32	70	12
Sand & fine gravel	70	80	10
Coarse sand	80	90	10

RECEIVED

DEC 05 2019

OWRD

RECEIVED

DEC 20 2019

OWRD

Work started 6/18 19 77 Completed 7/12 19 77
Date well drilling machine moved off of well 7/12 19 77

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] John W. Thosberg Date 10/31, 19 77
(Drilling Machine Operator)

Drilling Machine Operator's License No. 269

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Kossberg & Son
(Person, firm or corporation) (Type or print)

Address Grange, Oregon

[Signed] John W. Thosberg (Water Well Contractor)

Contractor's License No. 272 Date 10/31, 19 77

(USE ADDITIONAL SHEETS IF NECESSARY)

SP-45656-119

13327-

WATER WELL REPORT

STATE OF OREGON

RECEIVED

State Well No.

23534E-306

DUPLICATE

DEC 22 1981

WATER RESOURCES DEPT

State Permit No.

SAI OREGON

(1) OWNER:

Name Rollin FillmoreAddress Star Route 2 - 911 Buchanan RoadCity BurnsState Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☐ Driven ☐
Mud ☐ Dug ☐
☒ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐
Thermal: ☐ Withdrawal ☐ Reinjection ☐

(5) CASING INSTALLED:

Steel ☒ Plastic ☐
Threaded ☐ Welded ☐

1.2" Diam. from 0 ft. to 102 ft. Gauge 250

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☐ Yes ☐ NoType of perforator used Roscoe Moss louveredSize of perforations 1/8 in. by 3 in.

824 perforations from 44 ft. to 68 ft.

824 perforations from 73 ft. to 97 ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Is a pump test made? ☒ Yes ☐ No If yes, by whom? driller

d: 920 gal./min. with 70 ft. drawdown after 4 hrs.

" " " " " "

Air test no gal./min. with drill stem at ft. hrs.Bailer test no gal./min. with ft. drawdown after hrs.Artesian flow no g.p.m.

Temperature of water 55 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒Well seal—Material used Cement

Well sealed from land surface to 20 ft.

Diameter of well bore to bottom of seal 24 in.

Diameter of well bore below seal 24 in.

Number of sacks of cement used in well seal 3 yards sacks

How was cement grout placed? from bottom up through tremie pipeWas pump installed? no Type HP Depth ft.Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.Did any strata contain unusable water? ☐ Yes ☒ No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? ☒ Yes ☐ No Size of gravel: 3/8 in.

Gravel placed from 20 ft. to 102 ft.

(10) LOCATION OF WELL:

County Harney

Driller's well number

center 1/4 NW 1/4 Section 30 T. 23S R. 34E W.M.

Tax Lot #

Lot

Blk

Subdivision

Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found 23 ft.

Static level 8 ft. below land surface. Date 8-12-80

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 24

Depth drilled 102 ft. Depth of completed well 102 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
sandy loam	0	2	----
clay, yellow	2	8	----
clay, brown/ sand, brown fine	8	23	----
Gravel, brown, fine	23	25	----
clay, yellow/ sand, brown, fine	25	42	----
gravel, brown, med/ pumice particles	44	44	-40-
sand, brown, fine	44	54	-40-
clay, yellow	54	56	-40-
sand, brown, fine	56	60	-40-
sand, brown, med/pumice particles	60	92	-40-
gravel, brown, fine/ " "	92	94	-40-
clay, brown/ sand, brown, fine	94	102	10

RECEIVED

RECEIVED

DEC 05 2019

DEC 20 2019

OWRD

OWRD

Work started 7-28 1980 Completed 9-4 1980

Date well drilling machine moved off of well 9-5 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John V. Oetter Date 9-8, 1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1331

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Oetter Drilling & Irrigation Co.

(Person, firm or corporation)

(Type or print)

Address P.O. Box 876 Crane, Ore 97732[Signed] John V. Oetter
(Water Well Contractor)

Contractor's License No. 773 Date 9-8, 1980

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

SP12658-690

13327

WATER WELL REPORT

STATE OF OREGON

RECEIVED

DEC 22 1981

State Well No.

State Permit No.

DUPLICATE

WATER RESOURCES DEPT
SALE OREGON

(1) OWNER:

Name Rollin FillmoreAddress Star Route 2 - 911 Buchanan RoadCity BurnsState Ore.

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☐ Driven ☐
F. and ☐ Dug ☐
C. ☒ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐
Thermal ☐ Withdrawal ☐ Reinjection ☐

(5) CASING INSTALLED:

Steel ☒ Plastic ☐
Threaded ☐ Welded ☐
12" Diam. from 0 ft. to 102 ft. Gauge .250

INNER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☒ Yes ☐ NoType of perforator used Roscoe Moss louveredSize of perforations 1/8 in. by 3 in.

1648 perforations from 44 ft. to 92 ft.

perforations from ft. to ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

a pump test made? ☒ Yes ☐ No If yes, by whom? driller

650 gal/min. with 85 ft. drawdown after 7 hrs.

Air test no gal/min. with drill stem at ft. hrs.

Bailer test no gal/min. with ft. drawdown after hrs.

seal flow no g.p.m.

Temperature of water 50 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒Well seal—Material used cement

Well sealed from land surface to 20 ft.

Diameter of well bore to bottom of seal 24 in.

Diameter of well bore below seal 24 in.

Number of sacks of cement used in well seal 3 yds. (3) sacks

How was cement grout placed? from bottom up through tremiepipeWas pump installed? ☒ no Type HP Depth ft.Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.Did any strata contain unusable water? ☐ Yes ☒ No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel: 3/8

Gravel placed from 20 ft. to 102 ft.

(10) LOCATION OF WELL:

County Harney

Driller's well number

center 1/4 NE 1/4 Section 30 T. 23S R. 34E W.M.

Tax Lot #

Lot

Blk

Subdivision

Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found 8 ft.

Static level 11 ft. below land surface. Date 6 -25 - 80

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 12

Depth drilled 107 ft. Depth of completed well 102 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
sandy loam	0	2	---
clay, yellow	2	8	---
clay, brown/ sand brown, fine	8	16	8
clay, yellow	16	42	---
gravel, brown, med	42	44	16
sand, brown, fine	44	96	11
sand conglomerate, brown	96	98	11
gravel, brown, med./pumice	98	102	11
sand, brown, fine	102	104	11
clay, green	104	107	11

RECEIVED

DEC 05 2019

OWRD

RECEIVED

DEC 20 2019

OWRD

Work started May 5 1980 Completed June 27 1980

Date well drilling machine moved off of well June 28 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John V. Otter Date July 2, 1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1331

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Otter Drilling & Irrigation Co.

(Person, firm or corporation)

(Type or print)

Address P.O. Box 876 Crane, Ore. 97732[Signed] John V. Otter (Water Well Contractor)Contractor's License No. 773 Date July 2, 1980

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of

SP*12658-690

13300-

13327-

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

WATER RESOURCES DEPT.
SALEM, OREGON

WELL I.D. # L 0000087
START CARD # 100868

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number _____
Name Gene Northrup
Address Gen Del
City Fields State Ore Zip 97720

(2) TYPE OF WORK
☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:
☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other _____

(4) PROPOSED USE:
☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☒ Other Test

(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☒ No Depth of Completed Well 250 ft.
Explosives used ☐ Yes ☒ No Type _____ Amount _____

HOLE SEAL
Diameter From To Material From To Sacks or pounds
18 0 100 Back Fill 44 100
19 100 160 Bentonite 0 44 49 Sacks
12 160 290 _____

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E
☒ Other Air Inject
Backfill placed from 44 ft. to 160 ft. Material Back Gravel
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:
Diameter From To Gauge Steel Plastic Welded Threaded
Casing: 12 +2 238 250 ☒ ☐ ☒ ☐
Liner: _____

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:
☐ Perforations Method _____
☐ Screens Type _____ Material _____
From To Slot Size Number Diameter Tele/pipe size Casing Liner

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailor ☒ Air ☐ Flowing
Yield gal/min Drawdown Drill stem at Time
400+ 135' 250 4 hr.
Temperature of water _____ Depth Artesian Flow Found _____
Was a water analysis done? ☒ No ☐ Yes By whom _____
Did any strata contain water not suitable for intended use? ☒ No ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____
Depth of strata: _____

(9) LOCATION OF WELL by legal description:
County Harney Latitude _____ Longitude _____
Township 40S N or S Range 35E E or W. WM.
Section 22 SE 1/4 SW 1/4
Tax Lot 25 Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) 10 Mi South of Fields on West Side of Rd.

(10) STATIC WATER LEVEL:
115 ft. below land surface. Date 12-20-99
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:
Depth at which water was first found 213

From	To	Estimated Flow Rate	SWL
<u>213</u>	<u>285</u>	<u>400</u>	<u>115</u>

(12) WELL LOG:
Ground Elevation _____

Material	From	To	SWL
<u>Boulders & Clay</u>	<u>0</u>	<u>21</u>	<u>-</u>
<u>Brown Sand Stone</u>	<u>21</u>	<u>27</u>	<u>-</u>
<u>Medium Brown</u>			
<u>Basalt w/ Hard Gray</u>			
<u>Basalt Ribs</u>	<u>27</u>	<u>100</u>	<u>-</u>
<u>Cemented Gravel</u>	<u>100</u>	<u>181</u>	<u>-</u>
<u>Brown Sand</u>	<u>181</u>	<u>213</u>	<u>-</u>
<u>Washed Gravel</u>			
<u>(w/B)</u>	<u>213</u>	<u>285</u>	<u>115</u>
<u>Brown Sand</u>	<u>285</u>	<u>290</u>	<u>115</u>

Date started 12-11-99 Completed 12-20-99
(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number _____
Signed _____ Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1521
Signed Ronald H. Hend Date 12-20-99

ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SECOND COPY-CONSTRUCTOR THIRD COPY-CUSTOMER

13327-

13327 -

WATER SUPPLY WELL REPORT -
continuation page

HARN 52173

WELL ID. LABEL# L116136

START CARD # 1025579

ORIGINAL LOG #

4/28/2015

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
								
								
								

Material	From	To	Amt	sacks/lbs
----------	------	----	-----	-----------

(5) BORE HOLE CONSTRUCTION

BORE HOLE

Bore Hole		
Dia	From	To

SEAL

sacks/
lbs

				Calculated	
				Calculated	
				Calculated	
				Calculated	
				Calculated	

FILTER PACK

From	To	Material	Size
------	----	----------	------

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
--------	-------	-----	---	------	----	-------	-----	-------	-----	------

(7) PERFORATIONS/SCREENS

Perf/	Casing/	Screen			Scrn/slot	Slot	# of	Tele/
Screen	Liner	Dia	From	To	width	length	slots	pipe size

[illegible]

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
---------------	----------	-----------------------	---------------

Water Quality Concerns

From	To	Description	Amount	Units
------	----	-------------	--------	-------

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
----------	------	----	----------	----------	-----------

[illegible]

(11) WELL LOG

Material	From	To
----------	------	----

[illegible]**Comments/Remarks**

~~13300~~ -

13327 -

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

HARN 52174

4/28/2015

WELL I.D. LABEL# L116138
START CARD # 1025690
ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D. _____
First Name KURT Last Name SPENCER
Company _____
Address 6459 OAKHILL RD
City ROSEBURG State OR Zip 97471

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion
☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Dia + From To Gauge Stl Plstc Wld Thrd
Casing: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
Material From To Amt sacks/lbs
Seal: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other _____

(4) PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☐ Other _____

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)

Depth of Completed Well 99.00 ft.

BORE HOLE			SEAL			sacks/lbs	
Dia	From	To	Material	From	To	Amt	lbs
24	0	26	Cement	0	26	26.5	S
20	26	101			Calculated	24	
					Calculated		

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☐ Other _____

Backfill placed from _____ ft. to _____ ft. Material _____

Filter pack from 0 ft. to 101 ft. Material PEA GRAV Size pea gravel

Explosives used: ☐ Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount _____ Actual Amount _____

(6) CASING/LINER

Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
☒ ☐ 12 2 53 .250 ☒ ☐ ☒ ☐
☒ ☐ 20 1 27 .250 ☒ ☐ ☒ ☐
☒ ☐ 12 94 97 .250 ☒ ☐ ☒ ☐
Shoe ☐ Inside ☐ Outside ☐ Other Location of shoe(s) _____
Temp casing ☒ Yes Dia 16 From 2 To 98

(7) PERFORATIONS/SCREENS

Perforations Method _____

Screens Type V Wire Wrap		Material Stainless Steel	
Perf/ Casing/ Screen	Screen Liner	Screen/ Slot width	Slot length
Screen Casing	12	53	94
		.025	

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

600		96	8

Temperature 57 °F Lab analysis ☐ Yes By _____Water quality concerns? ☐ Yes (describe below) TDS amount

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County HARNEY Twp 23.00 S N/S Range 34.00 E E/W WM

Sec 19 SW 1/4 of the NW 1/4 Tax Lot 1000

Tax Map Number _____ Lot _____

Lat _____ " or _____ DMS or DD

Long _____ " or -118.58424500 DMS or DD

☐ Street address of well ☒ Nearest address

6937 CRANE BUCHANNAN RD., BURNS OR 97720

(10) STATIC WATER LEVEL

Existing Well / Pre-Alteration	Date	SWL(psi)	+ SWL(ft)
Completed Well	3/29/2015		19

Flowing Artesian? ☐ Dry Hole? ☐

WATER BEARING ZONES

Depth water was first found 32.00

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
3/11/2015	32	94	800		19

(11) WELL LOG

Ground Elevation _____

Material	From	To
sandy top soil brown	0	3
sandy clay brown	3	17
hard pan brown	17	19
sandy clay brown	19	21
clay brown	21	32
fine sand brown	32	72
sandy clay brown	72	73
fine sand brown	73	94
clay blue	94	97
bottom of well filled w/peagravel	97	101

RECEIVED
DEC 20 2019
OWRD
RECEIVED
DEC 20 2019
OWRD

Date Started 3/3/2015 Completed 3/29/2015

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number _____ Date _____

Signed _____

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1899 Date 4/28/2015

Signed SAMP KINGREY (E-filed)

Contact Info (optional) _____

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

13327-

13307-

WATER SUPPLY WELL REPORT -
continuation page

HARN 52186

WELL I.D. LABEL# L116149

START CARD # 1026059

ORIGINAL LOG #

5/13/2015

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
								
								
								

Material	From	To	Amt	sacks/lbs

Water Quality Concerns

From	To	Description	Amount	Units

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL				sacks/
Dia	From	To	Material	From	To	Amt	lbs
					Calculated		
					Calculated		
					Calculated		
					Calculated		
					Calculated		

FILTER PACK

From	To	Material	Size

(10) STATIC WATER LEVEL

[illegible]

(11) WELL LOG

Material	From	To
RECEIVED		
DEC 20 2019		
OWRD		
RECEIVED		
DEC 05 2019		
OWRD		

(6) CASING/LINER

[illegible]

(7) PERFORATIONS/SCREENS

[illegible]

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Comments/Remarks

13300

13327-

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

HARN 52218

6/23/2015

WELL I.D. LABEL# L 118159

START CARD # 1026799

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D. _____

First Name KURT Last Name SPENCER

Company _____

Address 6459 OAKHILL RD

City ROSEBURG State OR Zip 97471

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Dia + From To Gauge Stl Plstc Wld Thrd

Casing: _____

Material From To Amt sacks/lbs

Seal: _____

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud☐ Reverse Rotary ☐ Other _____

(4) PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Community☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering☐ Thermal ☐ Injection ☐ Other _____

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)

Depth of Completed Well 701.00 ft.

BORE HOLE

SEAL

sacks/

Dia	From	To	Material	From	To	Amt	lbs
16	0	100	Cement	0	100	106	S
12	100	701				Calculated	46.36
						Calculated	

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E☐ Other _____

Backfill placed from _____ ft. to _____ ft. Material _____

Filter pack from _____ ft. to _____ ft. Material _____ Size _____

Explosives used: ☐ Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount

Actual Amount

(6) CASING/LINER

Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd

☒	☐	12	☒	1	119	.250	☒	☐	☒	☐
☐	☐		☐				☐	☐	☐	☐
☐	☐		☐				☐	☐	☐	☐
☐	☐		☐				☐	☐	☐	☐
☐	☐		☐				☐	☐	☐	☐

Shoe ☐ Inside ☒ Outside ☐ Other Location of shoe(s) 119Temp casing ☐ Yes Dia _____ From _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method _____

Screens Type _____

Material _____

Perf/	Casing/ Screen	Screen Liner	Dia	From	To	Scr/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

300		700	2

Temperature 55 °F Lab analysis ☐ Yes By _____Water quality concerns? ☐ Yes (describe below) TDS amount 264

From To Description Amount Units

(9) LOCATION OF WELL (legal description)

County HARNEY Twp 23.00 S N/S Range 34.00 E E/W WM

Sec 19 NE 1/4 of the SW 1/4 Tax Lot 01000

Tax Map Number _____ Lot _____

Lat _____ " or 43.55804000 DMS or DD

Long _____ " or -118.58264000 DMS or DD

☐ Street address of well ☒ Nearest address

6937 CRANE BUCHANAN RD BURNS OR 97720

(10) STATIC WATER LEVEL

Existing Well / Pre-Alteration Date SWL(psi) + SWL(ft)

Completed Well 6/21/2015 65

Flowing Artesian? ☐ Dry Hole? ☐

WATER BEARING ZONES

Depth water was first found 40.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

6/19/2015	40	85	100		45
6/21/2015	275	587	300		65

(11) WELL LOG

Ground Elevation 4103.00

Material	From	To
brown sandy	0	2
brown hard clay	2	21
brown sand clay	21	32
brown sticky clay	32	40
brown sand with clay strips	40	85
blue clay	85	275
fractured black rock	275	587
fractured black rock with green	587	645
soapstone strips	587	645
green clay	645	665
black rock	665	681
green clay	681	701

Date Started 6/16/2015

Completed 6/21/2015

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1896

Date 6/22/2015

Signed TONY HACKETT (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1899

Date 6/23/2015

Signed SAM P KINGREY (E-filed)

Contact Info (optional) _____

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 10000

Form Version: 13327 -

13327-

STATE OF OREGON
COUNTY OF HARNEY
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

TOR S FARMS LLC
6459 OAK HILL RD
ROSEBURG OR 97471

confirms the right to the use of water perfected under the terms of Permit G-7664. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: ELEVEN WELLS IN THE MALHEUR LAKE BASIN

PURPOSE OR USE: IRRIGATION OF 626.2 ACRES

MAXIMUM RATE: NOT TO EXCEED 7.83 CUBIC FEET PER SECOND (CFS) IN ANY COMBINATION FROM THE WELLS, OR ITS EQUIVALENT IN CASE OF ROTATION MEASURED AT THE WELLS, FURTHER LIMITED AS FOLLOWS:

WELL NUMBER	RATE
1	7.83 CFS
2	7.83 CFS
3	7.83 CFS
4	7.83 CFS
5	2.98 CFS
6	7.83 CFS
7	7.83 CFS
8	7.83 CFS
9	3.03 CFS
10	0.67 CFS
11	4.2 CFS

120.0

$7.83 \times 626.2 =$
 0.0125039 af
 $\times 120 \text{ a} =$
 1.500468

DATE OF PRIORITY: DECEMBER 6, 1977

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
23 S	34 E	WM	19	SE SE	WELL 1 (ORIGINAL) - 1320 FEET NORTH AND 1320 FEET WEST FROM SE CORNER, SECTION 19
23 S	34 E	WM	19	SW SW	WELL 2 (ORIGINAL) - 1320 FEET NORTH AND 1300 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	SE NE	WELL 3 (ORIGINAL) - 2320 FEET SOUTH AND 1320 FEET WEST FROM NE CORNER, SECTION 19
23 S	34 E	WM	19	SW NW	WELL 4 (ORIGINAL) - 2300 FEET SOUTH AND 1320 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	SE SW	WELL 5 (ADDITIONAL) - 250 FEET NORTH AND 1340 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	NW NW	WELL 6 (ADDITIONAL) - 30 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	NW NW	WELL 7 (ADDITIONAL) - 1200 FEET SOUTH AND 70 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	SW NW	WELL 8 (ADDITIONAL) - 2010 FEET SOUTH AND 110 FEET EAST FROM NW CORNER, SECTION 19
23 S	34 E	WM	19	NW SE	WELL 9 (ADDITIONAL) - 1420 FEET NORTH AND 2690 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	NE SW	WELL 10 (ADDITIONAL) - 2670 FEET NORTH AND 1710 FEET EAST FROM SW CORNER, SECTION 19
23 S	34 E	WM	19	SE SE	WELL 11 (ADDITIONAL) - 1220 FEET NORTH AND 1250 FEET WEST FROM SE CORNER, SECTION 19

The amount of water used for irrigation together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
23 S	34 E	WM	19	NE NE		40.0
23 S	34 E	WM	19	NW NE		40.0
23 S	34 E	WM	19	SW NE		40.0
23 S	34 E	WM	19	SE NE		40.0
23 S	34 E	WM	19	NE NW		40.0
23 S	34 E	WM	19	NW NW	1	37.7
23 S	34 E	WM	19	SW NW	2	37.8
23 S	34 E	WM	19	SE NW		40.0
23 S	34 E	WM	19	NE SW		40.0
23 S	34 E	WM	19	NW SW	3	37.9
23 S	34 E	WM	19	SW SW	4	33.8
23 S	34 E	WM	19	SE SW		39.0
23 S	34 E	WM	19	NE SE		40.0
23 S	34 E	WM	19	NW SE		40.0
23 S	34 E	WM	19	SW SE		40.0
23 S	34 E	WM	19	SE SE		40.0

Water use measurement conditions:

- A. The water user shall maintain the totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation (new and existing) in good working order.
- B. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the watermaster shall request access upon reasonable notice.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The wells shall include an air line and pressure gauge or an access port for a measuring line to adequate to determine water level elevation in the well at all times.

The water user shall maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The quantity of water diverted at the additional points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

This certificate is issued to confirm a change in ADDITIONAL POINTS OF APPROPRIATION approved by an order of the Water Resources Director entered NOVEMBER 14, 2018, at Special Order Volume 109, Page 927, approving Transfer Application 12655, supersedes Certificate 82356, State Record of Water Right Certificates.

Issued NOV 07 2019



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

